

**The Heart can Lie: The Role of Interoception and Theory of Mind in  
Deception**

Dominique Makowski<sup>1, 2</sup>, Zen J. Lau<sup>2</sup>, Tam Pham<sup>2</sup>, An Shu Te<sup>2</sup>, Stephanie Kirk<sup>2</sup>, Claudia  
Liau<sup>2</sup>, & S.H. Annabel Chen<sup>2, 3, 4, 5</sup>

<sup>1</sup> School of Psychology, University of Sussex, UK

<sup>2</sup> School of Social Sciences, Nanyang Technological University, Singapore

<sup>3</sup> Centre for Research and Development in Learning, Nanyang Technological University,  
Singapore

<sup>4</sup> Lee Kong Chian School of Medicine, Nanyang Technological University, Singapore

<sup>5</sup> National Institute of Education, Nanyang Technological University, Singapore

The authors made the following contributions. Dominique Makowski:  
Conceptualization, Data curation, Formal Analysis, Funding acquisition, Investigation,  
Methodology, Project administration, Resources, Software, Supervision, Validation,  
Visualization, Writing – original draft; An Shu Te: Project administration, Resources,  
Investigation, Writing – original draft; Stephanie Kirk: Project administration, Resources,  
Writing – original draft; Claudia Liauw: Data curation, Formal Analysis; S.H. Annabel  
Chen: Project administration, Supervision, Writing – review & editing.

Correspondence concerning this article should be addressed to Dominique Makowski,  
Pevensey 1, University of Sussex, Brighton, UK. E-mail: D.Makowski@sussex.ac.uk

## The Heart can Lie: The Role of Interoception and Theory of Mind in Deception

Lying - the intentional attempt at instilling a false belief in others (Sip et al., 2012) - is a prevalent phenomenon carrying potentially important consequences. Interestingly, evidence suggests that the successful detection of a lying attempt depends more on the ability of the liar, than on the performance of the lie detector (Bond Jr & DePaulo, 2008; Levine et al., 2011; Verigin et al., 2019). However, with most of the deception literature focused on deception detection (Masip, 2017; Sternglanz et al., 2019; Viji et al., 2022), the factors contributing to one's ability to lie remain unclear.

As deception requires the liar to intentionally manipulate the beliefs of others (Burgoon & Buller, 1994; Sip et al., 2012), a significant line of research has been focused on the role of theory of mind (ToM) in lying ability. ToM refers to the ability to infer that others have mental states, such as beliefs, emotions and intentions, distinct from ourselves (Baron-Cohen, 1997; Lee & Imuta, 2021; Wellman et al., 2001). The ability to tell lies, as well as their complexity, have previously been found to be related to higher ToM abilities (Evans & Lee, 2011; Talwar et al., 2007, 2017). However, studies investigating the link between ToM and deception have predominantly been focused on children and neuroatypical individuals (Beaudoin et al., 2020; Bora & Yener, 2017; Roheger et al., 2022), and its importance in healthy adults remains to be clarified.

Besides paying attention to the person we lie to, gauging whether they believe us, some attention is also directed inwards: monitoring our own body and its reactions (e.g., cardiac activity and its related changes such as blushing), which could be used as cues to infer our real intent. This begs the question of the potential role of interoceptive abilities in deception ability. Broadly defined as one's sensitivity to their own internal signals and bodily states (Chen et al., 2021; Murphy et al., 2019; Weiss et al., 2014), Garfinkel et al. (2015)'s conceptualizes interoception as a three-dimensional construct comprising three distinct facets,

namely, interoceptive accuracy - the objective ability to monitor internal bodily signals; interoceptive sensibility - the subjective confidence in one's interoceptive accuracy; and interoceptive awareness - one's ability to identify and appropriately respond to their perceived interoceptive states. Interoception has increasingly been tied to subjective perceptual experiences (Connell et al., 2018; Seth et al., 2012), as well as individual differences in executive functions, emotional processing, and decision-making (Barrett & Simmons, 2015; Murphy et al., 2019; Petzschner et al., 2021). Although few studies exist that investigate the relationship between interoception and deceptive ability *per se*, previous decision-making studies have demonstrated a negative correlation between interoceptive awareness, a metacognitive dimension of interoception, and one's likelihood to make risky decisions (Dunn et al., 2010; Furman et al., 2013). In fact, this is consistent with the somatic marker hypothesis, which posits an association between interoception and a propensity towards making rational decisions (Damasio, 1996).

In contrast, however, some studies have instead found heightened interoceptive attention (one's self-focus towards internal bodily signals), to predict apathetic, immoral behaviour, such as cheating (Ditto et al., 2006; Lenggenhager et al., 2013; Williams et al., 2016). Extending these findings to social cognition, Vabba et al. (2022) further reports individuals with lower interoception told significantly less egoistic lies when the social reputational stakes were high, whereas individuals with higher interoception did not exhibit a significant difference in the number of lies told. Given the scarce research on interoception and deception, more studies are herein needed to clarify these mixed findings.

The aim of the present study was to explore the contribution of ToM and interoception abilities on individuals' deception skills, as indicated by their lying confidence, physiological arousal and response time. To this end, we designed a directed-lying paradigm with 2 conditions differing in the nature of their feedback cues. The *Interrogation* condition was designed to emphasize (and preferentially mobilize) ToM-related mechanisms, whereas the *Polygraph*

condition was designed to emphasize interoceptive mechanisms. We expected ToM and interoception to positively predict lying ability (i.e., higher lie confidence, shorter response time and lower physiological arousal), in particular in the *Polygraph* and the *Interrogation* condition, respectively.

## Methods

### Participants

30 university students from Singapore were recruited through posters, flyers, and online social media platforms. Four participants were excluded as their data was not recorded due to technical issues. The final sample consists 26 participants (Mean age = 20.9, SD = 2.0, range:[18, 25], Sex: 65.4% women, 34.6% men). The heart rate of one participant and response time of one participant were excluded from further analysis due to extreme outlying values.

This study was approved by the NTU Institutional Review Board (NTU-IRB-2020-09-007). All participants provided their informed consent prior to participation and were awarded with academic credits upon completion of the study.

### Measures

**Theory of Mind.** Two measures of ToM and its related constructs were administered. The Yoni Task (Shamay-Tsoory & Aharon-Peretz, 2007) is a behavioral task in which participants are presented with the face of a character named “Yoni”, surrounded by 4 colored pictures of objects or faces. In total, each participant completed 101 trials - 49 trials assessing their affective TOM abilities, 37 trials assessing their cognitive TOM abilities and 15 control trials. During each trial, participants were shown a question and asked to make responses based on specific cues such as directions of Yoni’s eye gaze, facial expressions etc., In the control trials, participants made judgements based on Yoni’s physical context (physical TOM).

The Basic Empathy Scale (BES, Jolliffe & Farrington, 2006), a 20-item questionnaire measuring two dimensions of empathy (cognitive and affective) using a 5-point Likert scale was administered. Although ToM and empathy are regarded as distinct psychological constructs, previous research findings point to them being closely related (Gallant et al., 2020; Sebastian et al., 2012).

**Interoception.** To assess participants’ interoceptive ability, participants completed a Heart-beat Counting Task (HCT, Schandry, 1981) while having their actual heartbeats recorded. During the HCT task, participants were instructed to count the number of heartbeats over 5 trials with varying time intervals (20s, 25s, 30s, 35s, 40s), the order of which was randomized. Interoceptive accuracy was computed from the difference between the estimated number and the real number of heart beats. Interoceptive sensibility was estimated as the average of the confidence ratings presented at the end of each trial. Interoceptive awareness was indexed by the correlation between the objective accuracy and the subjective confidence.

The MAIA-2 (Mehling et al., 2012), a 32-item questionnaire which measures 8 dimensions of interoception (Noticing, Not-Distracting, Not-Worrying, Attention, Regulation, Emotional Awareness, Self-Regulation, Body Listening, and Trust) using 5-point Likert scales, was also administered.

**Deception.** Using PsychoPy (Peirce et al., 2019), we implemented a directed-lying task in which participants were instructed to answer 80 questions by either lying or telling the truth (depending on whether they see “lie” or “truth” written on the screen). Importantly, they were told that for half of the trials, they would have to convince another participant that would be observing them from a separate room via a webcam connection (*Interrogation* condition). For the remaining trials, participants were tasked to convince a “lie detection machine” that would be assessing their behaviour through their physiological signals (*Polygraph* condition). The two conditions were presented in a counter-balanced order, and each comprised of 40 trials (20 truth; 20 lies).

The sequence of each trial was the same for both conditions. Participants were instructed to respond to a question shown on a computer screen, phrased either directly (e.g., “What is your favourite sport?”), or indirectly (e.g., “Is your favourite sport Hockey?”), by verbally lying or telling the truth (for half of the trials in each condition, i.e.,  $n = 20$ ). Following a short interval (0.7 - 1.5s) for response preparation, during which “Connecting...” was shown on the screen, a social or bio-feedback cue (for *Interrogation* and *Polygraph* conditions respectively) was displayed for a maximum of 10s. Participants then had to provide their answers verbally, and pressed the space key to signify the end of their response. After another short interval (1.5-2.5s), during which “Disconnecting” was written on the screen, participants were asked to rate their confidence in how convincing (i.e., likely to get judged as truthful) they perceived their response to be on a visual analog scale.

In the *Interrogation* condition, participants had to provide their answer while receiving social feedback in the form of a video stream of an examiner, and were informed that the examiner would be evaluating the truthfulness of their responses after observing them through the live video feed. In actuality, the displayed video feed were pre-recorded video clips of a confederate’s face (staying still with minimal reactions, and with a medical mask, as the experiment was run during COVID restrictions), and the same video-clips were used with all participants. All participants reported believing that the stream was real and that the examiner was really there during the debriefing.

In the *Polygraph* condition, participants had to provide their answer while receiving biofeedback in the form of physiological signals (ECG, EDA and Respiration) being recorded. Participants were informed that they were being shown live feedback of their own physiological activity. In actuality, we displayed pre-recorded video clips of a confederate’s physiological signals. All participants reported believing that it was indeed their own signals being shown during the debriefing.

Finally, on top of the deception task, we also measured participants’ self-reported tendency

to lie in their everyday life using the *Lie Scale* (Makowski, Pham, Lau, Raine, et al., 2021), a 16-item questionnaire that assesses 4 dispositional lying dimensions (Ability, Negativity, Contextuality and Frequency).

## Procedure

This study is comprised of 2 sessions. During session 1, participants answered a brief demographic survey before the questionnaires, which were presented in a randomized order. During session 2, cognitive-behavioural tasks were administered to participants while their physiological signals (including cardiac activity (ECG), respiration (RSP) and electrodermal activity (EDA)) were being recorded. The physiological recording devices were set up as follows: ECG was recorded with 3 electrodes placed according to a modified Lead II configuration (Takuma et al., 1995), and respiration was measured using a respiration belt. All signals were recorded at 1000Hz via the BioPac MP160 system (BioPac Systems Inc., USA). For all participants, session 2 began with the deception task, followed by the YONI task and the HCT, with the latter two presented in a randomized order. Three outcome variables were recorded for each trial of the deception task, namely the participants' confidence ratings that their answers (lies *vs.* truths) were convincing, the response time (RT) between the question onset and the participant's key press (indicating the end of their verbal answer), and the heart rate change associated with the response (within a window of 3.5 s).

## Data Analysis

Aware of the low number of participants, we tried to take every steps to 1) maximize power by using all available data (from individual trials) with appropriate statistical tools and 2) ensure the robustness of results by cross-validating the findings accross different measures and approaches.

Firstly, a manipulation check was carried out to ensure that our outcome variables were sensitive to the experimental manipulations, by testing the effect of the question phrasing (direct



174 *vs.* indirect) and condition (polygraph *vs.* interrogation) on the outcome variables. This  
 175 analysis was performed using mixed models with the participants and questions both entered  
 176 as random factors. Marginal contrasts analysis (denoted by  $\Delta$ ) was also performed to clarify  
 177 the differences between conditions. To allow for a better quantification of the uncertainty as-  
 178 sociated with the effects, as well as to increase the robustness to outliers and artefactual find-  
 179 ings, all statistics were undertaken under the Bayesian framework (Makowski et al., 2019),  
 180 using informative priors centred around 0 ( $t_{Confidence}(1, 0, 1)$ ,  $t_{RT}(1, 0, 3)$ ,  $t_{HeartRate}(1, 0, 8)$ ).

181 To maximize the signal-to-noise ratio, we performed a feature reduction on our two groups  
 182 of predictor variables (namely, ToM and interoception) using factor analysis over PCA, as  
 183 the goal was to extract meaningful and consistent factors, rather than merely maximizing  
 184 the variance explained. Then, we modelled the relationship between these inter-individual  
 185 composite scores (note that the analysis for all individual variables is nonetheless included in  
 186 the analysis report) and the 3 outcome variables in interaction with the condition (polygraph  
 187 *vs.* interrogation). Finally, we investigated the relationship between the deception scale  
 188 traits, and the ToM and interoception scores using Bayesian correlations. As all the analyses  
 189 and data has been made available, we will in the manuscript focus on significant, i.e., - in  
 190 this context - statistically reliable and in our opinion theoretically relevant.

191 The data analysis was carried out using *R* 4.2 (R Core Team, 2022), *brms* (Bürkner, 2017),  
 192 and the *easystats* collection of packages (Lüdtke et al., 2021, 2019; Makowski et al., 2020,  
 193 2019), and the physiological signal processing was done using the default routines available in  
 194 *NeuroKit2* (Makowski, Pham, Lau, Brammer, et al., 2021). Note that EDA was not further  
 195 analyzed as most participants did not yield any skin conductance responses - which we  
 196 believe was partly caused by the low temperature (with dry air-con air) of the experimental  
 197 room.

198 The analysis was not pre-registered (stemming out from a student's project), but the full  
 199 reproducible analysis script, statistical results report, and data, are available at <https://>

github.com/DominiqueMakowski/DeceptionInteroTom

## Results

### Manipulation Check

Compared to truth, lies were rated with less confidence ( $\Delta = -1.35$ , 95% *CI*  $[-1.46, -1.23]$ ,  $pd = 100\%$ ), but no significant difference between the conditions was found. On the other hand, the RT did not differ between truth and lies, but was significantly slower in the polygraph condition for both conditions ( $\Delta = 0.25$ , 95% *CI*  $[0.62, 0.41]$ ,  $pd = 100\%$ ). The heart rate was significantly more elevated during lies as compared to truth ( $\Delta = 1.16$ , 95% *CI*  $[0.57, 1.73]$ ,  $pd = 100\%$ ), and during interrogation as compared to the polygraph condition ( $\Delta = 4.84$ , 95% *CI*  $[4.23, 5.44]$ ,  $pd = 100\%$ ).

The indirect phrasing of the question only had a significant effect on RT ( $\beta = 0.36$ , 95% *CI*  $[0.21, 0.51]$ ,  $pd = 100\%$ ), leading to slower answers, regardless of whether they were lies or truths.

### Feature Reduction

The 3 YONI-task dimensions and the 2 BES traits were combined into a unique factor, labelled *TOM* (explaining 35.76% of variance). It was loaded by the cognitive (.89), affective (.77), physical (.45) YONI dimensions, and the affective (.41) and cognitive (.17) facets of the BES.

The 8 MAIA dimensions and the 3 HCT components were reduced to 4 factors (explaining 65.17% of variance). The first factor, labelled *Interoception - Meta* (23.59%), was loaded primarily by Attention Regulation (.97), Self-regulation (.63), Emotional awareness (.60), and Noticing (.49) dimensions of the MAIA and the HCT confidence score (.40). The second factor, labelled *Interoception - Listening* (18.54%), was primarily loaded by the Body Listening (.92) and Trusting (.53) MAIA dimensions, and the Awareness (-.60) and Confidence (.46) HCT scores. The third factor, labelled *Interoception - Focus* (12.07%), was primarily loaded

by MAIA Not-Distracting (.87), Emotional Awareness (-.40) and HCT Accuracy (.33). The fourth factor, labelled *Interoception - Regulation* (10.97%), was primarily loaded by MAIA not-worrying (.71), HCT Accuracy (.61) and MAIA Trusting (.40).

## Theory of Mind


The composite *TOM* score was significantly associated with less confident ( $\beta = -0.19$ , 95% *CI*  $[-0.36, -0.02]$ ,  $pd = 98.47\%$ ) and slower lies ( $\beta = 0.42$ , 95% *CI*  $[0.01, 0.83]$ ,  $pd = 97.67\%$ ), specifically in the polygraph condition. No significant effect was found with regards to heart rate, and no correlation was observed with dispositional lying traits (**Figure 1**).

## Interoception

The *Meta* interoception score was significantly associated with an increased confidence in lies, specifically in the polygraph condition ( $\beta = 0.20$ , 95% *CI*  $[0.03, 0.35]$ ,  $pd = 98.98\%$ ). It was also associated with faster answers for both lies ( $\beta = -0.54$ , 95% *CI*  $[-0.93, -0.15]$ ,  $pd = 99.67\%$ ) and truths ( $\beta = -0.29$ , 95% *CI*  $[-0.63, 0.03]$ ,  $pd = 96.10\%$ ), specifically in the polygraph condition. No significant association was found with heart rate.

The *Listening* interoception score was significantly associated with an increased confidence in lies, in both the polygraph ( $\beta = 0.43$ , 95% *CI*  $[0.27, 0.59]$ ,  $pd = 100\%$ ) and interrogation condition ( $\beta = 0.16$ , 95% *CI*  $[0.01, 0.32]$ ,  $pd = 98.04\%$ ). It was also associated with faster answers, particularly for lies ( $\beta = -0.42$ , 95% *CI*  $[-0.82, -0.03]$ ,  $pd = 98.19\%$ ) and truths ( $\beta = -0.36$ , 95% *CI*  $[-0.76, 0.03]$ ,  $pd = 96.49\%$ ) in the polygraph condition. No significant association was found with heart rate. This score also correlated with the dispositional lying *Contextuality* trait ( $r = 0.50$ , 95% *CI*  $[0.04, 0.64]$ ,  $BF_{10} = 3.48\%$ ).

The *Focus* interoception score was significantly associated with an increased confidence in truthful responses in both the polygraph ( $\beta = 0.17$ , 95% *CI*  $[-0.01, 0.34]$ ,  $pd = 97.16\%$ ) and interrogation condition ( $\beta = 0.15$ , 95% *CI*  $[-0.02, 0.32]$ ,  $pd = 95.76\%$ ). No significant




**Figure 1.** Interindividual correlates of lying confidence. The lines shows the relationship (with 95% CI uncertainty), assessed via Bayesian mixed models (\*\*pd > 97%, \*\*pd > 99%, \*\*\*pd > 99.9%), between the participants' interoceptive and TOM composite scores and the confidence ratings of their responses. Average lying confidence (+/- 1 SD) within the two experimental conditions is displayed as points for descriptive purposes as the models were ran on individual trials.

association was found with RT or heart rate, but the score correlated with the dispositional lying *Ability* trait ( $r = 0.50$ , 95% *CI* [0.22, 0.74],  $BF_{10} = 34.37\%$ ).

The *Regulation* interoception score was significantly associated with an increased confidence in lies in both the polygraph ( $\beta = 0.32$ , 95% *CI* [0.14, 0.51],  $pd = 99.99\%$ ) and the interrogation conditions ( $\beta = 0.18$ , 95% *CI* [0.00, 0.36],  $pd = 97.42\%$ ), and with a decreased confidence in truth only in the polygraph condition ( $\beta = -0.1$ , 95% *CI* [-0.36, 0.01],  $pd = 97.16\%$ ). No significant association was found with RT or heart rate (**Figure 2**).

## Discussion

The present study examined the contribution of ToM and interoception on our ability to lie using a directed lie paradigm with two conditions (“Interrogation” and “Polygraph”) designed to enhance each of the two mechanisms. Interestingly, we found that when participants were presented with (fake) physiological feedback (the polygraph condition), instead of a face of a person they had to lie to (the interrogation condition), their response time for both lies and truths increased, as did their heart rate. Although the condition did not impact the subjective confidence that participants had in their answers, it suggests that believing oneself to be submitted to a machine that is supposedly able to detect deception by interpreting physiological signals is a harder and/or more stressful condition than lying to a person. While research linking interoception and deception is limited, our results are in line with studies that show an association between interoceptive awareness and anxiety (Domschke et al., 2010; Garfinkel & Critchley, 2013; Yoris et al., 2015). Specifically, enhancing one’s attention towards their internal bodily signals could have resulted in a hyper-vigilance towards physiological sensations that is perceived negatively. This is consistent with previous deception detection studies, in which participants’ spontaneous lying behaviour only decreased when they were given feedback by a polygraph machine, but not when no feedback was given (Peleg et al., 2019). Additionally, our study also extends past deception research and further confirms the validity concerns in solely relying on physiological measures as an



*Figure 2.* Summary of findings showing the positive (green) and negative (red) associations between interoception and theory of mind abilities and deception skills, depending on the experimental condition. It highlights that ToM was related to less confident and slower lies in the polygraph condition, and that specific interoceptive dimensions were related to more confident lies.

indicator of deception (Oviatt et al., 2018; Rosky, 2013).

Our results suggest that higher ToM abilities were related to slower and less confident lies, but only in the polygraph condition. One possible interpretation of our findings is that people with stronger ToM abilities by default rely more on their social skills and altercentric inference when lying (i.e., they focus on - and try to read - the other person). When that mechanism is unavailable or unsuited (e.g., when there is no person to lie to - but a “machine” in our case), their corresponding lying ability decreases. In light of the current field of mixed findings relating interoception and ToM (Canino et al., 2022; Gao et al., 2019; Miller, 2015; Shah et al., 2017), future studies are necessary to investigate the interaction of these mechanisms in different social contexts.

We also showed that interoceptive abilities are correlated with a higher confidence in one’s lies in the polygraph condition, a condition in which the attention towards internal reactions is fostered. However, in contrast to previous studies (Füstös et al., 2013; Owens et al., 2018; Pinna & Edwards, 2020; Pollatos et al., 2007), we did not find any significant relationship between individuals’ interoception scores and their heart rate changes during their answers. This points toward a predominantly meta-cognitive effect without necessarily an actual bodily regulation (i.e., participants with good interoception feel that their lies are more convincing, but do not actively attenuate their bodily reactions).

Although yielding promising results, this exploratory study is limited by the sample size. Although we tried to mitigate it by 1) extracting more robust variables (by combining multiple ones by means of feature reduction) and 2) using a suited analysis approach (Bayesian statistics with informative priors), future replication studies with larger samples are warranted to confirm this first investigation. Nonetheless, we believe our results to be credible as we find consistent patterns across various facets and measures (for instance, all interoceptive dimensions, although distinct, share a similar trend) in line with theoretical expectations. The statistical power could also explain the overall lack of results found in relation to heart

rate, which has a higher signal-to-noise ratio as compared to subjective reports (such as confidence scales).

Another aspect to note is the strong reliance on self-reported measures as outcome variables of lie ability (in particular, the measure of answer confidence, but also the auto-questionnaires). This might conflate meta-cognitive abilities as well as dishonest answers. Although we tried to include more objective measures, such as RT (although it too was tied to the participants' conscious decision to press a key) and heart rate, future studies should attempt at measuring objectively the answer (lie or truth) quality, for instance by means of external examiners. Note that this is not a limitation *per se*, as it answers a slightly different question - what are the correlates of *objective* lying skills - than deception self-confidence.

Additionally, pertaining to the limitations with regards to the measure of lying ability, care has to be given to the measure of the predictor constructs, namely ToM and interoception. While we tried to include a behavioral task as well as a subjective questionnaire for each, it has to be underlined that they are notoriously difficult concepts to measure. In particular, objective interoceptive accuracy was assessed using the Heartbeat Counting Task (HCT). While the HCT used to be considered as a gold standard and remains one of the most commonly used measures (Desmedt et al., 2022), concerns regarding its validity has been highlighted in several studies (Brenner & Ring, 2016; Desmedt et al., 2018, 2022; Legrand et al., 2022). Given increasing research efforts invested in the development of novel interoception tasks (Legrand et al., 2022; Plans et al., 2021; Ponzo et al., 2021), future works should further examine the relationship between interoception and lying ability using measures with better psychometric properties. Additionally, our application of feature reduction as a noise-elimination measure could have over-simplified the data. A more complex pattern of relationships, with different contributions of various subdimensions of ToM and interoception, could emerge provided a sufficient statistical power and valid measures.

In conclusion, this study is a first step towards assessing the contribution of ToM and inte-



roception abilities in deception, particularly in one's ability to lie convincingly. To this end, we introduced a new paradigm that is able to modulate the contribution of these mechanisms while remaining relevant to applied fields of lie detection and criminology (in which the experimental conditions find echoing practices). Notably, our results provide principles evidence that interoception could be a key - and overlooked - mechanism in deception.

### Data Availability

The material (stimuli generation code, experiment code, raw data, analysis script with complementary figures and analyses, etc.) for this research is available at <https://github.com/DominiqueMakowski/DeceptionInteroTom>.

### Conflict of Interest Statement

The authors declare no conflict of interest.

### Acknowledgements

We would like to thank Jia Rong Low and Maximilian Yong for their help in data collection.

## References

## Warning in readLines(file): incomplete final line found on 'references.bib'

Baron-Cohen, S. (1997). *Mindblindness: An essay on autism and theory of mind*.

MIT press.

Barrett, L. F., & Simmons, W. K. (2015). Interoceptive predictions in the brain.

*Nature Reviews Neuroscience*, 16(7), 419–429.

Beaudoin, C., Leblanc, É., Gagner, C., & Beauchamp, M. H. (2020). Systematic

review and inventory of theory of mind measures for young children. *Frontiers in*

*Psychology*, 10, 2905.

Bond Jr, C. F., & DePaulo, B. M. (2008). Individual differences in judging deception:

Accuracy and bias. *Psychological Bulletin*, 134(4), 477.

Bora, E., & Yener, G. G. (2017). Meta-analysis of social cognition in mild cognitive

impairment. *Journal of Geriatric Psychiatry and Neurology*, 30(4), 206–213.

Brener, J., & Ring, C. (2016). Towards a psychophysics of interoceptive processes:

The measurement of heartbeat detection. *Philosophical Transactions of the Royal*

*Society B: Biological Sciences*, 371(1708), 20160015.

Burgoon, J. K., & Buller, D. B. (1994). Interpersonal deception: III. Effects of

deceit on perceived communication and nonverbal behavior dynamics. *Journal of*

*Nonverbal Behavior*, 18(2), 155–184.

Bürkner, P.-C. (2017). brms: An R package for Bayesian multilevel models using

Stan. *Journal of Statistical Software*, 80(1), 1–28. <https://doi.org/10.18637/jss.v080.i01>

Canino, S., Raimo, S., Boccia, M., Di Vita, A., & Palermo, L. (2022). On the embod-

iment of social cognition skills: The inner and outer body processing differently

contributes to the affective and cognitive theory of mind. *Brain Sciences*, 12(11),

1423.

Chen, W. G., Schloesser, D., Arensdorf, A. M., Simmons, J. M., Cui, C., Valentino,

R., Gnadt, J. W., Nielsen, L., Hillaire-Clarke, C. S., Spruance, V. others. (2021).  
The emerging science of interoception: Sensing, integrating, interpreting, and  
regulating signals within the self. *Trends in Neurosciences*, 44(1), 3–16.

Connell, L., Lynott, D., & Banks, B. (2018). Interoception: The forgotten modality  
in perceptual grounding of abstract and concrete concepts. *Philosophical Trans-  
actions of the Royal Society B: Biological Sciences*, 373(1752), 20170143.

Damasio, A. R. (1996). The somatic marker hypothesis and the possible functions of  
the prefrontal cortex. *Philosophical Transactions of the Royal Society of London.  
Series B: Biological Sciences*, 351(1346), 1413–1420.

Desmedt, O., Luminet, O., & Corneille, O. (2018). The heartbeat counting task  
largely involves non-interoceptive processes: Evidence from both the original and  
an adapted counting task. *Biological Psychology*, 138, 185–188.

Desmedt, O., Van Den Houte, M., Walentynowicz, M., Dekeyser, S., Luminet, O.,  
& Corneille, O. (2022). How does heartbeat counting task performance relate  
to theoretically-relevant mental health outcomes? A meta-analysis. *Collabra:  
Psychology*, 8(1), 33271.

Ditto, P. H., Pizarro, D. A., Epstein, E. B., Jacobson, J. A., & MacDonald, T.  
K. (2006). Visceral influences on risk-taking behavior. *Journal of Behavioral  
Decision Making*, 19(2), 99–113.

Domschke, K., Stevens, S., Pfleiderer, B., & Gerlach, A. L. (2010). Interoceptive  
sensitivity in anxiety and anxiety disorders: An overview and integration of neu-  
robiological findings. *Clinical Psychology Review*, 30(1), 1–11.

Dunn, B. D., Galton, H. C., Morgan, R., Evans, D., Oliver, C., Meyer, M., Cusack,  
R., Lawrence, A. D., & Dalgleish, T. (2010). Listening to your heart: How inte-  
roception shapes emotion experience and intuitive decision making. *Psychological  
Science*, 21(12), 1835–1844.

Evans, A. D., & Lee, K. (2011). Verbal deception from late childhood to middle

adolescence and its relation to executive functioning skills. *Developmental Psychology*, 47(4), 1108.

Furman, D. J., Waugh, C. E., Bhattacharjee, K., Thompson, R. J., & Gotlib, I. H. (2013). Interoceptive awareness, positive affect, and decision making in major depressive disorder. *Journal of Affective Disorders*, 151(2), 780–785.

Füstös, J., Gramann, K., Herbert, B. M., & Pollatos, O. (2013). On the embodiment of emotion regulation: Interoceptive awareness facilitates reappraisal. *Social Cognitive and Affective Neuroscience*, 8(8), 911–917.

Gallant, C. M., Lavis, L., & Mahy, C. E. (2020). Developing an understanding of others' emotional states: Relations among affective theory of mind and empathy measures in early childhood. *British Journal of Developmental Psychology*, 38(2), 151–166.

Gao, Q., Ping, X., & Chen, W. (2019). Body influences on social cognition through interoception. *Frontiers in Psychology*, 10, 2066.

Garfinkel, S. N., & Critchley, H. D. (2013). Interoception, emotion and brain: New insights link internal physiology to social behaviour. Commentary on: “Anterior insular cortex mediates bodily sensibility and social anxiety” by terasawa et al.(2012). *Social Cognitive and Affective Neuroscience*, 8(3), 231–234.

Garfinkel, S. N., Seth, A. K., Barrett, A. B., Suzuki, K., & Critchley, H. D. (2015). Knowing your own heart: Distinguishing interoceptive accuracy from interoceptive awareness. *Biological Psychology*, 104, 65–74.

Jolliffe, D., & Farrington, D. P. (2006). Development and validation of the basic empathy scale. *Journal of Adolescence*, 29(4), 589–611.

Lee, J. Y. S., & Imuta, K. (2021). Lying and theory of mind: A meta-analysis. *Child Development*, 92(2), 536–553.

Legrand, N., Nikolova, N., Correa, C., Brændholt, M., Stuckert, A., Kildahl, N., Vejlsø, M., Fardo, F., & Allen, M. (2022). The heart rate discrimination task:

A psychophysical method to estimate the accuracy and precision of interoceptive beliefs. *Biological Psychology*, 168, 108239.

Lenggenhager, B., Azevedo, R. T., Mancini, A., & Aglioti, S. M. (2013). Listening to your heart and feeling yourself: Effects of exposure to interoceptive signals during the ultimatum game. *Experimental Brain Research*, 230(2), 233–241.

Levine, T. R., Serota, K. B., Shulman, H., Clare, D. D., Park, H. S., Shaw, A. S., Shim, J. C., & Lee, J. H. (2011). Sender demeanor: Individual differences in sender believability have a powerful impact on deception detection judgments. *Human Communication Research*, 37(3), 377–403.

Lüdecke, D., Ben-Shachar, M., Patil, I., Waggoner, P., & Makowski, D. (2021). performance: An R package for assessment, comparison and testing of statistical models. *Journal of Open Source Software*, 6(60), 3139. <https://doi.org/10.21105/joss.03139>

Lüdecke, D., Waggoner, P., & Makowski, D. (2019). Insight: A unified interface to access information from model objects in R. *Journal of Open Source Software*, 4(38), 1412. <https://doi.org/10.21105/joss.01412>

Makowski, D., Ben-Shachar, M. S., & Lüdecke, D. (2019). bayestestR: Describing effects and their uncertainty, existence and significance within the bayesian framework. *Journal of Open Source Software*, 4(40), 1541.

Makowski, D., Ben-Shachar, M., Patil, I., & Lüdecke, D. (2020). Methods and algorithms for correlation analysis in R. *Journal of Open Source Software*, 5(51), 2306. <https://doi.org/10.21105/joss.02306>

Makowski, D., Pham, T., Lau, Z. J., Brammer, J. C., Lespinasse, F., Pham, H., Schölzel, C., & Chen, S. (2021). NeuroKit2: A python toolbox for neurophysiological signal processing. *Behavior Research Methods*, 53(4), 1689–1696.

Makowski, D., Pham, T., Lau, Z. J., Raine, A., & Chen, S. (2021). The structure of deception: Validation of the lying profile questionnaire. *Current Psychology*,

1–16.

- Masip, J. (2017). Deception detection: State of the art and future prospects. *Psychothema*, 29(2), 149–159.
- Mehling, W. E., Price, C., Daubenmier, J. J., Acree, M., Bartmess, E., & Stewart, A. (2012). The multidimensional assessment of interoceptive awareness (MAIA). *PloS One*, 7(11), e48230.
- Miller, J. E. (2015). *The connections between self-monitoring and theory of mind*.
- Murphy, J., Catmur, C., & Bird, G. (2019). Classifying individual differences in interoception: Implications for the measurement of interoceptive awareness. *Psychonomic Bulletin & Review*, 26(5), 1467–1471.
- Oviatt, S., Schuller, B., Cohen, P. R., Sonntag, D., Potamianos, G., & Krüger, A. (2018). *The handbook of multimodal-multisensor interfaces: Signal processing, architectures, and detection of emotion and cognition-volume 2*. Association for Computing Machinery; Morgan & Claypool.
- Owens, A. P., Friston, K. J., Low, D. A., Mathias, C. J., & Critchley, H. D. (2018). Investigating the relationship between cardiac interoception and autonomic cardiac control using a predictive coding framework. *Autonomic Neuroscience*, 210, 65–71.
- Peirce, J., Gray, J. R., Simpson, S., MacAskill, M., Höchenberger, R., Sogo, H., Kastman, E., & Lindeløv, J. K. (2019). PsychoPy2: Experiments in behavior made easy. *Behavior Research Methods*, 51(1), 195–203.
- Peleg, D., Ayal, S., Ariely, D., & Hochman, G. (2019). The lie deflator-the effect of polygraph test feedback on subsequent (dis) honesty. *Judgment & Decision Making*, 16(6).
- Petzschner, F. H., Garfinkel, S. N., Paulus, M. P., Koch, C., & Khalsa, S. S. (2021). Computational models of interoception and body regulation. *Trends in Neurosciences*, 44(1), 63–76.

- Pinna, T., & Edwards, D. J. (2020). A systematic review of associations between interoception, vagal tone, and emotional regulation: Potential applications for mental health, wellbeing, psychological flexibility, and chronic conditions. *Frontiers in Psychology, 11*, 1792.
- Plans, D., Ponzo, S., Morelli, D., Cairo, M., Ring, C., Keating, C. T., Cunningham, A., Catmur, C., Murphy, J., & Bird, G. (2021). Measuring interoception: The phase adjustment task. *Biological Psychology, 165*, 108171.
- Pollatos, O., Herbert, B. M., Matthias, E., & Schandry, R. (2007). Heart rate response after emotional picture presentation is modulated by interoceptive awareness. *International Journal of Psychophysiology, 63*(1), 117–124.
- Ponzo, S., Morelli, D., Suksasilp, C., Cairo, M., & Plans, D. (2021). Measuring interoception: The CARdiac elevation detection task. *Frontiers in Psychology, 12*.
- R Core Team. (2022). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. <https://www.R-project.org/>
- Roheger, M., Brenning, J., Riemann, S., Martin, A. K., Flöel, A., & Meinzer, M. (2022). Progression of socio-cognitive impairment from healthy aging to alzheimer’s dementia: A systematic review and meta-analysis. *Neuroscience & Biobehavioral Reviews, 104*796.
- Rosky, J. W. (2013). The (f) utility of post-conviction polygraph testing. *Sexual Abuse, 25*(3), 259–281.
- Schandry, R. (1981). Heart beat perception and emotional experience. *Psychophysiology, 18*(4), 483–488.
- Sebastian, C. L., Fontaine, N. M., Bird, G., Blakemore, S.-J., De Brito, S. A., McCrory, E. J., & Viding, E. (2012). Neural processing associated with cognitive and affective theory of mind in adolescents and adults. *Social Cognitive and Affective Neuroscience, 7*(1), 53–63.

- Seth, A. K., Suzuki, K., & Critchley, H. D. (2012). An interoceptive predictive coding model of conscious presence. *Frontiers in Psychology*, 2, 395.
- Shah, P., Catmur, C., & Bird, G. (2017). From heart to mind: Linking interoception, emotion, and theory of mind. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 93, 220.
- Shamay-Tsoory, S. G., & Aharon-Peretz, J. (2007). Dissociable prefrontal networks for cognitive and affective theory of mind: A lesion study. *Neuropsychologia*, 45(13), 3054–3067.
- Sip, K. E., Skewes, J. C., Marchant, J. L., McGregor, W. B., Roepstorff, A., & Frith, C. D. (2012). What if i get busted? Deception, choice, and decision-making in social interaction. *Frontiers in Neuroscience*, 6, 58.
- Sternglanz, R. W., Morris, W. L., Morrow, M., & Braverman, J. (2019). A review of meta-analyses about deception detection. *The Palgrave Handbook of Deceptive Communication*, 303–326.
- Takuma, K., Hori, S., Sasaki, J., Shinozawa, Y., Yoshikawa, T., Handa, S., Horikawa, M., & Aikawa, N. (1995). An alternative limb lead system for electrocardiographs in emergency patients. *The American Journal of Emergency Medicine*, 13(5), 514–517. [https://doi.org/10.1016/0735-6757\(95\)90160-4](https://doi.org/10.1016/0735-6757(95)90160-4)
- Talwar, V., Crossman, A., & Wyman, J. (2017). The role of executive functioning and theory of mind in children’s lies for another and for themselves. *Early Childhood Research Quarterly*, 41, 126–135.
- Talwar, V., Gordon, H. M., & Lee, K. (2007). Lying in the elementary school years: Verbal deception and its relation to second-order belief understanding. *Developmental Psychology*, 43(3), 804.
- Vabba, A., Porciello, G., Panasiti, M. S., & Aglioti, S. M. (2022). Interoceptive influences on the production of self-serving lies in reputation risk conditions. *International Journal of Psychophysiology*, 177, 34–42.



- Verigin, B. L., Meijer, E. H., Bogaard, G., & Vrij, A. (2019). Lie prevalence, lie characteristics and strategies of self-reported good liars. *PloS One*, *14*(12), e0225566.
- Viji, D., Gupta, N., & Parekh, K. H. (2022). History of deception detection techniques. *Proceedings of International Conference on Deep Learning, Computing and Intelligence*, 373–387.
- Weiss, S., Sack, M., Henningsen, P., & Pollatos, O. (2014). On the interaction of self-regulation, interoception and pain perception. *Psychopathology*, *47*(6), 377–382.
- Wellman, H. M., Cross, D., & Watson, J. (2001). Meta-analysis of theory-of-mind development: The truth about false belief. *Child Development*, *72*(3), 655–684.
- Williams, E. F., Pizarro, D., Ariely, D., & Weinberg, J. D. (2016). The valjean effect: Visceral states and cheating. *Emotion*, *16*(6), 897.
- Yoris, A., Esteves, S., Couto, B., Melloni, M., Kichic, R., Cetkovich, M., Favaloro, R., Moser, J., Manes, F., Ibanez, A.others. (2015). The roles of interoceptive sensitivity and metacognitive interoception in panic. *Behavioral and Brain Functions*, *11*(1), 1–6.