

**Blockchain Security | Smart Contract Audits | KYC** 

MADE IN GERMANY

# MasterChef

# Audit

Security Assessment 20. March, 2022

For



MRSTER-CHEF.

Disclaimer	3
Description	5
Project Engagement	5
Logo	5
Contract Link	5
Methodology	7
Used Code from other Frameworks/Smart Contracts (direct imports)	8
Tested Contract Files	9
Source Lines	10
Risk Level	10
Capabilities	11
Inheritance Graph	12
CallGraph	13
Scope of Work/Verify Claims	14
Modifiers and public functions	20
Source Units in Scope	22
Critical issues	23
High issues	23
Medium issues	23
Low issues	23
Informational issues	24
Audit Comments	24
SWC Attacks	25

#### **Disclaimer**

<u>SolidProof.io</u> reports are not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team. SolidProof.io do not cover testing or auditing the integration with external contract or services (such as Unicrypt, Uniswap, PancakeSwap etc'...)

SolidProof.io Audits do not provide any warranty or guarantee regarding the absolute bug- free nature of the technology analyzed, nor do they provide any indication of the technology proprietors. SolidProof Audits should not be used in any way to make decisions around investment or involvement with any particular project. These reports in no way provide investment advice, nor should be leveraged as investment advice of any sort.

SolidProof.io Reports represent an extensive auditing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology. Blockchain technology and cryptographic assets present a high level of ongoing risk. SolidProof's position is that each company and individual are responsible for their own due diligence and continuous security. SolidProof in no way claims any guarantee of security or functionality of the technology we agree to analyze.

Version	Date	Description
1.0	20. March 2022	<ul><li>Layout project</li><li>Automated-/Manual-Security Testing</li><li>Summary</li></ul>

#### **Network**

Polygon

#### Website

http://master-chef.io/



#### **Description**

Master Chef, is a blockchain based cooking game which provides players low ROI(Return of Investment) and player friendly tokenomics.

#### **Project Engagement**

During the 17th of March 2022, **MasterChef Team** engaged Solidproof.io to audit smart contracts that they created. The engagement was technical in nature and focused on identifying security flaws in the design and implementation of the contracts. They provided Solidproof.io with access to their code repository and whitepaper.



# Contract Link v1.0

Provided as files

# **Vulnerability & Risk Level**

Risk represents the probability that a certain source-threat will exploit vulnerability, and the impact of that event on the organization or system. Risk Level is computed based on CVSS version 3.0.

Level	Value	Vulnerability	Risk (Required Action)
Critical	9 - 10	A vulnerability that can disrupt the contract functioning in a number of scenarios, or creates a risk that the contract may be broken.	Immediate action to reduce risk level.
High	7 – 8.9	A vulnerability that affects the desired outcome when using a contract, or provides the opportunity to use a contract in an unintended way.	Implementation of corrective actions as soon aspossible.
Medium	4 – 6.9	A vulnerability that could affect the desired outcome of executing the contract in a specific scenario.	Implementation of corrective actions in a certain period.
Low	2 – 3.9	A vulnerability that does not have a significant impact on possible scenarios for the use of the contract and is probably subjective.	Implementation of certain corrective actions or accepting the risk.
Informational	0 – 1.9	A vulnerability that have informational character but is not effecting any of the code.	An observation that does not determine a level of risk

# Auditing Strategy and Techniques Applied

Throughout the review process, care was taken to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices. To do so, reviewed line-by-line by our team of expert pentesters and smart contract developers, documenting any issues as there were discovered.

## Methodology

The auditing process follows a routine series of steps:

- 1. Code review that includes the following:
  - i) Review of the specifications, sources, and instructions provided to SolidProof to make sure we understand the size, scope, and functionality of the smart contract.
  - ii) Manual review of code, which is the process of reading source code line-byline in an attempt to identify potential vulnerabilities.
  - iii) Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to SolidProof describe.
- 2. Testing and automated analysis that includes the following:
  - i) Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
  - ii) Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts.

# Used Code from other Frameworks/Smart Contracts (direct imports)

#### Imported packages:

Context
Ownable
SafeMath
IERC20
ERC20
ERC20Burnable

IPancakeswapFactory
IPancakeswapPair
IPancakeswapRouter
IERC20
IWETH
PancakeswapRouter

SafeMath
PancakeswapLibrary
TransferHelper
Context
Ownable
ERCItem
IMSCH

IERC165
IERC721
IERC721Receiver
IERC721Metadata

Address
Context
SafeMath
Strings
ERC165
ERC721
IERC721Enumerable
ERC721Enumerable
Ownable

#### **Tested Contract Files**

This audit covered the following files listed below with a SHA-1 Hash.


A file with a different Hash has been modified, intentionally or otherwise, after the security review. A different Hash could be (but not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of this review.

#### **v1.0**

File Name	SHA-1 Hash
contracts/Token.sol	b7ae49adb6803660e1ec5305d68e5a1f4c4c5be3
contracts/MasterChef.sol	2fc86ed5b0f13d5c6819f9f5012768b1b47254f4
contracts/nfts/Oven.sol	09ca96dc74004ce28323e6589e55913977d92d3a
contracts/nfts/Fridge.sol	27a08c3a43a4966ea9d2838ba1ff5023a073e5db
contracts/nfts/Kettle.sol	30355ce98c543e30ea2df0cb65cc6de4e9906c38
contracts/nfts/Mixer.sol	b2d233d615b35b4790e625230b193a98dbc3e59c
contracts/nfts/Ladle.sol	4299d9bde44b81d56fd78bcfe714f01883dd2415

# **Metrics**

# Source Lines v1.0



## **Capabilities**

#### Components

Version	Contracts	Libraries	Interfaces	Abstract	
1.0	15	19	33	24	

#### **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Ve	rsion	Public	Payable
1.0		380	15

Version	Version External Internal		Private	Pure	View
1.0	194	551	46	114	253

#### **State Variables**


Version	Total	Public
1.0	111	35

# **Capabilities**


Version	Solidity Versions observed	Experim ental Features	Can Receive Funds	Uses Assembl Y	Has Destroya ble Contract s
1.0	^0.8.0 >=0.6. 0 <=0.8.	ABIEnc oderV2	yes	yes (15 asm blocks)	

Version	Transfer s ETH	Low- Level Calls	Deleg ateCa II	Uses Hash Function s	EC Rec ove r	New/ Create/ Create2
1.0	yes		yes	yes		

# Inheritance Graph v1.0



# CallGraph v1.0



### **Scope of Work/Verify Claims**

The above token Team provided us with the files that needs to be tested (Github, Bscscan, Etherscan, files, etc.). The scope of the audit is the main contract (usual the same name as team appended with .sol).

We will verify the following claims:

- 1. Correct implementation of Token standard
- 2. Deployer cannot mint any new tokens
- 3. Deployer cannot burn or lock user funds
- 4. Deployer cannot pause the contract
- 5. Overall checkup (Smart Contract Security)

#### Correct implementation of Token standard

ERC20							
Function	Function Description						
TotalSupply	Provides information about the total token supply	<b>√</b>	✓	$\checkmark$			
BalanceOf	Provides account balance of the owner's account	$\checkmark$	<b>√</b>	$\checkmark$			
Transfer	Executes transfers of a specified number of tokens to a specified address	<b>√</b>	<b>√</b>	✓			
TransferFrom	Executes transfers of a specified number of tokens from a specified address	<b>√</b>	<b>√</b>	<b>√</b>			
Approve	Allow a spender to withdraw a set number of tokens from a specified account	<b>√</b>	<b>√</b>	<b>√</b>			
Allowance	Returns a set number of tokens from a spender to the owner	<b>√</b>	<b>√</b>	<b>√</b>			

ERC721							
Function	Description	Exist	Tested	Verified			
BalanceOf	Count all NFTs assigned to an owner	$\checkmark$	<b>√</b>	$\checkmark$			
OwnerOf	Find the owner of an NFT	$\checkmark$	<b>√</b>	$\checkmark$			
SafeTransferFrom	Transfers the ownership of an NFT from one address to another address	<b>√</b>	<b>√</b>	<b>√</b>			
SafeTransferFrom	See above - Difference is that this function has an extra data parameter	<b>√</b>	<b>√</b>	<b>√</b>			
TransferFrom	Transfer ownership of an NFT	$\checkmark$	<b>√</b>	$\checkmark$			
Approve	Change or reaffirm the approved address for an NFT	<b>√</b>	<b>√</b>	<b>√</b>			
SetApprovalForAll	Enable or disable approval for a third party ("operator") to manage all of `msg.sender`'s assets	<b>√</b>	<b>√</b>	<b>√</b>			
GetApproved	Get the approved address for a single NFT	<b>√</b>	<b>√</b>	<b>√</b>			
IsApprovedForAll	Query if an address is an authorized operator for another address	<b>√</b>	<b>√</b>	<b>√</b>			
SupportsInterface	Query if a contract implements an interface	<b>√</b>	<b>√</b>	<b>√</b>			
Name	Provides information about the name	<b>√</b>	1	<b>√</b>			
Symbol	Provides information about the symbol	<b>√</b>	<b>√</b>	<b>√</b>			
TokenURI	Provides information about the TokenUri	<b>√</b>	1	1			

### **Deployer cannot mint any new tokens**

Name	Exist	Tested	Status
Deployer cannot mint	$\checkmark$	<b>√</b>	X

#### Comments:

#### **v1.0**

- · Anybody can mint new nft
- · Owner/minter can mint new tokens

### Deployer cannot burn or lock user funds

Name	Exist	Tested	Status
Deployer cannot lock	$\checkmark$	✓	$\checkmark$
Deployer cannot burn	<b>√</b>	<b>√</b>	X

#### Comments:

#### **v1.0**

- Owner/minter can burn tokens
- Everybody can burn tokens

#### **Deployer cannot pause the contract**

Name	Exist	Tested	Status
Deployer cannot pause	-	_	-



### **Overall checkup (Smart Contract Security)**




#### Legend

Attribute	Symbol
Verfified / Checked	$\checkmark$
Partly Verified	P
Unverified / Not checked	X
Not available	-

### **Modifiers and public functions**

#### **v1.0**



#### **Comments**

- Deployer can set following addresses
  - fridge
  - ladle
  - kettle
  - mixer
  - oven

Please check if an OnlyOwner or similar restrictive modifier has been forgotten.

# **Source Units in Scope**

#### v1.0

Туре	File	Logic Contracts	Interfaces	Lines	nLines	nSLOC	Comment Lines	Complex. Score	Capabilities
<b> ≥ ≥ ≥ ≥</b>	contracts/Token.sol	6	1	578	523	238	264	188	*
<b>≥</b> €Q	contracts/MasterChef.sol	7	7	1555	1165	901	123	1158	<b>∠</b> .š.÷⊞
<b>≥</b> €Q	contracts/nfts/Oven.sol	9	5	1445	1212	533	706	408	<u></u>
<b>≥</b> €Q	contracts/nfts/Fridge.sol	9	5	1443	1210	533	706	411	<u></u>
<b>≥</b> €Q	contracts/nfts/Kettle.sol	9	5	1444	1211	533	706	408	<b></b>
<b>≥</b> €Q	contracts/nfts/Mixer.sol	9	5	1445	1212	533	706	408	<u></u>
<b> </b>	contracts/nfts/Ladle.sol	9	5	1446	1213	534	706	409	<u></u>
<b>∌≧</b> Q	Totals	58	33	9356	7746	3805	3917	3390	

### Legend

Attribute	Description
Lines	total lines of the source unit
nLines	normalized lines of the source unit (e.g. normalizes functions spanning multiple lines)
nSLOC	normalized source lines of code (only source-code lines; no comments, no blank lines)
Comment Lines	lines containing single or block comments
Complexity Score	a custom complexity score derived from code statements that are known to introduce code complexity (branches, loops, calls, external interfaces,)

# **Audit Results**

# **AUDIT PASSED**

#### **Critical issues**

#### No critical issues

# **High issues**

### No high issues

#### **Medium issues**

#### No medium issues

#### Low issues

Issue	File	Type	Line	Description
#1	Main	Contract doesn't import npm packages from source (like OpenZeppelin etc.)		We recommend to import all packages from npm directly without flatten the contract. Functions could be modified or can be susceptible to vulnerabilities
#2	All	A floating pragma is set	3	The current pragma Solidity directive is ""^0.8.0"".
#3	Fridge, Kettle	Missing Zero Address Validation (missing- zero-check)	1389, 1409	Check that the address is not zero
#4	Ladle	Missing Zero Address Validation (missing- zero-check)	1391, 1411	Check that the address is not zero
#5	Mixer, Oven	Missing Zero Address Validation (missing- zero-check)	1390, 1410	Check that the address is not zero

#6	Masterc hef	Missing Zero Address Validation (missing- zero-check)	903, 981, 1445, 243	Check that the address is not zero
#7	Masterc hef	State variable visibility is not set	898, 899, 900, 901	It is best practice to set the visibility of state variables explicitly
#8	Ladle	Remove space	1434	Remove space from "addr ess"

#### Informational issues

Issue	File	Type	Line	Description
#1	Fridge, Mixer, Ladle, Oven	State variables that could be declared constant (constable-states)	1387	Add the `constant` attributes to state variables that never change
#2	Kettle	State variables that could be declared constant (constable-states)	1386	Add the `constant` attributes to state variables that never change
#3	MasterC hef	State variables that could be declared constant (constable-states)	1199, 899	Add the `constant` attributes to state variables that never change

#### **Audit Comments**

We recommend you to use the special form of comments (NatSpec Format, Follow link for more information <a href="https://docs.soliditylang.org/en/v0.5.10/natspec-format.html">https://docs.soliditylang.org/en/v0.5.10/natspec-format.html</a>) for your contracts to provide rich documentation for functions, return variables and more. This helps investors to make clear what that variables, functions etc. do.

#### 20. March 2022:

· Read whole report for more information

# **SWC Attacks**

ID	Title	Relationships	Status
<u>SW</u> <u>C-1</u> <u>36</u>	Unencrypted Private Data On-Chain	CWE-767: Access to Critical Private Variable via Public Method	PASSED
<u>SW</u> <u>C-1</u> <u>35</u>	Code With No Effects	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>34</u>	Message call with hardcoded gas amount	CWE-655: Improper Initialization	PASSED
<u>SW</u> <u>C-1</u> <u>33</u>	Hash Collisions With Multiple Variable Length Arguments	CWE-294: Authentication Bypass by Capture-replay	PASSED
<u>SW</u> <u>C-1</u> <u>32</u>	Unexpected Ether balance	CWE-667: Improper Locking	PASSED
<u>SW</u> <u>C-1</u> <u>31</u>	Presence of unused variables	CWE-1164: Irrelevant Code	PASSED
<u>SW</u> <u>C-1</u> <u>30</u>	Right-To-Left- Override control character (U+202E)	CWE-451: User Interface (UI) Misrepresentation of Critical Information	PASSED
<u>SW</u> <u>C-1</u> <u>29</u>	Typographical Error	CWE-480: Use of Incorrect Operator	PASSED
<u>SW</u> <u>C-1</u> <u>28</u>	DoS With Block Gas Limit	CWE-400: Uncontrolled Resource Consumption	PASSED

<u>SW</u> <u>C-1</u> <u>27</u>	Arbitrary Jump with Function Type Variable	CWE-695: Use of Low-Level Functionality	PASSED
SW C-1 25	Incorrect Inheritance Order	CWE-696: Incorrect Behavior Order	PASSED
<u>SW</u> C-1 24	Write to Arbitrary Storage Location	CWE-123: Write-what-where Condition	PASSED
<u>SW</u> <u>C-1</u> <u>23</u>	Requirement Violation	CWE-573: Improper Following of Specification by Caller	PASSED
<u>SW</u> <u>C-1</u> <u>22</u>	Lack of Proper Signature Verification	CWE-345: Insufficient Verification of Data Authenticity	PASSED
<u>SW</u> <u>C-1</u> <u>21</u>	Missing Protection against Signature Replay Attacks	CWE-347: Improper Verification of Cryptographic Signature	PASSED
SW C-1 20	Weak Sources of Randomness from Chain Attributes	CWE-330: Use of Insufficiently Random Values	PASSED
<u>SW</u> <u>C-11</u> <u>9</u>	Shadowing State Variables	CWE-710: Improper Adherence to Coding Standards	PASSED
<u>SW</u> <u>C-11</u> <u>8</u>	Incorrect Constructor Name	CWE-665: Improper Initialization	PASSED
<u>SW</u> C-11 7	Signature Malleability	CWE-347: Improper Verification of Cryptographic Signature	PASSED

<u>SW</u> <u>C-11</u> <u>6</u>	Timestamp Dependence	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>5</u>	Authorization through tx.origin	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>4</u>	Transaction Order Dependence	CWE-362: Concurrent Execution using Shared Resource with Improper Synchronization ('Race Condition')	PASSED
<u>SW</u> <u>C-11</u> <u>3</u>	DoS with Failed Call	CWE-703: Improper Check or Handling of Exceptional Conditions	PASSED
<u>SW</u> <u>C-11</u> <u>2</u>	Delegatecall to Untrusted Callee	CWE-829: Inclusion of Functionality from Untrusted Control Sphere	PASSED
<u>SW</u> <u>C-11</u> <u>1</u>	Use of Deprecated Solidity Functions	CWE-477: Use of Obsolete Function	PASSED
<u>SW</u> <u>C-11</u> <u>O</u>	Assert Violation	CWE-670: Always-Incorrect Control Flow Implementation	PASSED
<u>SW</u> <u>C-1</u> <u>09</u>	Uninitialized Storage Pointer	CWE-824: Access of Uninitialized Pointer	PASSED
<u>SW</u> <u>C-1</u> <u>08</u>	State Variable Default Visibility	CWE-710: Improper Adherence to Coding Standards	NOT PASSED
<u>SW</u> <u>C-1</u> <u>07</u>	Reentrancy	CWE-841: Improper Enforcement of Behavioral Workflow	PASSED
<u>SW</u> <u>C-1</u> <u>06</u>	Unprotected SELFDESTRUC T Instruction	CWE-284: Improper Access Control	PASSED

<u>SW</u> <u>C-1</u> <u>05</u>	Unprotected Ether Withdrawal	CWE-284: Improper Access Control	PASSED
<u>SW</u> <u>C-1</u> <u>04</u>	Unchecked Call Return Value	CWE-252: Unchecked Return Value	PASSED
<u>SW</u> <u>C-1</u> <u>03</u>	Floating Pragma	CWE-664: Improper Control of a Resource Through its <u>Lifetime</u>	NOT PASSED
SW C-1 02	Outdated Compiler Version	CWE-937: Using Components with Known Vulnerabilities	PASSED
<u>SW</u> <u>C-1</u> <u>01</u>	Integer Overflow and Underflow	CWE-682: Incorrect Calculation	PASSED
<u>SW</u> <u>C-1</u> <u>00</u>	Function Default Visibility	CWE-710: Improper Adherence to Coding Standards	PASSED



**Blockchain Security | Smart Contract Audits | KYC** 

MADE IN GERMANY