## Task 2

Below our design process can be seen, from our initial brainstorm to the individual task models for certain activities. Also included are screen designs, a wireframe and storyboards which complete the lo-fi prototype, each with their own descriptions and details relating them to our stakeholders' requirements. The brainstorm is centred around the requirements so that each design decision is relevant. From these requirements we note the concepts behind it that need to exist. There are also ideas for designs in terms of sketches/storyboards and along with the concepts are possible implementation details to help us build up our solutions.

From discussions with our stakeholders which occurred while we gathered data, nobody once mentioned checking the weather on their tablet or using their tablet while cycling. Instead they immediately referred to their usage on mobile phones. Therefore the target platform of our design and application will be mobile phones. This is because it is in the best interest of our primary stakeholder which perhaps exists due to high levels of portability.

Using our designs shown below, we will implement hi-fi prototypes from our lo-fi prototype designs by implementing the screens shown in the form of sketches as interfaces. We will use the details on the designs which are backed up by the requirements of our stakeholder to ensure the implementation meets the demands. The team will be split into three groups where two groups will work on interfaces and the third will work to get the data we need using our chosen API detailed below. This will give us stand-alone interfaces and methods for retrieving data for the time being.

Afterwards, we will have these interfaces interface and interact with each other by linking them together through buttons that allow movement between them. This will correspond with details outlined in storyboards and task analyses of how activities will be completed and how the user can move between screens. Here the members of the team will work together by sharing their individual work with the rest of the group to add the interaction implementation, as well as integrating the code that enables use of the API to display weather data.

Since the hi-fi prototype will be implemented in Java, we will use the likes of Swing and JavaFX to create our interactive interfaces in accordance to interface details detailed on the designs such as layout. Additionally, we will use a free weather API, OpenWeatherMap, to get the data we need to display.

There are potential risks involved, one of them being deviating away from the requirements when implementing the designs. To avoid this, it may be useful not to spend long periods of time on the implementation so as to not lose focus of the true goal, and to keep the requirements nearby so they are always our focus. Another risk is not being able to deliver a final implementation as it is not in working condition. One way to tackle this is to perhaps prioritise the requirements, getting the essential functionality out of the way, and then worrying about details such as having pixel perfect positioning of our interface elements. In such a case, the priority list is:

- 1. (1, 2, 3)
- 2. (4, 5, 8)
- 3. (6, 7)

Where the numbers correspond to the requirements in our list from task 1. The requirements are grouped because it is difficult to prioritise them so precisely, but these groups 1 - 3 are enough to highlight which are most important to the hi-fi implementation. This is because, for example, requirement 6 is to do with mobile phone notifications which aren't possible to implement while we are developing on desktop so will be left to the end where we perhaps consider emulating such a notification **if there is time**.









