


8. (a) Crude oil is separated into mixtures of hydrocarbon compounds in the process of fractional distillation. Many of these fractions are used as fuels.



- (i) Name the changes of state happening at **X** and at **Y**. [1]

X

Y

- (ii) Explain why different fractions are formed at different levels. [2]

.....

.....

.....

.....



- (iii) A hydrocarbon fuel was burned and used to heat 100g of water. The water temperature rose from 18.5 °C to 38.2 °C.

Use the equation below to calculate the amount of energy released by this fuel.
Give your answer to **two** significant figures. [3]

$$\text{energy (J)} = \text{mass of water (g)} \times 4.2 \times \text{temperature rise (}^{\circ}\text{C)}$$

Energy = J

- (b) The products of fractional distillation can undergo a process called cracking to produce smaller, more useful hydrocarbons.

- (i) Complete the equation for the cracking of $\text{C}_{16}\text{H}_{34}$. [1]



- (ii) State the **two** conditions used for cracking. [1]

.....

- (iii) The molecule with the formula C_2H_4 is an unsaturated hydrocarbon.

Give the meaning of the term unsaturated. [1]

.....

.....

- (iv) State why there is a high demand for each of the following products of the cracking reaction. [2]

octane / C_8H_{18}

ethene / C_2H_4

END OF PAPER



FORMULAE FOR SOME COMMON IONS

POSITIVE IONS		NEGATIVE IONS	
Name	Formula	Name	Formula
aluminium	Al^{3+}	bromide	Br^-
ammonium	NH_4^+	carbonate	CO_3^{2-}
barium	Ba^{2+}	chloride	Cl^-
calcium	Ca^{2+}	fluoride	F^-
copper(II)	Cu^{2+}	hydroxide	OH^-
hydrogen	H^+	iodide	I^-
iron(II)	Fe^{2+}	nitrate	NO_3^-
iron(III)	Fe^{3+}	oxide	O^{2-}
lithium	Li^+	sulfate	SO_4^{2-}
magnesium	Mg^{2+}		
nickel	Ni^{2+}		
potassium	K^+		
silver	Ag^+		
sodium	Na^+		
zinc	Zn^{2+}		



THE PERIODIC TABLE

Group

2
1

02



4

Ω



el

[illegible]

Key

relative atomic mass

atomic number

Ar	Symbol	Name
7		