

A NetLogo plug-in to secure data using GNUs Pretty Good Privacy software suite

Doug Salt

Gary Polhill

Abstract

A description of a NetLogo plugin and the reasoning behind its design and implementation. The plugin makes use of Gnu's Pretty Good Privacy software suite to encrypt arbitrary data sources in Netlogo. This both secures the data to a reasonable degree and protects any sensitive data that might be in use for a publically available model.

Introduction

Cheap, publicly-accessible, distributed storage, colloquially known as the “cloud” is becoming increasingly prevalent [1] and is increasingly used for the storing of experimental data [2]. Storing experimental data in this way has several advantages, such as any access to the internet allows instant access to this data [3]. This means the data is effectively accessible anywhere. Data might be stored in a single location, or it might be distributed. The convenience is that from the point of view of the consumer of the data, it all appears to originate at a single web-based location [4]. Also such data is cloned and distributed in physical space for the purposes of fault-tolerance [5] and thus can exist in many locations simultaneously [6]. Thus the chances of it being lost are remote [7].

It is reasonably easy to use such cloud hosted data in NetLogo models. Some institutions provide their own, cloud-based solutions, but most researchers will use at least one of the following, major cloud storage providers such as Dropbox [8], Microsoft's OneDrive [9] and Google Drive [10]. This list is by no means

meant to be comprehensive. It is our suspicion that some, less technically aware NetLogo users are making use of the cloud without being aware of the ramifications of doing so, but doing so because these resources are extremely convenient, cheap or more often free. This problem may well arise because each of these hosting companies provide tools that allow user-transparent, local mounting of such resources. These exist for the most prevalent platforms such as all Microsoft Windows versions greater than 7 [11]; all versions of Android [12], and Apple's two operating systems: OSX and IOS[13]. This means that the “cloud” storage appears as local storage on the local machine, and NetLogo models do not need to be changed to access such data (other than changing a file name). Indeed some users may not even be aware that the data they use is in the “cloud” already.

The advantages listed above are also the method's disadvantages. The publicly accessible nature of such data could violate regional privacy laws. For instance storing personally identifiable data of a sensitive nature without sufficient safe-guards now violates the European GDPR [14]. The multiplicity of the storage means the creator of the data has largely lost control over the destruction of the data. Most users of cloud data are unaware that even their “scratch” data is stored in the cloud. That is intermediate files or snapshots of works-in-progress. This becomes problematic when regulations or ethics require that data is permanently and effectively deleted. Also if such data is of a personally identifiable nature, then, given GDPR requirements it is a legal requirement of the researcher to store the data in particular geographical areas and moreover ensure that when usage conditions specify deletion, then deletion must, absolutely have taken

place (ibid.).

The *only* way to ensure that effective deletion takes place when using such utility computing infrastructure is to encrypt the data sufficiently that when key for decrypting such data is withheld then the original data can no longer be retrieved [10]. This is reasonably easy to achieve given that, with current technology a brute-force attack on a 128 bit AES encoded data would take on average $1.02 \times 10_{18}$ years to work. (https://www.eetimes.com/document.asp?doc_id=1279619). Doubling the size of this key to 256 bits is thought to effectively protect such data from proposed attacks such as those theoretically available if quantum computing proves to be successful [10]. Destroying or withdrawing the encryption key therefore effectively deletes such data. Thus encrypting data has both the desirable properties of securing and ensuring appropriate deletion of the data.

It should be noted that most “cloud” provision does, as standard practice, encrypt users’ data [10]. The problem is that the provisioning entity controls the keys, and is is not entirely clear what jurisdictional laws to apply given the international nature of such providers. For example some doubt over data jurisdiction currently exists between the European Union and the US government (http://ec.europa.eu/justice/data-protection/international-transfers/adequacy/index_en.htm). Thus it is impossible for a user of such services to guarantee the correct jurisdictional standards are applied to their data, unless they take control of the encryption themselves.

Having established the need for encryption, the remainder of this paper will describe the installation and usage of NetLogo extension that will allow the easy decryption of previously encrypted data sets. This extension will provide for asymmetric and symmetric decryption such data sets. Each use-case will be described that the extension has been designed to address by way of a small example of usage. This will be followed by a small discussion of issues raised by the utility and use of this plug-in.

The NetLogo Extension

Given that there is a need for such an encryption utility the problem becomes how can such user-controlled encryption be implemented in a user-friendly manner with minimal development. The last condition is important because coding encryption correctly is a hard problem [10]. Insufficient expertise can lead to attack opportunities due to weakness inherent in the developers’ approaches [10]. It therefore makes a great deal of sense to use existing and proven software. In addition there is a requirement that users be able to encrypt their data in the first place. This rules out the usual practice of utilising an existing, programmatic libraries, created for specifically for the purposes of encryption/decryption. Such libraries are indeed proven, but usually lack the user-friendly encryption tools required to do the initial encryption. Such tools although usually trivial to create crucially, still have to be developed, and moreover, documented. Such requirements contain the possibility of the introduction of bugs. Additionally the use of such libraries requires the constant updating of the plug-in software, each time the library is updated - say due to the discovery of a new attack or bug. Such constraints can be mitigated by the use of an external software suite. That is, a NetLogo extension can be designed in such a manner to make calls to an “external” program. An external program in this context is software that is independently installed on a computer, is independent of NetLogo, and does not require NetLogo to work. An example of this approach is the NetLogo R extension [10] which obviously requires the independent installation of the R programming suite for it to work with NetLogo. Thus, if any problems are found with the external program, then just the external program needs updating. This does have the disadvantage of introducing an additional step in the utilization of NetLogo, but this is balanced not only by the additional utility and possible multiple uses of the external software suite, but by the huge reduction in complexity required to create the NetLogo extension. This has benefits in terms increasing stability and formal correctness for the extension.

The external tool chosen is GNU Privacy Guard, here-

after referred to as GPG. This is a well known suite of programs that at its heart uses OpenPGP standard as defined by RFC4880 (also known as PGP) [1]. Although designed primarily for the purposes of safe-guarding communications, GnuPG allows the encryption of data; it features a versatile key management system, along with access modules for all kinds of public key directories. GPG is a command line tool with features for easy integration with other applications. The software is mature in that it was created in 1996 [1] and is widely used [1]. GPG provides a series of command line tools and is available on virtually every single computing platform. The presumption will be that GPG has been installed on the platform that is to run the NetLogo extension.

Because the extension uses the external GPG program, The extension is very small and requires the installation of just one jar file. The extension is written in Scala [1] and built using sbt[1] and consists of the following primitives:

- gpg:command
- gpg:attach
- gpg:open
- gpg:at-end?
- gpg:close

The installation jar can be found at # Illustration

Symmetric encryption

Asymmetric encryption

Discussion and conclusions

This does have the disadvantage of introducing dependencies hitherto not present for NetLogo

In conjunction with Infrastructure as a Service (IaaS), then it is becoming increasingly common to see NetLogo models.

We have developed a plugin that uses the Gnu PGP software to allow various types of encryption on the data only. We could develop a plugin that obfuscates

the code, but we believe that this not only violates the code of openness that surround the NetLogo community, but also possibly violates the GNU Public License version 2 under which NetLogo is distributed. Taking somebody's open code and concealing it legally violates the license, as this is precisely the reason the license was created in the first place [1]. It also violates the principle of open science as people should be able to inspect models to see the reasoning that underlies them. This is increasingly important where such models are used for policy decisions [1]

This code has been tested on Linux, Windows 7, Windows 10, and OSX so far the code could be ported in entirety into NetLogo. There are java libraries available that mirror the functionality of PGP [1]. However this has the limitation of precluding the rapid release cycle of encryption software once vulnerabilities have been discovered.

Specifically designed for GNUPG - there might be other encryption packages out there.

This is still to complicated for non-technical users.

This is susceptible to memory sniffing attacks.

Acknowledgements

Bibliography