


## **# Regression with Dummy Variables and Interactions**

```
> load("Auto.rda")
> attach(Auto)
> country = as.factor(origin)

> plot(weight,mpg)
> plot(weight,mpg,col=country)
```



**# Country appears to be an important variable that is not numerical.**

```
> reg = lm(mpg ~ country)
> summary(reg)
```

Call:

```
lm(formula = mpg ~ country)
```

Residuals:

Min	1Q	Median	3Q	Max
-12.451	-5.034	-1.034	3.649	18.966

Coefficients:

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	20.0335	0.4086	49.025	<2e-16 ***
country2	7.5695	0.8767	8.634	<2e-16 ***
country3	10.4172	0.8276	12.588	<2e-16 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 6.396 on 389 degrees of freedom

Multiple R-squared: 0.3318, Adjusted R-squared: 0.3284

F-statistic: 96.6 on 2 and 389 DF, p-value: < 2.2e-16

**# R created dummy variables country2 and contry3**

**# Including INTERACTIONS**

```
> reg = lm(mpg ~ weight*country)
```

**# This is a short way to include weight, country, and all interactions**

```
> summary(reg)
```

Call:

```
lm(formula = mpg ~ weight * country)
```

Residuals:

Min	1Q	Median	3Q	Max
-13.4928	-2.7715	-0.3895	2.2397	15.5163

Coefficients:

	Estimate	Std. Error	t value	Pr(> t )	
(Intercept)	4.315e+01	1.186e+00	36.378	< 2e-16	***
weight	-6.854e-03	3.423e-04	-20.020	< 2e-16	***
country2	1.125e+00	2.878e+00	0.391	0.69616	
country3	1.111e+01	3.574e+00	3.109	0.00202	**
weight:country2	3.575e-06	1.111e-03	0.003	0.99743	
weight:country3	-3.865e-03	1.541e-03	-2.508	0.01255	*

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```
> reg = lm(mpg ~ weight*country)
```

```
> Yhat = fitted.values(reg) # Save Y-hat, the miles per gallon predicted by our new model
```

```
> points(weight,Yhat,col=country,lwd=3)
```

**# Adding 3 fitted regression lines to the plot, one for each country! Col = color, lwd = line width**

