



Configuring Cleondris: NetApp HCI DR with Cleondris

NetApp Solutions

Kevin Hoke, Dorian Henderson
February 19, 2021

This PDF was generated from https://docs.netapp.com/us-en/netapp-solutions/dp-sec/cleondris_configuring_cleondris.html on August 03, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Configuring Cleondris: NetApp HCI DR with Cleondris 1
 - Add vCenter Servers 1
 - Add NetApp HCI Clusters 2
 - Replication 3

Configuring Cleondris: NetApp HCI DR with Cleondris


You now configure Cleondris to communicate with your vCenter Servers and storage. If you have logged out, returned, and log in again to start here, you are prompted for the following information:

1. Accept the EULA.
2. Copy and paste the license.
3. You are prompted to perform configuration, but skip this step for now. It is better to perform this configuration as detailed later in this paper.
4. When you log back in and see the green boxes, you must change to the Setup area.

Add vCenter Servers


To add the vCenter Servers, complete the following steps:

1. Change to the VMware tab and add your two vCenter Servers. When you are defining them, add a good description and use the Test button.



This example uses an IP address instead of an FQDN. (This FQDN didn't work at first; I later found out that I had not entered the proper DNS information. After correcting the DNS information, the FQDN worked fine.) Also notice the description, which is useful.

2. After both vCenter Servers are done, the screen displays them.




Add NetApp HCI Clusters

To add the NetApp HCI clusters, complete the following steps:

1. Change to the NetApp tab and add your production and disaster recovery storage. Again, add a good description and use the Test button.

The form is titled 'Register HCI/SolidFire'. It contains four input fields: 'Hostname' (10.193.139.9), 'Username' (admin), 'Password' (masked with dots), and 'Description' (DR). At the bottom, there is a status message '✓ Credentials are OK!' and three buttons: 'Test', 'Save' (highlighted in blue), and 'Cancel'.

2. When you have added your storage and vCenter Servers, change to the Inventory view so that you can see the results of your configuration.



Here you can see the number of objects, which is a good way to confirm that things are working.

Replication

You can use HCC to enable replication between your two sites. This allows us to stay in the HCC UI and decide what volumes to replicate.

Important: If a replicated volume contains VMs that are in two plans, only the first plan that fails over works because it will disable replication on that volume.

I recommend that each tier 1 application have its own volume. Tier 4 applications can all be on one volume, but there should be only one failover plan.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.