



Validation Results

NetApp Solutions

Kevin Hoke, Dorian Henderson
February 19, 2021

This PDF was generated from https://docs.netapp.com/us-en/netapp-solutions/infra/hcicaci_validation_results.html on August 03, 2021. Always check docs.netapp.com for the latest.

Table of Contents

- Validation Results 1
 - VMware 1
 - Red Hat Virtualization..... 1
 - KVM (RHEL)..... 1
 - Miscellaneous 1

Validation Results

We used the iPerf tool for testing network throughput, and the baseline expectation was that the test systems should achieve throughput within 10% of the maximum line rate. Test results for different virtual switches is indicated in the following table.

For storage IOPS subsystem measurement, we used the IOmeter tool. The baseline expectation was that the test systems should achieve read/write throughput within 10% of the maximum. Test results for different hypervisors is indicated in the following table.

We considered the following scenarios for the network line rate and storage IOPS testing:

VMware

- VMs on a NetApp HCI datastore (with and without micro-segmentation)
- VMs on a NetApp ONTAP datastore
- VMs on a NetApp ONTAP Select datastore

Red Hat Virtualization

- VMs on a NetApp HCI datastore
- VMs on a NetApp ONTAP datastore

KVM (RHEL)

- VMs on a NetApp HCI datastore

Miscellaneous

- One VM on RHV with a NetApp HCI datastore and one VM on VMware vSphere with a NetApp ONTAP datastore.

| Hypervisor | Virtual Switch | iPerf | IOmeter | Micro-segmentation |
|------------|----------------|-------|---------|--------------------|
| VMware | VDS | Pass | Pass | Pass |
| RHV | Linux Bridge | Pass | Pass | N/A |
| RHEL-KVM | Open vSwitch | Pass | Pass | N/A |

[Next: Where to Find Additional Information](#)

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.