



7. Deploy the Anthos admin workstation

NetApp Solutions

Dorian Henderson, Kevin Hoke
March 09, 2021

This PDF was generated from https://docs.netapp.com/us-en/netapp-solutions/containers/anthos_task_deploy_the_anthos_admin_workstation.html on August 03, 2021. Always check docs.netapp.com for the latest.

Table of Contents

7. Deploy the Anthos admin workstation 1

7. Deploy the Anthos admin workstation

The admin workstation is a vSphere VM deployed within your NetApp HCI environment that is preinstalled with all the tools necessary to administer the Anthos on VMware solution. Follow the instructions in this section to deploy the Anthos admin workstation.

To deploy the Anthos admin workstation, complete the following steps:

1. Download the gkeadm binary into your working directory

```
[user@rhel7 anthos-install]$ gsutil cp gs://gke-on-prem-  
release/gkeadm/1.6.1-gke.1/linux/gkeadm ./  
[user@rhel7 anthos-install]$ chmod +x gkeadm
```

2. Use the gkeadm tool to create an admin workstation configuration file.

```
[user@rhel7 anthos-install]$ ./gkeadm create config
```

3. Two files are created: `credential.yaml` and `admin-ws-config.yaml`. Fill out each of these files.
 - a. `credential.yaml` contains your username and passwords for your VMware vCenter server.

```
kind: CredentialFile  
items:  
- name: vCenter  
  username: "administrator@vsphere.local"  
  password: "vSphereAdminPassword"
```

- b. `admin-ws-config.yaml` contains other information about your vSphere environment as well as the physical and networking options for the admin-workstation VM.

```
gcp:  
  # Path of the whitelisted service account's JSON key file  
  whitelistedServiceAccountKeyPath: "/home/anthos-install/service-  
keys/access-key.json"  
  # Specify which vCenter resources to use  
  vCenter:  
    # The credentials and address GKE On-Prem should use to connect to  
    vCenter  
    credentials:  
      address: "anthos-vc.cie.netapp.com"  
      datacenter: "NetApp-HCI-Datacenter-01"  
      datastore: "VM_Datastore"  
      cluster: "NetApp-HCI-Cluster-01"  
      network: "VM_Network"
```

```

    resourcePool: "Anthos-Resource-Pool"
# Provide the path to vCenter CA certificate pub key for SSL
verification
    caCertPath: "/home/anthos-install/vcenter.pem"
# The URL of the proxy for the jump host
proxyUrl: ""
adminWorkstation:
    name: gke-admin-ws-200915-151421
    cpus: 4
    memoryMB: 8192
#The boot disk size of the admin workstation in GB. It is recommended
to use a disk with at least 50 GB to host images decompressed from
the bundle.
    diskGB: 50
# Name for the persistent disk to be mounted to the home directory
(ending in
.vmdk).
# Any directory in the supplied path must be created before
deployment.
    dataDiskName: gke-on-prem-admin-workstation-data-disk/gke-admin-ws-
200915-151421-data-disk.vmdk
# The size of the data disk in MB.
    dataDiskMB: 512
    network:
# The IP allocation mode: 'dhcp' or 'static'
    ipAllocationMode: "dhcp"
# # The host config in static IP mode. Do not include if using DHCP
# hostConfig:
#     # The IPv4 static IP address for the admin workstation
#     ip: ""
#     # The IP address of the default gateway of the subnet in
which the admin workstation
#     # is to be created
#     gateway: ""
#     # The subnet mask of the network where you want to create
your admin workstation
#     netmask: ""
#     # The list of DNS nameservers to be used by the admin
workstation
#     dns:
#     - ""
# The URL of the proxy for the admin workstation
proxyUrl: ""
ntpServer: ntp.ubuntu.com

```

4. Create the admin workstation.

```
[user@rhel7 anthos-install]$ ./gkeadm create admin-workstation
The output will be verbose as the workstation is created. In the end you
will be prompted with the IP address to login to the workstation if you
chose DHCP.

...
Getting ... service account...

...
*****
Admin workstation is ready to use.

Admin workstation information saved to /usr/local/google/home/me/my-
admin-workstation
This file is required for future upgrades
SSH into the admin workstation with the following command:
ssh -i /home/user/.ssh/gke-admin-workstation ubuntu@10.63.172.10
*****
```

Next: [Deploy the admin and the first user cluster](#)

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.