| Date        | 23/03/2022, 12:04:07                     |
|-------------|--|
| Test        | test_write_codeblock                     |
| Description | This test creates a PDF with a CodeBlock |
|             | element in it.                           |

```
import unittest
from datetime import datetime
from pathlib import Path
from borb.io.read.types import Decimal
from borb.pdf.canvas.layout.page_layout.multi_column_layout import SingleColumnLayout
from borb.pdf.canvas.layout.table.fixed_column_width_table import (
    FixedColumnWidthTable as Table,
)
from borb.pdf.canvas.layout.text.codeblock import CodeBlock
from borb.pdf.canvas.layout.text.paragraph import Paragraph
from borb.pdf.document.document import Document
from borb.pdf.page.page import Page
from borb.pdf.page.jage import PDF
class TestWriteCodeblock(unittest.TestCase):
          This test creates a PDF with a CodeBlock element in it. \ensuremath{\text{\tiny ****}}
         def __init__(self, methodName="runTest"):
    super().__init__(methodName)
# find output dir
p: Path = Path(_file__).parent
while "output" not in [x.stem for x in p.iterdir() if x.is_dir()]:
p = p.parent
p = p / "output"
self.output_dir = Path(p, Path(_file__).stem.replace(".py", ""))
if not self.output_dir.exists():
    self.output_dir.mkdir()
          def test write document(self):
                      # add page
                     page = Page()
pdf.append_page(page)
                     # layout
layout = SingleColumnLayout(page)
                      # add test information
                      layout.add(
                              rout.add(
   Table(number_of_columns=2, number_of_rows=3)
   .add(Paragraph(*Date*, font="Helvetica-Bold*))
   .add(Paragraph(datetime.now().strftime(*$d/$m/$Y, $H:$M:$S*)))
   .add(Paragraph(Test*, font="Helvetica-Bold*))
   .add(Paragraph(Path(_file__).stem))
   .add(Paragraph(*Description*, font="Helvetica-Bold*))
   .add(Paragraph(*This test creates a PDF with a CodeBlock element in it.*))
   .set_padding_on_all_cells(Decimal(2), Decimal(2), Decimal(2))
                      # read self
with open(__file__, "r") as self_file_handle:
    file_contents = self_file_handle.read()
                     layout.add(
                                CodeBlock(
                                     file_contents,
font_size=Decimal(5),
                     # determine output location
out_file = self.output_dir / "output.pdf"
                     # attempt to store PDF
with open(out_file, "wb") as in_file_handle:
    PDF.dumps(in_file_handle, pdf)
```