

4

3

2

1


REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	7/15/2020	

B

B

A

A

		NAME	DATE	Description:  +X 1U FRAME
	DRAWN	EMILIO GIZZI	7/15/2020	
	CHECKED	CATIE SPIVEY	7/18/2020	
	ENG APPR.			
	MFG APPR.			
COMMENTS:				DWG. NO. +X_1UFrame
				REV <b>A</b>
				SIZE <b>B</b>
				SCALE: 1:1 SHEET 1 OF 4

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETER  
TOLERANCES:  
ONE PLACE DECIMAL ±0.1  
TWO PLACE DECIMAL ±0.01

MATERIAL  
6061-T6 (SS)  
FINISH  
ANODIZATION: TYPE II  
WEIGHT (REF)  
  
DO NOT SCALE DRAWING

4

3

2

1

4





3

2

1

B

A




B

A

NOTES:

1. REFERENCE -X\_1UFrame.sldprt OR -X\_1UFrame.step FOR MODEL BASE DEF.
2. BREAK ALL EDGES.
3. MATERIAL: 6061-T6 (SS)
4. ANODIZATION: TYPE II, BLACK.
5. OVERALL PROFILE TOLERANCE  $\frac{0.2}{A \ B \ C}$  TO A MINIMUM GRID OF 5MM, UNLESS OTHERWISE SPECIFIED.
6. INTERNAL CORNERS RADIUS IS 0.2MM MAXIMUM

	DRAWN	EMILIO GIZZI	7/15/2020	Description: <b>+X 1U FRAME</b>
	CHECKED	CATIE SPIVEY	7/18/2020	
	ENG APPR.			
	MFG APPR.			
COMMENTS:				DWG. NO. <b>+X 1UFrame</b>
				REV <b>A</b> SIZE <b>B</b> SCALE: 1:1
				SHEET 2 OF 4


UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETER  
TOLERANCES:  
ONE PLACE DECIMAL  $\pm 0.1$   
TWO PLACE DECIMAL  $\pm 0.01$

MATERIAL  
6061-T6 (SS)  
FINISH  
ANODIZATION: TYPE II  
WEIGHT (REF)  
DO NOT SCALE DRAWING

3

2

1





4 3 2 1


B

B

A

A



	DRAWN	NAME	DATE	Description: <b>+X 1U FRAME</b>
	CHECKED	EMILIO GIZZI	7/15/2020	
	ENG APPR.	CATIE SPIVEY	7/18/2020	
	MFG APPR.			
COMMENTS:				DWG. NO <b>+X_1UFrame</b>
				REV <b>A</b>
				SIZE <b>B</b>
				SCALE: 1:1 SHEET 4 OF 4

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETER  
TOLERANCES:  
ONE PLACE DECIMAL  $\pm$ 0.1  
TWO PLACE DECIMAL  $\pm$ 0.01