

σ

$$s^2$$

S

μ

\bar{x}

$$\sigma^2$$

H_0

$$H_1$$

β

α

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.38)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.48)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.58)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.68)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.78)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.88)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 0.98)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.25)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.28)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.40)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.50)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.64)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.65)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.75)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.96)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.00)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.10)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.20)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.25)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.30)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.35)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.40)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.45)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.50)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 2.58)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.03)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.13)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.23)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.33)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.43)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \geq 1.53)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.20)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.45)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.48)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.58)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.60)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.68)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.72)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.78)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.88)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 0.70)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.00)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.10)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.15)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.20)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.30)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.45)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.50)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.52)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.55)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.59)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.60)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.64)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.65)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.69)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.70)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.74)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.80)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.85)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.94)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.98)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.96)$$

Where $Z \sim N(0, 1^2)$, use the Murdoch-Barnes tables to determine the following probability:

$$P(Z \leq 1.17)$$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 103$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 105$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 132$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 107$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 109$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 111$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 112$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 113$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 115$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 117$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 118$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 121$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 122$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 124$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 126$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 129$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 130$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 133$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 136$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 139$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 141$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 142$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 145$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 146$

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 148$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 97$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 94$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 91$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 88$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 87$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 84$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 83$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 80$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 79$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 77$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 75$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 73$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 71$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 71$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 70$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 69$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 68$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 67$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 65$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 63$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 59$.

Suppose **X** is a normally distributed random variable with the following parameters:

- ▶ Mean: $\mu = 100$
- ▶ Std. Deviation: $\sigma = 20$

Compute the Z-score for $X = 57$.