# "Ollert

Project Report November 30, 2018

Luke Duhe
JJ Juarez
Drake Lambert
Kevin Phan
Sam Miller
Tristan Miller
Timothy Ratliff
Steven Vondenstein
William Woodfin

# Contents


1 Database Design			
	1.1	Introduction	2
	1.2	ER Diagram	3
	1.3	Identified Constraints	4
	1.4	Assumptions About the Domain	4
	1.5	Database Design Process	4
	1.6	Ollert's tables	4
2	Dat	cabase Implementation	6
	2.1	Create Table Statements	6
	2.2	Insert Statements	7
	2.3	Data Tables	9
	2.4	Data manipulation statements	15
3	Ind	ex	19

# 1 Database Design

### 1.1 Introduction

Ollert is the backend database for a Kanban Board application (similar to https://Trello.com). It supports multiple users collaborating on one or many boards, through comments and task generation.

# 1.2 ER Diagram



#### 1.3 Identified Constraints

- Every application user must have both a username and a password
- Usernames must be unique
- Every board must have a title and must be associated with an existing owner
- Every comment must have an owner
- Every comment must have a time and text
- Every comment must be associated with an existing task
- Every list must have a title and must be associated with an existing board
- Every task must be associated with an existing list
- Every entity in every table has a unique id

#### 1.4 Assumptions About the Domain

• Users should only have access to the boards they are members of

#### 1.5 Database Design Process

#### 1.6 Ollert's tables

#### 1.6.1 Functional Dependencies

#### 1.6.2 Primary Keys

- ApplicationUser
  - ApplicationUser.Id
- Board
  - Board.Id
- BoardMember
  - none
- List
  - List.Id
- Task
  - Task.Id
- TaskAssignee

- none
- $\bullet$  Comment
  - Comment.Id

#### 1.6.3 Foreign Keys

- Board
  - ApplicationUser.Id
- BoardMember
  - Board.Id
  - ApplicationUser.Id
- $\bullet$  List
  - Board.Id
- Task
  - List.Id
- TaskAssignee
  - Task. $\operatorname{Id}$
  - ApplicationUser.Id
- Comment
  - Task. $\operatorname{Id}$
  - ApplicationUser.Id

## 2 Database Implementation

#### 2.1 Create Table Statements

```
create table ApplicationUser(
   Id char(32),
   Username varchar(100) not null,
   Passwordhash varchar(100) not null,
   primary key ( Id )
);
```

Listing 1: ApplicationUser Table Creation Statement

```
create table Board(
   Id char(32),
   Title varchar(100) not null,
   OwnerId char(32),
   primary key ( id ),
   foreign key ( OwnerId ) references ApplicationUser( Id )
);
```

Listing 2: Board Table Creation Statement

```
create table BoardMember(
BoardId char(32),

MemberId char(32),

foreign key ( BoardId ) references Board( Id ),

foreign key ( MemberId ) references ApplicationUser( Id )

);
```

Listing 3: BoardMember Table Creation Statement

```
create table List(
   Id char(32),
   Title varchar(100) not null,
   BoardPosition int not null,
   BoardId char(32),
   primary key ( id ),
   foreign key ( BoardId ) references Board( Id )
  );
```

Listing 4: List Table Creation Statement

```
create table Task(

Id char(32),

Title varchar(100) not null,

Descriptor varchar(500) not null,

DueDate datetimeoffset,

ListId char(32),

primary key ( id ),

foreign key ( ListId ) references List( Id )

)
```

```
Listing 5: Task Table Creation Statement
```

```
create table TaskAssignee(
TaskId char(32),
AssigneeId char(32),
foreign key ( TaskId ) references Task( Id ),
foreign key ( AssigneeId ) references ApplicationUser( Id )

)
```

Listing 6: TaskAssignee Table Creation Statement

```
create table Comment(
   Id char(32),
   TimeCreated datetimeoffset not null,
   MessageText varchar(100) not null,
   TaskId char(32),
   OwnerId char(32),
   primary key ( id ),
   foreign key ( TaskId ) references Task( Id ),
   foreign key ( OwnerId ) references ApplicationUser( Id )
)
```

Listing 7: Comment Table Creation Statement

#### 2.2 Insert Statements

```
insert into ApplicationUser values ("19843875-6077-49", "Walter
Rogers",
"168
E5F6A717237FB2232A8AFE2DAAE3F8D582C5D4CC0EAA268F05F420F1EC421");
insert into ApplicationUser values ("372a9ad5-4952-44", "Jean
Bryant",
"
DAB12D7BB613EAC0304D9917738729FB37B60EBB1FB59FC9493ED64733CCE3BA");
```

Listing 8: ApplicationUser Insert Statements

```
insert into Board values ("bbdd7100-cd10-41", "Sports Forum
Mobile App", "19843875-6077-49");

insert into Board values ("62376bd0-6ecc-4f", "Untitled
Platformer Game", "372a9ad5-4952-44");
```

Listing 9: Board Insert Statements

Listing 10: BoardMember Insert Statements

```
insert into List values ("64251244-40f5-45", "Admin Website", 2, "
bbdd7100-cd10-41");

insert into List values ("a583557a-3d83-4a", "Art Design", 0, "
62376bd0-6ecc-4f");
```

Listing 11: List Insert Statements

```
insert into Task values ("e01479d6-6019-4a", "Database Design", "
    Design a robust database schema for storing all the data in our
    app.", "20180120 09:00:00 +10:00", "0e72d679-da23-41");

insert into Task values ("d46993c0-ce64-46", "Story Design", "
    Write a fun story for the game.", "20180620 09:00:00 +10:00", "
    a583557a-3d83-4a");
```

Listing 12: Task Insert Statements

Listing 13: TaskAssignee Insert Statements

Listing 14: Comment Insert Statements

#### 2.3 Data Tables

Due to the length of some of our fields the results may be split into multiple tables to fit on the page. Tables in the same horizontal rule pair are part of the same table.

#### ApplicationUser Table

Id	Username
06849b4a-e875-40	Rebecca Moore
19843875-6077-49	Walter Rogers
2ea98624-82a3-46	Marie Ross
372a9ad5-4952-44	Jean Bryant
5d842729-e31d-40	Carlos Cooper
64ed29be-71a0-46	Amy Wood
88664860-7e36-4b	Phillip Ramirez
88b03172-135a-4b	Samuel Barnes
ab38ad56-b3ab-42	Frank Bell
d263667b-ea46-4b	Roy Bailey
ecff8345-aa8b-40	Jesse Richardson

#### Passwordhash

4DCBF8F1C8BEF27458F1BD8DED724AFF3182C712057CE3BA11DFCF170244AA92
168E5F6A717237FB2232A8AFE2DAAE3F8D582C5D4CC0EAA268F05F420F1EC421
661F9EC03BD2D1D8D9D9BC08B2B71B414C6DDBD31B8ECE132DC9C112070B026E
DAB12D7BB613EAC0304D9917738729FB37B60EBB1FB59FC9493ED64733CCE3BA
F892F6A6B56B2B5079940B59E423D5E91CE28ED45A925CA9E5B29C2757A00E26
45C12F6E3334CDFCDD2DC245339D8221C430EE7EA8F93291529B275360398787
65CB325076C4EA9F34927D5C45D013AC89A6985C5CD84DF07EB3BEB032236271
5138B68F2AA87B19781E84B1E6FA0EA1CDC963620FE30343385C118B17AFA7DA
9B0746CF155968BA110AF6B8791940DDD3AC7253BBFB835482C33150C34CA452
F269CC6E9580A6F3D7AED20805D3C21EBF79C18BEDF5D930210966651FB40370
ABB1C197D22CC1017A9471C46BA7C9021A98F4D7F77E457063DCB75ED6814837

#### Board Table

Id	Title	OwnerId
62376bd0-6ecc-4f	Untitled Platformer Game	372a9ad5-4952-44
bbdd7100-cd10-41	Sports Forum Mobile App	19843875-6077-49
fdd8f8a8-0d53-4f	AI Stock Trader	19843875-6077-49

#### Board Member Table

D 11.1	M 1 T1
BoardId	MemberId
fdd8f8a8-0d53-4f	19843875-6077-49
bbdd7100-cd10-41	372a9ad5-4952-44
62376bd0-6ecc-4f	d263667b-ea46-4b
fdd8f8a8-0d53-4f	64ed29be-71a0-46
bbdd7100-cd10-41	88b03172-135a-4b
62376bd0-6ecc-4f	88664860-7e36-4b
fdd8f8a8-0d53-4f	2ea98624-82a3-46
bbdd7100-cd10-41	06849b4a-e875-40
62376bd0-6ecc-4f	5d842729-e31d-40
fdd8f8a8-0d53-4f	ab38ad56-b3ab-42
bbdd7100-cd10-41	ab38ad56-b3ab-42
62376bd0-6ecc-4f	2ea98624-82a3-46
62376bd0-6ecc-4f	64ed29be-71a0-46
62376bd0-6ecc-4f	19843875-6077-49
fdd8f8a8-0d53-4f	19843875-6077-49
bbdd7100-cd10-41	372a9ad5-4952-44
62376bd0-6ecc-4f	d263667b-ea46-4b
fdd8f8a8-0d53-4f	64ed29be-71a0-46
bbdd7100-cd10-41	88b03172-135a-4b
62376bd0-6ecc-4f	88664860-7e36-4b
fdd8f8a8-0d53-4f	2ea98624-82a3-46
bbdd7100-cd10-41	06849b4a-e875-40
62376bd0-6ecc-4f	5d842729-e31d-40
fdd8f8a8-0d53-4f	ab38ad56-b3ab-42
bbdd7100-cd10-41	ab38ad56-b3ab-42
62376bd0-6ecc-4f	2ea98624-82a3-46
62376bd0-6ecc-4f	64ed29be-71a0-46
62376bd0-6ecc-4f	19843875-6077-49

## List Table

Id	Title	BoardPosition	BoardId
0e72d679-da23-41	Database	0	bbdd7100-cd10-41
3073d9ee-fbef-48	ML Model Creation	1	fdd8f8a8-0d53-4f
42f550ff-724b-49	Deployment	3	fdd8f8a8-0d53-4f
64251244-40f5-45	Admin Website	2	bbdd7100-cd10-41
89fd7d40-e284-44	Game Development	2	62376bd0-6ecc-4f
8dda7e83-294f-48	Logviewer	2	fdd8f8a8-0d53-4f
a583557a-3d83-4a	Art Design	0	62376bd0-6ecc-4f
b9ec9dee-e742-4d	App Development	1	bbdd7100-cd10-41
d0ce1983-dcdf-49	Distribution	1	62376bd0-6ecc-4f
ed04c7f0-20e3-48	Data Gathering	0	fdd8f8a8-0d53-4f

#### Task Table

Id	Title
00de54ec-ff13-4e	Choose a platform.
03aa56ed-84c3-4d	Evaluation Metrics
04cac4f2-1ea7-48	Logging Logging
0fc5c4d2-019c-49	
0	Continuous Gathering Interaction
15c31e03-c080-43 177bb237-60ab-47	Launch
18e4c14b-56d6-43	Clean Data
	0
199ec36c-bdea-40	Moderators
20de062c-f25e-46	Level Design
323c8fb9-e7c6-44	Model Selection
46202c62-3c33-46	Continous Deployment
4eb0744b-f9d2-49	Training
56378d8b-0c82-4a	Develop
70cad687-5f05-46	Web App
798be7dd-61c2-4d	Database
8ada3afb-5fd3-43	Player Mechanics
8cdd $71$ f $6$ -ed $8$ b- $45$	Deployment
8cee3017-a75f-4a	Landscape Design
95a5ad82-6316-42	Research
99049f5b-3d88-4c	Packaging
a9f5ae59-6193-40	Character Design
ac1a2b65-d1fc-47	Control
b81246d7-2bf0-49	Data Formatting
bc63d228-b7a9-49	Implementation
d46993c0-ce64-46	Story Design
e01479d6-6019-4a	Database Design
e06959ed-e216-4f	Testing
e1381441-265b-46	Enemies
f7b17de0-c269-43	Marketing Strategy
f8acf56a-4860-4c	GUI

#### Descriptor

Develop metrics to help select the model.

Develop an application that uses the ML Model to log good stock trades.

Come up with a way to continuously gather data.

Create a Web API for interacting with the database.

Establish a distribution pipeline and ensure it can handle demand.

Devlop a methodology for discarding the extraneous or bad data.

Create a business process for choosing moderators.

Design a variety of levels for the player to play through.

Select the ML Model that will work best.

#### Descriptor

Develop a process for deploying updates to live applications.

Experiment and find the best way to train the model.

Develop the application according to requirements gathered.

Create a web application w/ secure login for performing administrative actions.

Develop a database to store logs.

Develop interesting and challenging mechanics for the player to interact with.

Get the app approved for distribution in the app stores.

Create interesting environments/backdrops for the game to take place in.

Research market demographics to find an audience for the game.

Find out how to package all parts of the app together.

Create the designs for the characters.

Implement interactions with the database for basic administration controls.

Format the data for use with our chosen model.

Choose a SQL Implementation and write create statements for the tables.

Write a fun story for the game.

Design a robust database schema for storing all the data in our app.

Develop a robust testing suite.

Develop Enemy AIs that interact with the player and the environment in a variety of ways.

Design a marketing strategy to target key demographics.

Create a GUI for viewing the logs.

DueDate	ListId
1/20/2018 9:00:00 AM +10:00	b9ec9dee-e742-4d
2/28/2018 9:00:00 AM +10:00	3073d9ee-fbef-48
3/20/2018 9:00:00 AM +10:00	8dda7e83-294f-48
1/25/2018 9:00:00 AM +10:00	ed04c7f0-20e3-48
3/20/2018 9:00:00 AM +10:00	0e72d679-da23-41
6/20/2018 9:00:00 AM +10:00	d0ce1983-dcdf-49
1/20/2018 9:00:00 AM +10:00	ed04c7f0-20e3-48
3/20/2018 9:00:00 AM +10:00	64251244-40f5-45
5/20/2018 9:00:00 AM +10:00	89fd7d40-e284-44
2/20/2018 9:00:00 AM +10:00	3073d9ee-fbef-48
4/20/2018 9:00:00 AM +10:00	42f550ff-724b-49
2/28/2018 9:00:00 AM +10:00	3073d9ee-fbef-48
3/20/2018 9:00:00 AM +10:00	b9ec9dee-e742-4d
3/20/2018 9:00:00 AM +10:00	64251244-40f5-45
1/20/2018 9:00:00 AM +10:00	8dda7e83-294f-48
4/20/2018 9:00:00 AM +10:00	89fd7d40-e284-44
4/20/2018 9:00:00 AM +10:00	b9ec9dee-e742-4d
6/20/2018 9:00:00 AM +10:00	a583557a-3d83-4a
4/20/2018 9:00:00 AM +10:00	d0ce1983-dcdf-49
4/20/2018 9:00:00 AM +10:00	42f550ff-724b-49
3/20/2018 9:00:00 AM +10:00	a583557a-3d83-4a
3/20/2018 9:00:00 AM +10:00	64251244-40f5-45

DueDate	ListId
1/25/2018 9:00:00 AM +10:00	ed04c7f0-20e3-48
2/20/2018 9:00:00 AM +10:00	0e72d679-da23-41
6/20/2018 9:00:00 AM +10:00	a583557a-3d83-4a
1/20/2018 9:00:00 AM +10:00	0e72d679-da23-41
4/20/2018 9:00:00 AM +10:00	42f550ff-724b-49
5/20/2018 9:00:00 AM +10:00	89fd7d40-e284-44
6/20/2018 9:00:00 AM +10:00	d0ce1983-dcdf-49
3/20/2018 9:00:00 AM +10:00	8dda7e83-294f-48

## TaskAssignee Table

AssigneeId
19843875-6077-49
64ed29be-71a0-46
2ea98624-82a3-46
ab38ad56-b3ab-42
372a9ad5-4952-44
88b03172-135a-4b
06849b4a-e875-40
ab38ad56-b3ab-42
372a9ad5-4952-44
88b03172-135a-4b
d263667b-ea46-4b
88664860-7e36-4b
5d842729-e31d-40
2ea98624-82a3-46
64ed29be-71a0-46
64ed29be-71a0-46

#### Comment Table

Id	TimeCreated	
2151adf7-6de1-40	1/10/2018 9:25:00 AM +10:00	
49570bdb-0702-45	1/10/2018 9:55:00 AM +10:00	
4e8a2544-f829-4e	1/20/2018 9:04:00 AM +10:00	
59646b1b-a084-49	1/20/2018 8:54:00 AM +10:00	
5f71a133-2371-40	1/20/2018 9:03:00 AM +10:00	
990d6b06-7759-42	1/20/2018 9:05:00 AM +10:00	
99487abe-6ccd-45	1/20/2018 9:02:00 AM +10:00	
9aeb90fd-8f48-4b	1/10/2018 9:54:00 AM +10:00	
bccb9a9a-0566-49	1/15/2018 9:00:00 AM +10:00	
c088cfa0-15e2-4f	1/10/2018 8:54:00 AM +10:00	
e6a99415-8607-46	1/10/2018 9:00:00 AM +10:00	

#### MessageText

Cant start packaging stuff up until we know what were gonna have to package. Ive got some blockers on this task.

I mean - Is nt the idea that you JUMP from platform to platform? thx  $\rm m8$ 

Thats literally Luigi.

So Im thinking our game has a mario-like character - but green.

I feel like theres some problems with having the main character fly.

Luigi?

Definitely. Ill help you clean it up.

Can someone explain this Task to me?

Im probably going to need some help with this.

Doesnt that defeat the purpose of a platformer?

Never mind.

TaskId	OwnerId
99049f5b-3d88-4c	ab38ad56-b3ab-42
e01479d6-6019-4a	88b03172-135a-4b
199ec36c-bdea-40	06849b4a-e875-40
8ada3afb-5fd3-43	64ed29be-71a0-46
8ada3afb-5fd3-43	64ed29be-71a0-46
18e4c14b-56d6-43	19843875-6077-49
a9f5ae59-6193-40	88664860-7e36-4b
a9f5ae59-6193-40	d263667b-ea46-4b
a9f5ae59-6193-40	d263667b-ea46-4b
8ada3afb-5fd3-43	64ed29be-71a0-46
8ada3afb-5fd3-43	5d842729-e31d-40
a9f5ae59-6193-40	d263667b-ea46-4b
a9f5ae59-6193-40	88664860-7e36-4b
18e4c14b-56d6-43	64ed29be-71a0-46
8cdd71f6-ed8b-45	ab38ad56-b3ab-42
04cac4f2-1ea7-48	2ea98624-82a3-46
e01479d6-6019-4a	372a9ad5-4952-44
8ada3afb-5fd3-43	64ed29be-71a0-46
8cdd71f6-ed8b-45	ab38ad56-b3ab-42
18e4c14b-56d6-43	19843875-6077-49

#### 2.4 Data manipulation statements

#### 2.4.1 Select statements



SELECT TOP 1 Title, Count(\*) as NumComments FROM Task, Comment WHERE Task.Id=Comment.TaskId GROUP BY Title ORDER BY NumComments DESC;

Listing 15: Select Most Active Task (Comments)




SELECT TOP 1 Username, Count(\*) as NumComments FROM ApplicationUser, Comment WHERE ApplicationUser.Id=Comment.OwnerId GROUP BY
Username ORDER BY NumComments desc;

Listing 16: Select Most Active User (Comments)



Listing 17: Select Least Active User (Comments)



SELECT DISTINCT A. MemberId, B. MemberId FROM BoardMember AS A INNER JOIN BoardMember as B ON A. BoardId = B. BoardId AND B. MemberId > A. MemberId;

Listing 18: Find Users Who Share At Least One Board




SELECT Username, Count(\*) as NumBoards FROM BoardMember INNER JOIN
ApplicationUser on BoardMember.MemberId = ApplicationUser.Id
WHERE Username = 'Amy Wood' GROUP BY Username;

Listing 19: Select Board Membership for User "Amy Wood"

SELECT TOP 10 MessageText, TimeCreated FROM Comment INNER JOIN
ApplicationUser on ApplicationUser.Id = Comment.OwnerId WHERE
Username = 'Phillip Ramirez' ORDER BY TimeCreated DESC;

Listing 20: Select 10 Most Recent Comments for User "Phillip Ramirez"



SELECT TOP 10 MessageText, TimeCreated, Username as Creator FROM Comment, ApplicationUser WHERE ApplicationUser.Id = Comment.


OwnerId ORDER BY TimeCreated DESC;

Listing 21: Select 10 Most Recent Comments



SELECT TOP 1 Board. Title as Board, COUNT(\*) as NumTasks FROM Task INNER JOIN List ON Task. ListId = List.Id INNER JOIN Board on List. BoardId = Board.Id GROUP BY Board. Title ORDER BY NumTasks DESC;

Listing 22: Select Most Active Board (Tasks)



SELECT TOP 1 Board. Title as Board, COUNT(\*) as NumComments FROM
Comment INNER JOIN Task on Comment. TaskId = Task.Id INNER JOIN
List ON Task.ListId = List.Id INNER JOIN Board on List.BoardId
= Board.Id GROUP BY Board. Title ORDER BY NumComments DESC;

Listing 23: Select Most Active Board (Comments)



SELECT TOP 1 Username, COUNT(\*) AS AssignedTasks FROM
ApplicationUser INNER JOIN TaskAssignee on ApplicationUser.Id =
TaskAssignee.AssigneeId GROUP BY Username ORDER BY
AssignedTasks DESC;

Listing 24: Select Most Active User (Tasks)



SELECT TOP 1 Username, COUNT(\*) AS BoardsCreated FROM
ApplicationUser INNER JOIN Board on ApplicationUser.Id = Board.
OwnerId GROUP BY Username ORDER BY BoardsCreated DESC;

Listing 25: Select Most Active User (Boards)

```
Choose a platform.
   Evaluation Metrics
3 Logging
4 Continous Gathering
5 Interaction
   Clean Data
   Moderators
9 Level Design
10 Model Selection
11 Continous Deployment
12 Training
13 Develop
14 Web App
15 Database
16 Player Mechanics
17 Deployment
18 Landscape Design
19 Research
20 Packaging
21 Character Design
22 Control
23 Data Formatting
24 Implementation
25 Story Design
26 Database Design
   Testing
   Enemies
   Marketing Strategy
```

```
SELECT Id FROM Task WHERE DueDate < SYSDATETIMEOFFSET();
```

Listing 26: Select All Overdue Tasks

#### 2.4.2 Update statements

```
1 UPDATE Comment SET MessageText = 'Thanks mate.', TimeCreated = SYSDATETIMEOFFSET() WHERE Id = '49570bdb-0702-45';
```

Listing 27: Edit Comment Text

```
1 UPDATE Board SET OwnerId = '5d842729-e31d-40' WHERE Title = 'AI Stock Trader';
```

Listing 28: Change Board Owner

```
1 UPDATE Task SET Descriptor = 'Develop a robust and effective
testing suite.' WHERE Title = 'Testing';
```

Listing 29: Change Task Description

```
1 UPDATE List SET Title = 'Art & Design' WHERE Title = 'Art Design';
Listing 30: Rename a List
```

#### 2.4.3 Other Statements

```
DELETE FROM Comment WHERE TimeCreated < '2018-01-12';
```

Listing 31: Delete All Comments Prior to A Given Date

DELETE FROM Application User WHERE Id NOT IN (SELECT OwnerId FROM Board UNION SELECT MemberId FROM BoardMember UNION SELECT OwnerId FROM Comment UNION SELECT AssigneeId FROM TaskAssignee);

Listing 32: Delete Inactive Users

# 3 Index

# Listings

1	ApplicationUser Table Creation Statement	6
2	Board Table Creation Statement	6
3	BoardMember Table Creation Statement	6
4	List Table Creation Statement	6
5	Task Table Creation Statement	6
6	8	7
7	Comment Table Creation Statement	7
8	ApplicationUser Insert Statements	7
9	Board Insert Statements	7
10	BoardMember Insert Statements	7
11	List Insert Statements	8
12	Task Insert Statements	8
13	TaskAssignee Insert Statements	8
14	Comment Insert Statements	8
15	Select Most Active Task (Comments)	5
16	Select Most Active User (Comments)	5
17	Select Least Active User (Comments)	5
18	Find Users Who Share At Least One Board	6
19	Select Board Membership for User "Amy Wood" 10	6
20	Select 10 Most Recent Comments for User "Phillip Ramirez" 10	6
21	Select 10 Most Recent Comments	6
22	Select Most Active Board (Tasks)	6
23	Select Most Active Board (Comments)	7
24	Select Most Active User (Tasks)	7
25	Select Most Active User (Boards)	7
26	Select All Overdue Tasks	8
27	Edit Comment Text	8
28	Change Board Owner	8
29	Change Task Description	8
30	Rename a List	8
31	Delete All Comments Prior to A Given Date	8
32	Delete Inactive Users	9