







#### The Evolution

In the early days: User ←→ Computer

Software = "Place a sequence of instructions together to get the computer to do something useful".

8

In late 1950's: User ←→ Programmer ←→Computer Computer became cheaper and more common. High level languages were invented.

In early 1960's: Hacker ≠ Cracker

Very few large software projects were done by some experts.





Case 1. 美国IBM公司在1963年至1966年开发的IBM360机的操作系统。这一项目花了5000人-年的工作量,最多时有1000人投入开发工作,写出了近100万行源程序。据统计,这个操作系统每次发行的新版本都是从前一版本中找出1000个程序错误而修正的结果。

这个项目的负责人F. P. Brooks事后总结了他在组织开发过程中的沉痛教训时说:"…正像一只逃亡的野兽落到泥沼中做垂死的挣扎,越是挣扎,陷得越深,最后无法逃脱灭顶的灾难。…程序设计工作正像这样一个泥潭,…一批批程序员被迫在泥沼中拼命挣扎,…谁也没有料到问题竟会陷入这样的困境…"。

IBM360操作系统的历史教训成为软件开发项目的典型事例为人们所记取。而Brooks博士随后写出了软件工程领域的经典著作《人月神话》(The Mythical Man-Month),至今畅销不衰。



Software = Product (information transformer)
Vehicle for delivering a product (OS, network, tools)

- The same questions are still asked today:
  - 1. Why does it take so long to get software finished?
  - 2. Why are development costs so high?
  - 3. Why can't we find all errors before we give the software to our customers?
  - 4. Why do we spend so much time and effort maintaining existing programs?
  - 5. Why do we continue to have difficulty in measuring progress as software is being developed and maintained?





What is Software?

**Software** is a set of items or objects that form a configuration that includes

- instructions (computer programs) that when executed provide desired function and performance,
- data structures that enable the programs to adequately manipulate information, and
- documents that describe the operation and use of the programs.


AND MORE ...

 Software is developed or engineered, it is not manufactured in the classical sense.





Software doesn't wear out. But it does deteriorate!



Although the industry is moving toward component-based assembly, most software continues to be custom built.



- Software Application Types
- > System software
- Application software
- Engineering/Scientific software
- Embedded software
- Product-line software
- Web-applications
- Artificial intelligence software







### Legacy Software — Why must it change?

- > software must be adapted to meet the needs of new computing environments or technology.
- > software must be enhanced to implement new business requirements.
- software must be extended to make it interoperable with other more modern systems or databases.
- > software must be re-architected to make it viable within a network environment.







# WebApps

- Modern WebApps are much more than hypertext files with a few pictures
- WebApps are augmented with tools like XML and Java to allow Web engineers including interactive computing capability
- WebApps may standalone capability to end users or may be integrated with corporate databases and business applications
- ➤ Semantic web technologies (Web 3.0) have evolved into sophisticated corporate and consumer applications that encompass semantic databases that require web linking, flexible data representation, and application programmer interfaces (API's) for access
- > The aesthetic nature of the content remains an important determinant of the quality of a WebApp.




# Mobile Applications

- Reside on mobile platforms such as cell phones or tablets
- Contain user interfaces that take both device characteristics and location attributes
- Often provide access to a combination of web-based resources and local device processing and storage capabilities
- Provide persistent storage capabilities within the platform
- A mobile web application allows a mobile device to access to web-based content using a browser designed to accommodate the strengths and weaknesses of the mobile platform
- > A mobile app can gain direct access to the hardware found on the device to provide local processing and storage capabilities
- As time passes these differences will become blurred



# Cloud Computing









# Cloud Computing

- Cloud computing provides distributed data storage and processing resources to networked computing devices
- Computing resources reside outside the cloud and have access to a variety of resources inside the cloud
- Cloud computing requires developing an architecture containing both frontend and backend services
- Frontend services include the client devices and application software to allow access
- Backend services include servers, data storage, and serverresident applications
- Cloud architectures can be segmented to restrict access to private data





#### Product Line Software

- Product line software is a set of software-intensive systems that share a common set of features and satisfy the needs of a particular market
- ➤ These software products are developed using the same application and data architectures using a common core of reusable software components
- ➤ A software product line shares a set of assets that include requirements, architecture, design patterns, reusable components, test cases, and other work products
- ➤ A software product line allow in the development of many products that are engineered by capitalizing on the commonality among all products with in the product line

