PETCT_Cardiac_LM.MlAdult_PET5

30. maj 2013

Indhold

1	Topogram				
	1.1	Routine	1		
	1.2	Scan	1		
2	CT Cardiac				
	2.1	Routine	1		
	2.2	Scan	1		
	2.3	Recons	2		
		2.3.1 Recon 1	2		
		2.3.2 Recon 2	2		
3	Pau	se	2		
4	PE		2		
	4.1	Routine	2		
	4.2	Scan	3		
	4.3	Recons	3		
		4.3.1 Recon 1	3		

1 Topogram

1.1 Routine

mA: 35kV: 120

• Topogram length: 256 mm

• Tube position: Top

1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 256 mmDirection: Craniocaudal

• Tube position: Top

API: NoneKernel: 80s shar

• Window: Topogram Body

2 CT Cardiac

2.1 Routine

• Eff. mAs: 11

• kV: 120

• CARE Dose4D: Off

• CareDoseType: CareDoseAEC

CTDlvol: 0.7414mGy
Scan time: 3.360 s

Delay: 4.000 sSlice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 170

• Eff. mAs: 11

• kV: 120

Scan time: 3.360 sRotation time: 0.500 s

Delay: 4.000 sSlice: 3.00 mmPitch: 1.5000000

• Direction: Craniocaudal

2.3 Recons

2.3.1 Recon 1

- Series description: tmp CT Cardiac RTD
- Slice: 5.00
- Kernel: B18f very smooth
- Window: AbdomenExtended FoV: On
- FoV: 700
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 21.600
- No. of images: 12

2.3.2 Recon 2

- Series description: AC CT
- Slice: 3.00
- Kernel: B18f very smooth
- Window: Abdomen
- Extended FoV: On
- FoV: 700
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 2.000
- No. of images: 111

3 Pause

4 PET Card LM

4.1 Routine

• Isotope: F-18

• Pharm.: FDG

Inj. Dose: 10 MillicuriesScan mode: List mode

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 10 Minutes

4.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: List mode

• Sinogram mode: Trues

• Input trigger signal: ECG

• LLD (keV): 435

• ULD (keV): 650

4.3 Recons

4.3.1 Recon 1

• Series description: PET Cardiac

• Recon range (bed): -1 to -1

• Output image type: NoRecon

• Recon method: Iterative

• Iterations: 4

Subsets: 8Image size: 168

• Zoom: 2

• Filter: Gaussian

• FWHM (mm): 2

Offset X: 0 mmOffset Y: 0 mm

• Onset 1. 0 mm

• Attenuation correction: On (1)

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off