# PROJ\_DOTATATE\_PET\_CT\_IV\_6.MlAdult\_PET6

30. maj 2013

# Indhold

| 1 | Topogram 1 |               |   |  |
|---|------------|---------------|---|--|
|   | 1.1        | Routine       | 1 |  |
|   | 1.2        | Scan          | 1 |  |
| 2 | CT         | $_{ m VB}$    | 1 |  |
|   | 2.1        | Routine       | 1 |  |
|   | 2.2        | Scan          | 1 |  |
|   | 2.3        | Recons        | 2 |  |
|   |            | 2.3.1 Recon 1 | 2 |  |
|   |            | 2.3.2 Recon 2 | 2 |  |
|   |            | 2.3.3 Recon 3 | 2 |  |
|   |            | 2.3.4 Recon 4 | 3 |  |
| 3 | Pau        | $\mathbf{e}$  | 3 |  |
| 4 | PE         | WB            | 3 |  |
|   | 4.1        | Routine       | 3 |  |
|   | 4.2        | Scan          | 3 |  |
|   | 4.3        | Recons        | 4 |  |
|   |            | 4.3.1 Recon 1 | 4 |  |
|   |            | 4.3.2 Recon 2 | 4 |  |
|   |            | 4.3.3 Recon 3 | 5 |  |
|   |            | 4 3 4 Recon 4 | 5 |  |

# 1 Topogram

# 1.1 Routine

mA: 35kV: 120

• Topogram length: 0 mm

• Tube position: Top

# 1.2 Scan

mA: 35kV: 120Delay: 4s

Topogram length: 0 mmDirection: Craniocaudal

• Tube position: Top

API: NoneKernel: 80s shar

• Window: Topogram Body

# 2 CT WB

## 2.1 Routine

• Eff. mAs: 225

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

CTDlvol: 15.1475mGy
Scan time: 12.680 s
Delay: 15.000 s
Slice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

# 2.2 Scan

• Quality ref. mAs: 225

• Eff. mAs: 225

• kV: 120

Scan time: 12.680 sRotation time: 0.500 s

Delay: 15.000 sSlice: 3.00 mmPitch: 1.2000000

• Direction: Craniocaudal

### 2.3 Recons

#### 2.3.1 Recon 1

- Series description: AC CT
- Slice: 3.00
- Kernel: B19f PET very smooth
- Window: AbdomenExtended FoV: On
- FoV: 700Center X: 0
- Center Y: 0
- Centrer 1.0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 3.000
- No. of images: 274

#### 2.3.2 Recon 2

- Series description: CT WB 3.0 B30f
- Slice: 3.00
- Kernel: B30f medium smooth
- Window: AbdomenExtended FoV: Off
- FoV: 500
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 3.000
- No. of images: 274

#### 2.3.3 Recon 3

- Series description: CT WB 3.0 SPO cor
- Slice: 3.00
- Kernel: B30f medium smooth
- Window: Abdomen
- Extended FoV: Off

- FoV: 821
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Coronal
- Image order: AP
- Recon increment: 3.000
- No. of images: 167

#### 2.3.4 Recon 4

- Series description: CT WB 3.0 SPO sag
- Slice: 3.00
- Kernel: B30f medium smooth
- Window: Abdomen
- Extended FoV: Off
- FoV: 821
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: 3D
- Recon Axis: Sagittal
- Image order: LeftToRight
- Recon increment: 3.000
- No. of images: 274

# 3 Pause

# 4 PET WB

## 4.1 Routine

- Isotope: Cu-64
- Pharm.: DOTATATE
- Inj. Dose: 1 MegaBequerels
- Scan mode: Sinogram
- Scan range: Match CT FOV
- No. of beds: 5
- Scan duration/bed: 180 Seconds

## 4.2 Scan

• Autoload: On

- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: Trues
- Input trigger signal: None
- LLD (keV): 435
- ULD (keV): 650

## 4.3 Recons

#### 4.3.1 Recon 1

- Series description: PET WB Image check
- Recon range (bed): -1 to -1
- Output image type: Corrected
- Recon method: Iterative3D
- Iterations: 4
- Subsets: 8
- Image size: 168
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 4.3.2 Recon 2

- Series description: PET WB DOTATATE True X 2 mm
- Recon range (bed): -1 to -1
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 3
- Subsets: 21
- Image size: 336
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 2
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On

• Save intermediate data: Off

#### 4.3.3 Recon 3

- Series description: PET WB UDEN True X
- Recon range (bed): -1 to -1
- Output image type: Corrected
- Recon method: Iterative
- Iterations: 3
- Subsets: 21Image size: 336
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 4.3.4 Recon 4

- Series description: no AC
- Recon range (bed): -1 to -1
- Output image type: Uncorrected
- Recon method: Iterative
- Iterations: 3
- Subsets: 21
- Image size: 336
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off