$1_PET_CT_WB_FDG_barn_resp_IV.child_PET4$

11. januar 2013

Indhold

| Top | oogram | 1 |
|------------------------|---|---|
| 1.1 | Routine | 1 |
| 1.2 | Scan | 1 |
| Lun | $_{ m lige}$ | 1 |
| 2.1 | Routine | 1 |
| 2.2 | Scan | 2 |
| 2.3 | | 2 |
| | | 2 |
| | | 3 |
| | | 4 |
| | 2.0.0 1,00001 0 | _ |
| \mathbf{CT} | WB | 4 |
| 3.1 | Routine | 4 |
| 3.2 | Scan | 5 |
| 3.3 | Recons | 5 |
| | 3.3.1 Recon 1 | 5 |
| | 3.3.2 Recon 2 | 6 |
| | 3.3.3 Recon 3 | 7 |
| Pau | ıse | 7 |
| \mathbf{PE}^{\prime} | $\Gamma 	ext{ WB}$ | 7 |
| 5.1 | Routine | 7 |
| 5.2 | | 8 |
| 5.3 | | 8 |
| J.J | | 8 |
| | | 9 |
| | 1.1 1.2 Lur 2.1 2.2 2.3 CT 3.1 3.2 3.3 | Lunge 2.1 Routine 2.2 Scan 2.3 Recons 2.3.1 Recon 1 2.3.2 Recon 2 2.3.3 Recon 3 CT WB 3.1 Routine 3.2 Scan 3.3 Recons 3.3 Recons 3.3 Recons 4 Scan 5 Scan 5 Scan 5 Scan 5 Scan 5 Scan 6 Scan 7 Scan 7 Scan 7 Scan 7 Scan 8 Scan |

1 Topogram

1.1 Routine

• mA: 35

• kV: 120

• Topogram length: 1536 mm

• Tube position: Top

1.2 Scan

• mA: 35

• kV: 120

• Delay: 9s

• Topogram length: 1536 mm

• Direction: Craniocaudal

• Tube position: Top

• API: API 962494eb-db00-4e54-b01b-9e42ecd67603

• Kernel: 20

• Window: Topogram

2 Lunge

2.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 6.08mGy

• Scan time: 9.000 s

• Delay: 35.000 s

• Slice: 5 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

2.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

 \bullet Scan time: 9.000 s

• Rotation time: 0.500 s

• Delay: 35.000 s

• Slice: 5 mm

• Pitch: 1.40

• Direction: Caudocranial

2.3 Recons

2.3.1 Recon 1

• Series description: tmp Lunge RTD

 \bullet Slice: 5

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 89

2.3.2 Recon 2

• Series description: CT Lunge 5.0 B18f

• Slice: 5

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 148

2.3.3 Recon 3

• Series description: CT Lunge 2.0 B70f

• Slice: 2

• Kernel: B70f

• Window: Lung

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 1.500

• No. of images: 167

3 CT WB

3.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 5.824mGy

• Scan time: 39.890 s

• Delay: 20.000 s

• Slice: 2 mm

 \bullet No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

3.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

• Scan time: 39.890 s

 \bullet Rotation time: 0.500 s

• Delay: 20.000 s

• Slice: 2 mm

• Pitch: 0.65

• Direction: Craniocaudal

3.3 Recons

3.3.1 Recon 1

 \bullet Series description: tmp CT WB RTD

• Slice: 4

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 4.000

• No. of images: 245

3.3.2 Recon 2

• Series description: CT WB 2.0 eFoV

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: On

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

3.3.3 Recon 3

• Series description: CT WB 2.0 B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

4 Pause

5 PET WB

5.1 Routine

• Isotope: F-18

• Pharm.: FDG

 $\bullet\,$ Inj. Dose: 113000000 Bequerels

• Inj. date (date/month - year): 08/12 - 2010

• Inj. time: 09:20:58

- Scan mode: Sinogram
- Scan range:
- No. of beds: 0
- Scan duration/bed: 2.000000 Minutes

5.2 Scan

- Autoload: On
- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: PromptsRandoms
- Input trigger signal: None
- LLD (keV): n/a
- ULD (keV): n/a

5.3 Recons

5.3.1 Recon 1

- Series description: PET WB Image Check HD
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 2
- Subsets: 12
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000

- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

5.3.2 Recon 2

- Series description: PET WB TrueX + TOF 2 mm
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueXTOF
- Iterations: 2
- Subsets: 21
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off