# $1\_PET\_CT\_WB\_FDG\_barn\_resp\_IV.Adult\_PET4$

27. februar 2013

## Indhold

Top	oogram	1
1.1	Routine	1
1.2	Scan	1
Lun	$_{ m lige}$	1
2.1	Routine	1
2.2	Scan	2
2.3		2
		2
		3
		4
	2.0.0 1,00001 0	_
$\mathbf{CT}$	WB	4
3.1	Routine	4
3.2	Scan	5
3.3	Recons	5
	3.3.1 Recon 1	5
	3.3.2 Recon 2	6
	3.3.3 Recon 3	7
Pau	ıse	7
$\mathbf{PE}^{\prime}$	$\Gamma  ext{ WB}$	7
5.1	Routine	7
5.2		8
5.3		8
J.J		8
		9
	1.1 1.2 Lur 2.1 2.2 2.3  CT 3.1 3.2 3.3	Lunge  2.1 Routine 2.2 Scan 2.3 Recons 2.3.1 Recon 1 2.3.2 Recon 2 2.3.3 Recon 3  CT WB  3.1 Routine 3.2 Scan 3.3 Recons 3.3 Recons 3.3 Recons 4 Scan 5 Scan 5 Scan 5 Scan 5 Scan 5 Scan 6 Scan 7 Scan 7 Scan 7 Scan 7 Scan 8 Scan

## 1 Topogram

## 1.1 Routine

• mA: 35

• kV: 120

• Topogram length: 1536 mm

• Tube position: Top

#### 1.2 Scan

• mA: 35

• kV: 120

• Delay: 6s

• Topogram length: 1536 mm

• Direction: Craniocaudal

• Tube position: Top

• API: API 962494eb-db00-4e54-b01b-9e42ecd67603

• Kernel: 20

• Window: Topogram

## 2 Lunge

### 2.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 6.09908mGy

• Scan time: 8.890 s

• Delay: 35.000 s

• Slice: 5 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

## 2.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

 $\bullet$  Scan time: 8.890 s

• Rotation time: 0.500 s

• Delay: 35.000 s

• Slice: 5 mm

• Pitch: 1.40

• Direction: Caudocranial

## 2.3 Recons

#### 2.3.1 Recon 1

• Series description: Lunge RTD

• Slice: 5

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 89

#### 2.3.2 Recon 2

• Series description: CT Lunge 5.0 B18f

• Slice: 5

• Kernel: B18f

• Window: Mediastinum

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 148

#### 2.3.3 Recon 3

• Series description: CT Lunge 2.0 B70f

• Slice: 2

• Kernel: B70f

• Window: Lung

• Extended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 1.500

• No. of images: 167

## 3 CT WB

#### 3.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

 $\bullet$  CTDlvol: 5.86188mGy

• Scan time: 40.242 s

 $\bullet$  Delay: 20.000 s

• Slice: 2 mm

 $\bullet$  No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

## 3.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

• Scan time: 40.242 s

 $\bullet$  Rotation time: 0.500 s

• Delay: 20.000 s

• Slice: 2 mm

• Pitch: 0.65

• Direction: Craniocaudal

## 3.3 Recons

#### 3.3.1 Recon 1

• Series description: CT WB RTD

• Slice: 4

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 4.000

• No. of images: 245

#### 3.3.2 Recon 2

• Series description: CT WB 2.0 eFoV

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: On

• FoV: 780

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

#### 3.3.3 Recon 3

• Series description: CT WB 2.0 B30f

• Slice: 2

• Kernel: B30f

• Window: Abdomen

• Extended FoV: Off

• FoV: 500

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

• Recon job: Axial

• Recon Axis: Axial

• Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

## 4 Pause

## 5 PET WB

## 5.1 Routine

• Isotope: F-18

• Pharm.: Fluorodeoxyglucose

 $\bullet\,$  Inj. Dose: 113000000 Bequerels

• Scan mode: Sinogram

• Scan range: Do not match CT FOV

- No. of beds: Not given. Check recon range
- Scan duration/bed: 2.000000 Minutes

## 5.2 Scan

- Autoload: On
- Rebinner LUT: Off
- Scan output: Sinogram
- Sinogram mode: false
- Input trigger signal: None
- LLD (keV): n/a
- ULD (keV): n/a

#### 5.3 Recons

#### 5.3.1 Recon 1

- Series description: PET WB Image Check HD
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 2
- Subsets: 12
- Image size: 200
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm

- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 5.3.2 Recon 2

- $\bullet$  Series description: PET WB TrueX + TOF 2 mm
- Recon range (bed): 1 to 7
- Output image type: Corrected
- Recon method: TrueXTOF
- Iterations: 2
- Subsets: 21
- Image size: 400
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 4.000000
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: Off ()
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off