# $1\_PET\_CT\_WB\_FDG\_barn\_resp\_IV.Adult\_PET4$

7. marts 2013

# Indhold

1	Topogram			
	1.1	Routine	1	
	1.2	Scan	1	
<b>2</b>	Lun	${f ge}$	1	
	2.1	Routine	1	
	2.2	Scan	1	
	2.3		2	
			$\frac{1}{2}$	
			2	
			2	
		2.0.0 100001 0	_	
3	$\mathbf{CT}$	WB	3	
	3.1	Routine	3	
	3.2	Scan	3	
	3.3	Recons	3	
		3.3.1 Recon 1	3	
			4	
			4	
4	Pau	se	5	
5	PET	$\Gamma$ WB	5	
	5.1	Routine	5	
	5.2		5	
	5.3		5	
	5.5		5	
			6	
		0.0.4 1000011 4	U	

# 1 Topogram

#### 1.1 Routine

mA: 35kV: 120

• Topogram length: 1536 mm

• Tube position: Top

#### 1.2 Scan

mA: 35kV: 120Delay: 6s

Topogram length: 1536 mmDirection: Craniocaudal

• Tube position: Top

• API: API 962494eb-db00-4e54-b01b-9e42ecd67603

• Kernel: 20

• Window: Topogram

# 2 Lunge

#### 2.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

• CTDlvol: 6.09908mGy

 $\bullet$  Scan time: 8.890 s

• Delay: 35.000 s

• Slice: 5 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

#### 2.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

• Scan time: 8.890 s

Rotation time: 0.500 sDelay: 35.000 s

Slice: 5 mmPitch: 1.40

• Direction: Caudocranial

#### 2.3 Recons

#### 2.3.1 Recon 1

• Series description: Lunge RTD

• Slice: 5

• Kernel: B18f

Window: MediastinumExtended FoV: Off

FoV: 331Center X: 0Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

• Image order: Caudocranial

• Recon increment: 5.000

• No. of images: 89

#### 2.3.2 Recon 2

• Series description: CT Lunge 5.0 B18f

• Slice: 5

• Kernel: B18f

Window: MediastinumExtended FoV: Off

FoV: 331Center X: 0Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

 $\bullet\,$  Image order: Craniocaudal

• Recon increment: 3.000

• No. of images: 148

#### 2.3.3 Recon 3

• Series description: CT Lunge 2.0 B70f

• Slice: 2

Kernel: B70fWindow: LungExtended FoV: Off

• FoV: 331

• Center X: 0

• Center Y: 0

• Mirroring: None

• Extended CT scale: Standard

Recon job: AxialRecon Axis: Axial

Image order: CraniocaudalRecon increment: 1.500

• No. of images: 167

# 3 CT WB

#### 3.1 Routine

• Eff. mAs: 80

• kV: 120

• CARE Dose4D: On

• CareDoseType: CareDoseAEC

CTDlvol: 5.86188mGyScan time: 40.242 s

• Delay: 20.000 s

• Slice: 2 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 0.0 grader

#### 3.2 Scan

• Quality ref. mAs: 80

• Eff. mAs: 80

• kV: 120

Scan time: 40.242 sRotation time: 0.500 s

Delay: 20.000 sSlice: 2 mm

• Pitch: 0.65

• Direction: Craniocaudal

#### 3.3 Recons

#### 3.3.1 Recon 1

• Series description: CT WB RTD

• Slice: 4

• Kernel: B30f

• Window: Abdomen

- Extended FoV: Off
- FoV: 500
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 4.000
- No. of images: 245

#### 3.3.2 Recon 2

- Series description: CT WB 2.0 eFoV
- Slice: 2
- Kernel: B30f
- Window: AbdomenExtended FoV: On
- Extended For
- FoV: 780
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 2.000
- No. of images: 489

#### 3.3.3 Recon 3

- Series description: CT WB 2.0 B30f
- Slice: 2
- Kernel: B30f
- Window: Abdomen
- Extended FoV: Off
- FoV: 500
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal

• Recon increment: 2.000

• No. of images: 489

# 4 Pause

### 5 PET WB

#### 5.1 Routine

• Isotope: F-18

Pharm.: FluorodeoxyglucoseInj. Dose: 113000000 Bequerels

• Scan mode: Sinogram

• Scan range: Do not match CT FOV

• No. of beds: Not given. Check recon range

• Scan duration/bed: 2.000000 Minutes

#### 5.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: Sinogram

• Sinogram mode: false

• Input trigger signal: None

• LLD (keV): n/a

• ULD (keV): n/a

#### 5.3 Recons

#### 5.3.1 Recon 1

• Series description: PET WB Image Check HD

 $\bullet$  Recon range (bed): 1 to 7

• Output image type: Corrected

• Recon method: TrueX

Iterations: 2Subsets: 12

• Image size: 200

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 4.000000

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: Off ()

• Scatter correction: On

• Match CT slice location: On

• Save intermediate data: Off

#### 5.3.2 Recon 2

 $\bullet$  Series description: PET WB TrueX + TOF 2 mm

Recon range (bed): 1 to 7
Output image type: Corrected
Recon method: TrueXTOF

Iterations: 2Subsets: 21Image size: 400

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 4.000000

Offset X: 0 mmOffset Y: 0 mm

• Attenuation correction: Off ()

• Scatter correction: On

Match CT slice location: OnSave intermediate data: Off