# $TUMOR\_HUND\_ATSM.MlAdult$

27. september 2012

# Indhold

1	Top	1 .0															1									
	1.1	Routin	e																							1
	1.2	Scan .											•		•					•	•	•		•		1
<b>2</b>	CT WB															1										
	2.1	Routin	e																							1
	2.2	Scan .																								2
	2.3	Recon																								2
		2.3.1	Recon 1																							2
		2.3.2	Recon 2																							3
3	Pau	ıse																								4
4	PET WB															4										
	4.1	Routin	e																							4
	4.2	Scan .																								4
	4.3	Recon																								5
		4.3.1	Recon 1																							5
		4.3.2	Recon 2																	 						5

# 1 Topogram

#### 1.1 Routine

- mA: 35
- kV: 120
- Topogram length: 0 mm
- Tube position: Top

#### 1.2 Scan

- mA: 35
- kV: 120
- Delay: 4s
- Topogram length: 0 mm
- Direction: Craniocaudal
- Tube position: Top
- API: None
- Kernel: T80s sharp
- Window: Topogram Body

# 2 CT WB

# 2.1 Routine

- Eff. mAs: 170
- kV: 4
- CARE Dose4D: Off
- CTDlvol: 11.4448mGy
- $\bullet$  Scan time: 1.2000000 s

• Delay: 4.000 s

• Slice: 3.00 mm

• No. of images: Samme som i foerste recon, slet?(y/n)

• Tilt: 170 grader

### 2.2 Scan

• Quality ref. mAs: 170

• Eff. mAs: 170

• kV: 120

• Scan time: 4.000 s

 $\bullet$  Rotation time: 0.500 s

• Delay: 4.000 s

• Slice: 0.6 mm

• Pitch: 1.2000000

• Direction: Craniocaudal

#### 2.3 Recon

#### 2.3.1 Recon 1

 $\bullet\,$  Series description: AC CT

• Slice: 3.00

• Kernel: "B19f PET very smooth"

• Window: "Abdomen"

• Extended FoV: On

• FoV: 700

• Center X: 0

• Center Y: 0

- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 3.000
- No. of images: 74

#### 2.3.2 Recon 2

- Series description: CT TUMOR 3.0 B30f
- Slice: 3.00
- Kernel: "B30f medium smooth"
- Window: "Abdomen"
- Extended FoV: Off
- FoV: 500
- Center X: 0
- Center Y: 0
- Mirroring: None
- Extended CT scale: Standard
- Recon job: Axial
- Recon Axis: Axial
- Image order: Craniocaudal
- Recon increment: 3.000
- No. of images: 74

# 3 Pause

# 4 PET WB

### 4.1 Routine

• Isotope: Cu-64

• Pharm.: ATSM

• Inj. Dose: 226 MegaBequerels

 $\bullet\,$  Inj. date (date/month - year): 23/06 - 2011

• Inj. time: 09:41:00

• Scan mode: Sinogram

• Scan range: Match CT FOV

• No. of beds: 1

• Scan duration/bed: 20 PtMinute

#### 4.2 Scan

• Autoload: On

• Rebinner LUT: Off

• Scan output: Sinogram

• Sinogram mode: Trues

• Input trigger signal: None

• LLD (keV): 435

• ULD (keV): 650

#### 4.3 Recon

#### 4.3.1 Recon 1

- Series description: PET TUMOR Image check
- Recon range (bed): ups..
- Output image type: Corrected
- Recon method: Iterative
- Iterations: 4
- Subsets: 8
- Image size: 168
- Zoom: 1
- Filter: Gaussian
- FWHM (mm): 3
- Offset X: 0 mm
- Offset Y: 0 mm
- Attenuation correction: On (1)
- Scatter correction: On
- Match CT slice location: On
- Save intermediate data: Off

#### 4.3.2 Recon 2

- Series description: PET TUMOR True X
- Recon range (bed): ups..
- Output image type: Corrected
- Recon method: TrueX
- Iterations: 3
- Subsets: 21

• Image size: 336

• Zoom: 1

• Filter: Gaussian

• FWHM (mm): 2

• Offset X: 0 mm

• Offset Y: 0 mm

• Attenuation correction: On (1)

• Scatter correction: Off

• Match CT slice location: On

• Save intermediate data: Off