


PROJECT DEVELOPMENT PHASE

| | |
|---------------------|--|
| DATE | 02 NOVEMBER 2022 |
| TEAM ID | PNT2022TMID02826 |
| PROJECT NAME | SMART FASHION RECOMMENDER APPLICATION |

INTEGRATING CHATBOT WITH HTML PAGE (SOURCE CODE)

```
<script>
Window.watsonAssistantChatOptions
=
{
  integrationID:
    "614a4315-ff80-4187-
    8fe4-2fd9b506b723", //
    The ID of this
    integration. region: "au-
    syd", // The region your
    integration is hosted in.
    serviceInstanceID: "9670dcf8-
    789f-4609-8d7a-6e25c412a9ec",
    // The ID of your service instance.
    onLoad: function(instance) {
      instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-
      chat.global.assistant.watson.appdomain.cloud/versions/"+
      (window.watsonAssistantChatOptions.clientVersion||'latest')
      +
      "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
</script>
```


INTEGRATING CHATBOT WITH HTML PAGE:



DOCKER PUSH:

```
#####
#                               #
#   WARNING!!!!                #
#   This is a sandbox environment. Using personal credentials         #
#   is HIGHLY! discouraged. Any consequences of doing so are         #
#   completely the user's responsibilities.                             #
#                               #
#   The PWD team.                                                      #
#####
[node1] (local) root@192.168.0.28 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[node1] (local) root@192.168.0.28 ~
$ docker run uifd/ui-for-docker
2022/11/08 09:13:47 Unix socket /var/run/docker.sock does not exist
[node1] (local) root@192.168.0.28 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
b8bddb08bb99652d924c9bcca447ad1bcd4de7c625d20ca5dbc5e4c70cd2a00
[node1] (local) root@192.168.0.28 ~
$
```

CONTAINERIZING THE APPLICATION:



The screenshot displays the Docker Desktop application interface. On the left is a dark sidebar with navigation options: Containers (selected), Images, Volumes, Dev Environments (marked BETA), Extensions (marked BETA), and Add Extensions. The main panel is titled 'Containers' and includes a 'Give feedback' link. Below the title is a descriptive sentence about containers and a 'Learn more' link. A toggle switch labeled 'Only show running containers' is currently turned on. A search bar is located in the top right of the main panel. Below these elements is a table listing the containers. The table has columns for a checkbox, NAME, IMAGE, STATUS, PORT(S), STARTED, and ACTIONS. One container is listed: 'kind_saha' with ID '90dd6397eafd', image 'app:latest', status 'Running', ports '5000:5000', and started '7 seconds ago'. The ACTIONS column contains icons for stopping, restarting, and deleting the container.

| | NAME | IMAGE | STATUS | PORT(S) | STARTED | ACTIONS |
|--------------------------|---------------------------|------------|---------|-----------|---------------|---------|
| <input type="checkbox"/> | kind_saha 90dd6397eafd | app:latest | Running | 5000:5000 | 7 seconds ago | |