

The Z-transform

Pieter P

Signals as a Sum of Delta Functions

Any discrete signal can be written as an infinite sum of scaled Kronecker delta functions.

$$x[n] = \sum_{k=-\infty}^{+\infty} x[k] \delta[n - k]$$

You can easily see that all terms where $n \neq k$ are zero, because the Kronecker delta is zero in that case. Only the term for $n = k$ is non-zero, in which case the Kronecker delta is one, so the result is just $x[k]$. This is a consequence of the sifting property of the delta function, covered in the [previous page](#).

DTLTI Transformations as Convolutions

You can express the output of any discrete-time linear time-invariant system T as the convolution of the input with the impulse response of the system, $h[n]$:

$$T(x[n]) = x[n] * h[n]$$

Proof

The proof itself is very simple: We just decompose the input as a sum of delta functions, as described in the previous paragraph, and then we use the linearity and time-invariance to bring the T operator inside of the summation.

$$\begin{aligned} y[n] &= T(x[n]) \\ &= T\left(\sum_{k=-\infty}^{+\infty} x[k] \delta[n - k]\right) \\ &= \sum_{k=-\infty}^{+\infty} T(x[k] \delta[n - k]) \\ &= \sum_{k=-\infty}^{+\infty} x[k] T(\delta[n - k]) \\ &= \sum_{k=-\infty}^{+\infty} x[k] h[n - k] \\ &\triangleq x[n] * h[n] \end{aligned}$$

The $*$ symbol in the last step is called the convolution operator, and it is defined as the sum in the step before it. \square

Eigenfunctions - 🚧 Under Construction 🚧
