

**SOLUTIONS**

1. In this question, you do not need to simplify your answer. Find an integral (but do not evaluate) that represents the volume of the solid whose base is the region  $R$  bounded by  $y = x/2$  and  $y = \sqrt{2x}$ , if:

- (a) (2 points) cross-sections perpendicular to the  $x$ -axis are rectangles whose heights are twice their base.

**Solution:**

$$\int_0^8 2(\sqrt{2x} - x/2)^2 dx$$

- (b) (2 points) cross-sections perpendicular to the  $x$ -axis are right isosceles triangles whose hypotenuse lies on the base.

**Solution:**

$$\int_0^8 \frac{1}{4}(\sqrt{2x} - x/2)^2 dx$$

- (c) (2 points) cross-sections perpendicular to the  $y$ -axis are semi-circles.

**Solution:**

$$\int_0^4 \frac{\pi}{2} \left( \frac{2y - y^2/2}{2} \right)^2 dy = \int_0^4 \frac{\pi}{8} (2y - y^2/2)^2 dy$$

- (d) (2 points) cross-sections perpendicular to the  $y$ -axis are right isosceles triangles whose hypotenuse does not lie on the base.

**Solution:**

$$\int_0^4 \frac{1}{2} (2y - y^2/2)^2 dy$$

2. In this question, you do not need to simplify your answer. Consider the region  $R$  bounded by  $y = x/2$  and  $y = \sqrt{2x}$ .

(a) Find an integral (but do not evaluate) that represents the volume of the solid of revolution if we revolve the region  $R$ :

i. (2 points) about the  $x$ -axis.

**Solution:**

$$\pi \int_0^8 \left[ \sqrt{2x}^2 - (x/2)^2 \right] dx = \pi \int_0^8 \left( 2x - \frac{x^2}{4} \right) dx$$

ii. (2 points) about the  $y$ -axis.

**Solution:**

$$\pi \int_0^4 \left[ (2y)^2 - (y^2/2)^2 \right] dy$$

iii. (2 points) about the line  $y = -1$ .

**Solution:**

$$\pi \int_0^8 \left[ (\sqrt{2x} + 1)^2 - (x/2 + 1)^2 \right] dx$$

iv. (2 points) about the line  $x = 10$ .

**Solution:**

$$\pi \int_0^4 \left[ (10 - y^2/2)^2 - (10 - 2y)^2 \right] dy$$

(b) (2 points) Find an integral (but do not evaluate) that represents the perimeter of the region  $R$ .

**Solution:**

$$\int_0^8 \sqrt{1 + \left(\frac{1}{2}\right)^2} dx + \int_0^8 \sqrt{1 + \left(\frac{1}{\sqrt{2x}}\right)^2} dx \quad \text{or} \quad 4\sqrt{5} + \int_0^8 \sqrt{1 + \left(\frac{1}{\sqrt{2x}}\right)^2} dx$$