Mini-math Div 3/4: Friday, March 4, 2022 (12 minutes)


1. (2 points) (AP)

The graph of the piecewise linear function f is shown in the figure to the right. What is the average value of f over [-3,5]?




B.
$$-1/8$$

C.
$$1/4$$



- 2. (2 points) The graph of the velocity of a function is the piecewise linear function shown in the figure to the right. The initial position of the particle at time t=0 is x=1. What is the total distance the particle travels from t=0 to t=6?
 - A. 2
 - B. 3
 - C. 8
 - D. 9



- 3. (2 points) The acceleration of a particle is modelled by a(t) = 2t + 3 for $t \ge 0$. At t = 0, the velocity of the particle is -2. What is the change in displacement of the particle from t = 0 to t = 3?
 - A. 9

B. 16

- C. 16.5
- D. 22.5

- 4. (2 points) (AP) Suppose f is a differentiable function. Which of the following statements are true:
 - (I) The average value of the derivative of f over [a,b] is the same as the average rate of change of f over [a,b].
 - (II) There exists a $c \in [a, b]$ for which f(c) equals the average value of f over [a, b].
 - A. (I) only
- B. (II) only
- C. Both (I) and (II)
- D. Neither (I) nor (II)

- 5. (2 points) Water is leaking out of a tub at a rate modelled by $r(t) = \frac{1}{t^2 + 1} \text{cm}^3/\text{min}$, where t is in minutes. If the initial volume of the tub is 160 000 cm³, ehich of the following represents the volume of the tub at time t?
 - A. $\frac{1}{t^2 + 1}$
 - B. $160000 + \int_0^t r(t) dt$
 - C. $160000 \int_0^t r(t) dt$
 - D. $160000 \frac{1}{t^2 + 1}$

- 6. (2 points) Find the area of the bounded region in the first quadrant below both $y=x^2$ and y=2-x and above the x-axis.
 - A. 2/3
- B. 5/6
- C. 7/6
- D. 3