x	-2	0	2	3	4
f(x)	-3	3	-1	2	3
g(x)	-2	4	-3	-3	-1
f(x)	-1	-1	-2	-4	-1
g'(x)	2	2	-4	4	-4

Based on the table above, find the following derivatives:

- (a) (2 points) (f+g)'(3)
- (b) (2 points) (f g)'(3)
- (c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(0)

x	-3	-2	2	3	4
f(x)	-2	0	-4	-2	2
g(x)	0	2	-1	0	3
f(x)	-2	2	-1	-3	-2
g'(x)	2	-3	3	4	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(2)

(d) (2 points) (f/g)'(0)

x	-4	0	1	2	6
f(x)	4	-1	2	-4	4
g(x)	2	1	-3	-1	1
f(x)	0	4	0	-4	2
g'(x)	-4	-4	-4	0	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(-2)

	x	-4	-2	-1	1	4
f	(x)	2	-4	-1	-3	-3
	(x)	0	-4	-4	1	-4
f	(x)	2	0	0	3	3
g'	(x)	-1	2	2	-3	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(0)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(-2)

x	$\parallel -3$	-1	0	4	5
f(x)	-4	-1	-1	-4	-4
g(x)	2	-3	-3	2	-3
f(x)	-2	-1	-2	-2	3
g'(x)	0	2	0	0	3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(4)

x	-3	-2	-1	2	6
f(x)	0	-3	4	2	-4
g(x)	4	-4	0	4	1
f(x)	-3	-2	-2	-1	2
g'(x)	2	-1	2	-4	1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(0)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(4)

x	-4	-3	1	4	6
f(x)	-1	0	0	-2	4
g(x)	1	2	-3	-3	-1
f(x)	-2	-3	3	1	3
g'(x)	4	1	-3	0	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(0)

x	$\parallel -2$	0	2	4	5
f(x)	1	-2	1	0	-1
g(x)	3	4	-3	-2	1
f(x)	4	0	1	2	-4
g'(x)	-1	-3	1	-1	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(2)

(d) (2 points) (f/g)'(-2)

x	-3	0	1	3	6
f(x)	4	-4	-3	3	-1
g(x)	-2	0	-2	2	1
f(x)	-4	-3	-4	2	-4
g'(x)	0	3	2	1	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(-2)

x	-2	0	2	4	5
f(x)	-4	-2	-1	3	1
g(x)	3	1	3	4	4
f(x)	0	0	3	-3	4
g'(x)	0	-2	1	-3	1

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(3)

x	-4	-1	1	2	6
f(x)	-1	3	-3	3	1
g(x)	-1	-4	-1	-1	-1
f(x)	-3	-4	2	-3	2
g'(x)	1	-3	-3	4	0

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(0)

x	-4	-1	1	2	4
f(x)	-4	0	3	3	3
g(x)	1	3	-4	2	0
f(x)	2	4	2	3	2
g'(x)	0	-1	0	-2	2

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(2)

x	-3	-1	0	1	3
f(x)	3	-4	-2	4	-1
g(x)	0	-2	4	3	-3
f(x)	0	2	-4	4	0
g'(x)	-3	1	1	-4	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(3)

x	-2	0	2	4	6
f(x)	0	2	1	-2	1
g(x)	-3	-4	-4	2	3
f(x)	-4	-4	0	0	-3
g'(x)	-2	-4	1	-2	0

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(3)

x		-3	-2	2	3	4
f(x))	-4	-3	-4	3	3
g(x))	2	-3	1	-4	-4
f(x))	4	-4	-1	2	-4
g'(x)	:)	-3	-4	3	-1	-2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(4)

x	-3	0	1	4	5
f(x)	3	2	-3	-2	4
g(x)	2	1	-2	-2	1
f(x)	3	-2	-1	-4	-2
g'(x)	3	-1	2	0	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(-2)

x	-3	0	1	4	5
f(x)	4	2	3	4	1
g(x)	1	4	1	2	1
f(x)	1	0	-1	-3	1
g'(x)	3	3	0	3	1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(0)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(-2)

x	-3	-1	2	4	5
f(x)	-2	4	-1	-1	0
g(x)	2	-2	-4	3	-3
f(x)	1	1	3	3	1
g'(x)	3	0	-4	-2	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(-2)

x	-4	-1	2	4	5
f(x)	-1	3	3	-4	2
g(x)	3	4	-1	-4	-3
f(x)	3	2	-4	-2	-4
g'(x)	-2	-3	-2	1	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(0)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(-2)

x	-3	0	1	3	6
f(x)	-3	-1	0	-1	2
g(x)	1	3	3	4	2
f(x)	0	-1	-1	-3	3
g'(x)	-3	1	2	0	4

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(0)

x	-3	-2	0	2	5
f(x)	2	-4	2	-3	1
g(x)	-2	-4	2	0	3
f(x)	1	-2	2	1	-3
g'(x)	3	0	3	-2	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(-2)

x	-2	0	2	4	5
f(x)	0	-1	-1	1	-3
g(x)	0	3	1	1	1
f(x)	2	3	-4	-1	1
g'(x)	-2	-3	2	-3	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(2)

x	$\parallel -2$	0	1	4	6
f(x)	1	0	-4	-3	3
g(x)	2	-4	2	1	-4
f(x)	0	-4	-4	-3	-2
g'(x)		-2	-2	3	-2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(0)

x	-4	-2	-1	1	3
f(x)	-4	0	-3	-1	1
g(x)	-1	-1	4	2	-2
f(x)	-1	4	-2	1	4
g'(x)	2	-1	0	-2	1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(4)

x	-3	-2	0	4	6
f(x)	-2	-4	-3	2	-1
g(x)	-4	4	0	-4	-1
f(x)	4	-4	2	-4	-2
g'(x)	-3	-2	0	1	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(0)

x	-2	-1	2	3	4
f(x)	0	0	-2	4	-3
g(x)	-2	2	4	-1	1
f(x)	-3	-3	0	4	-3
g'(x)	2	-1	1	3	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(2)

(d) (2 points) (f/g)'(3)

x	-3	-1	2	4	6
f(x)	-2	4	-3	3	-4
g(x)	-1	-2	1	2	-2
f(x)	3	2	2	0	3
g'(x)	-1	3	1	1	1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(2)

x	-4	-2	-1	2	5
f(x)	-3	0	-1	-3	4
g(x)	2	-3	0	-2	3
f(x)	3	-2	3	-2	-3
g'(x)	2	4	-3	4	3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(2)

x	-3	-2	0	2	6
f(x)	-4	3	0	2	-4
g(x)	-3	0	-4	-4	-3
f(x)	-3	4	2	2	-2
g'(x)	0	-1	-3	1	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(3)

x	-3	-1	1	4	6
f(x)	3	0	-3	-3	4
g(x)	3	0	-3	4	-1
f(x)	2	-2	-3	-2	2
g'(x)	3	3	-1	3	-3

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(0)

x	-4	-3	2	4	5
f(x)	-3	2	-4	-2	-2
g(x)	-1	1	0	0	-4
f(x)	1	2	4	1	4
g'(x)	-3	-3	0	0	0

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(3)

x	-2	-1	2	4	6
f(x)	-4	-2	3	3	-3
g(x)	4	4	-2	-4	-1
f(x)	2	2	2	-4	-4
g'(x)	0	1	1	-1	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(0)

x	-3	-2	0	3	6
f(x)	-2	-3	4	0	-1
g(x)	3	-4	-2	-2	0
f(x)	-3	-2	3	-3	4
g'(x)	-2	4	3	4	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(2)

x	-4	0	1	3	5
f(x)	1	1	-4	1	-4
g(x)	-3	-2	3	-4	2
f(x)	-2	3	-4	0	-3
g'(x)	4	2	-1	-3	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(2)

(d) (2 points) (f/g)'(2)

x	-3	0	1	3	6
f(x)	-1	-2	0	4	3
g(x)	0	1	-4	0	-2
f(x)	2	-1	-1	3	1
g'(x)	2	3	0	1	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(0)

x	-4	-3	0	3	4
f(x)	-3	3	3	4	4
g(x)	-2	2	0	4	4
f(x)	-3	-3	-3	-4	2
g'(x)	4	-3	-2	2	-3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(0)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(-2)

x	-2	0	1	2	6
f(x)	4	4	-1	-2	2
g(x)	-4	-2	1	4	-1
f(x)	0	3	2	-1	4
g'(x)	-2	4	0	-3	-1

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(4)

x	-2	0	1	4	5
f(x)	1	0	4	1	4
g(x)	1	0	0	-2	-3
f(x)	2	4	-3	0	0
g'(x)	-2	-1	-1	4	4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(3)

x	-2	-1	0	1	2
f(x)	3	3	-4	-2	1
g(x)	3	-4	2	-1	-4
f(x)	4	3	1	4	0
g'(x)	1	-2	-2	2	3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(2)

x	-3	0	1	2	3
f(x)	4	0	2	3	-3
g(x)	0	4	-1	2	-3
f(x)	0	-4	2	-2	-2
g'(x)	-3	-1	-3	0	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(3)

x	-3	-2	0	4	6
f(x)	-2	-2	0	-1	0
g(x)	0	-1	2	-3	-3
f(x)	-3	0	4	3	-4
g'(x)	1	-4	-4	-1	3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(0)

x	-2	-1	1	4	5
f(x)	0	0	-3	-4	3
g(x)	2	-1	2	4	-3
f(x)	-4	4	-3	3	2
g'(x)	0	-1	1	1	-1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(-2)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(0)

x	-2	-1	2	4	5
f(x)	1	0	1	1	-1
g(x)	0	1	1	-1	-2
f(x)	-4	-4	4	-3	-1
g'(x)	-4	4	1	1	3

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(4)

(d) (2 points) (f/g)'(3)

x	-2	0	2	4	5
f(x)	3	3	1	4	-1
g(x)	4	-4	-1	0	-1
f(x)	-4	-1	-1	0	1
g'(x)	-3	0	1	-4	-4

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(2)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(4)

x	-2	0	2	3	4
f(x)	0	0	-3	3	-1
g(x)	-3	-4	3	1	-3
f(x)	3	0	2	0	-3
g'(x)	-3	-4	4	4	3

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(0)

x	-3	-1	0	2	5
f(x)	4	1	1	0	-1
g(x)	2	-1	2	2	2
f(x)	-4	1	1	1	4
g'(x)	-2	1	2	2	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(2)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(3)

x	-3	0	2	4	6
f(x)	-4	-1	2	3	-2
g(x)	2	-4	-1	-1	-2
f(x)	-2	-2	0	0	3
g'(x)	3	-1	-3	3	2

- Based on the table above, find the following derivatives:
- (a) (2 points) (f+g)'(4)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(-2)

x	-2	-1	0	4	6
f(x)	-1	3	-4	-2	-3
g(x)	2	2	1	0	2
f(x)	-3	-4	-3	-2	-3
g'(x)	1	2	2	-4	2

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(4)

(c) (2 points) (fg)'(-2)

(d) (2 points) (f/g)'(3)

x	-3	-2	0	4	6
f(x)	1	3	4	2	2
g(x)	-4	-4	-4	-4	0
f(x)	4	-3	3	-3	-1
g'(x)	-2	-4	-1	-2	1

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(3)

(b) (2 points) (f - g)'(-2)

(c) (2 points) (fg)'(3)

(d) (2 points) (f/g)'(4)

x	-2	-1	0	2	5
f(x)	-3	3	-2	4	3
g(x)	3	-1	2	3	-2
f(x)	-1	2	3	4	4
g'(x)	0	0	-4	-1	0

Based on the table above, find the following derivatives:

(a) (2 points) (f+g)'(0)

(b) (2 points) (f - g)'(3)

(c) (2 points) (fg)'(0)

(d) (2 points) (f/g)'(3)