

Ganpat University
Faculty of Engineering & Technology
Computer Science & Engineering
2CSE205: Computer Organization

Name:- Dwij Vatsal Desai

Sem:- 2

Sub: - ESFP-II


Enrollment No.:- 23162121027

ESFP-II Assignment

Date:- 10/5/2024

➤ ***All the questions answered (Because the progress is not show in graph)***

Chapter 1: Introduction to Programming Languages

 IBMCEP CESW74BIN
Advanced Programming With C++

Help Ddesai ▾

Course Progress Discussion

Course / Chapter 1: Introduction to Programming Languages / Test Your Knowledge

[< Previous](#)

[Next >](#)

Review Questions
Bookmark this page

Instructions for Review Questions

- Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
- Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
- Clicking the "Final Check" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
- Check your grades in the course at any time by clicking on the "Progress" tab

Question 1
0/1 point (graded)

What are the 2 concepts John Von Neumann introduced that formed the base of any programming language?

☐ a) Complex instructions should be used to control the simple hardware, b) Conditional Control Transfer

☒ b) Logic programming, b) Conditional Control Transfer

☐ a) Logic programming, b) Complex instructions should be used to control the simple hardware

✖

Submit You have used 2 of 2 attempts

Question 2
0/1 point (graded)

Which tool is a program that translates the written code into machine language and executes it?

☒ Compiler

☐ Linker

☐ Interpreter

✖

Submit You have used 2 of 2 attempts

Question 3
1/1 point (graded)

Which are the pillars of OOPs?

☐ Encapsulation, Polymorphism, Inheritance

☒ Encapsulation, Polymorphism, Data Abstraction, Inheritance

☐ Inheritance, Data Abstraction, Encapsulation, Multithreading

✔

Submit You have used 2 of 2 attempts

Question 4
1/1 point (graded)

Each line must ends with a semicolon (;)

☒ True

☐ False

✔

Submit You have used 1 of 1 attempt

Question 5
1/1 point (graded)

Who developed C++?

☐ John von neumann

☒ Bjarne Stroustrup

☐ Dennis M. Ritchie


✔

Submit You have used 2 of 2 attempts

[< Previous](#)

[Next >](#)

© All Rights Reserved

 Ganpat University
WISDOM BEGETS GREAT IDEAS

Chapter 2: Conditional Programming Constructs



IBMCEP CESWF4BIN
Advanced Programming With C++

Help

Ddesai ▾

Course

Progress

Discussion

Course / Chapter 2: Conditional Programming Constructs / Test Your Knowledge



< Previous



Next >

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

If the block to be executed depends on the set of values for a single variable, Which statement we can use

☐ If else

☒ Switch

☐ Nested if



Submit

You have used 2 of 2 attempts

Question 2

1/1 point (graded)

Loops are also Known as

☐ Controls

☐ Constructs

☒ Iterative constructs



Submit

You have used 2 of 2 attempts

Question 3

1/1 point (graded)

Which are all types of loops ?

☐ While

☐ For

☐ Do while

☒ All the above



Submit

You have used 2 of 2 attempts

Question 4

1/1 point (graded)

A Block of statements that perform a specific task is known as

☐ Block

☐ Constructor

☒ Functions



Submit

You have used 2 of 2 attempts

< Previous

Next >

© All Rights Reserved

Chapter 3: Classes and Object



IBMCEP CESWF48IN
Advanced Programming With C++

Help

Ddesai ▾

[Course](#) [Progress](#) [Discussion](#)

Course / Chapter 3: Classes and Object / Test Your Knowledge



< Previous



Next >

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Which of the following cannot be passed to a function in C++ ?

☐ Constant

☒ Header file

☐ Array



Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

_____ is a special member function that is called upon automatically when an object is instantiated.

☐ Class

☒ Constructor

☐ Trigger



Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

Which among the following is not a necessary condition for constructors?

☐ Its name must be same as that of class

☐ It must not have any return type

☒ It must contain a definition body



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

Destructor does have a return value.

☐ True

☒ False



Submit

You have used 1 of 1 attempt

< Previous

Next >

Chapter 4: Polymorphism, Inheritance and Encapsulation

IBMCEP CESWF48IN
Advanced Programming With C++

Help Ddesai ▾

Course Progress Discussion

Course / Chapter 4: Polymorphism, Inheritance and Encapsulation / Test Your Knowledge

< Previous



Next >

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Polymorphism refers having

- ☐ Only 1 form
- ☒ More than 1 form
- ☐ More then 0 form and less then 2 form



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

- A.Method Overloading
- B.Constructor Overloading
- C.Operator Overloading
- D.Virtual Functions

In C++, polymorphism is implemented through:

- ☐ Only A, B
- ☐ Only B, C
- ☒ All A, B, C, D



Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

Inheritance is not a one of the pillars of OOPs.

- ☐ True
- ☒ False



Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

Inheritance allows one class to inherit the features and behaviors of another class.

- ☒ True
- ☐ False



Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

< Previous

Next >

© All Rights Reserved

Chapter 5: Operator Overloading

Review Questions

 Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Which of the operators Cannot be overload

- ☐ .+
- ☐ +
- ☐ ::
- ☒ A and D



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

Which unary operator is used for minus ?

- ☐ a++
- ☐ a--
- ☒ -a



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

Question 3

1/1 point (graded)

Binary operator overloaded methods could either be the

- ☐ non static member functions
- ☐ overloading
- ☐ non member functions
- ☒ A and C



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

Operator overloading makes arithmetic operations on objects much easier

- ☒ Yes
- ☐ No
- ☐ Maybe



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 5

1/1 point (graded)

Consider int a = 1; int b = -a ; what is value of B ?

- ☐ 0
- ☐ 2
- ☒ -1



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

[< Previous](#)

[Next >](#)

Chapter 6: File Handling



[< Previous](#)



[Next >](#)

Review Questions

[Bookmark this page](#)

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Which streams used for reading data from the files.

- ☐ ofstream
- ☐ Output Stream
- ☒ ifstream



[Submit](#) You have used 2 of 2 attempts

Correct (1/1 point)

Question 2

1/1 point (graded)

Which streams used for writing data into the files.

- ☐ ofstream
- ☒ Output Stream
- ☐ ifstream



[Submit](#) You have used 2 of 2 attempts

Question 3

1/1 point (graded)

Which stream class is to only write on files ?

- ☒ ofstream
- ☐ ifstream
- ☐ iostream



[Submit](#) You have used 2 of 2 attempts

Question 4

1/1 point (graded)

Which stream class is to only read from file

- ☐ ofstream
- ☒ ifstream
- ☐ iostream



[Submit](#) You have used 2 of 2 attempts

Correct (1/1 point)

[< Previous](#)

[Next >](#)

Chapter 7: Advanced Topics

Review Questions

 [Bookmark this page](#)

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Exceptions whose source is the throw statement is _____

- ☐ Asynchronous Exceptions
- ☐ catch Exceptions
- ☐ try Exceptions
- ☒ Synchronous Exceptions



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

Errors that the program cannot handle are known as _____

- ☒ Asynchronous Exceptions
- ☐ catch Exceptions
- ☐ try Exceptions
- ☐ Synchronous Exceptions



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

IBM Cloudscape is a thoroughly tested snapshot of Apache Derby

- ☒ True
- ☐ False



[Show answer](#)

[Submit](#)

You have used 1 of 1 attempt

Question 4

1/1 point (graded)

Strengths of Cloudscape is _____

- ☒ Free for production use, freely redistributable
- ☐ No partitioning, no replication, partial online backup
- ☐ Practically speaking, data volume limited to a single disk



[Show answer](#)

[Submit](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Chapter 8: XML

[< Previous](#)

[Next >](#)

Review Questions
[Bookmark this page](#)

Instructions for Review Questions

- Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
- Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
- Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
- Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Information moves between the parts of an application

☐ Inter-system

☐ Inter-organization

☒ Intra-application

✓

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

Information moves between applications in the same company system

☐ Inter-system

☒ Inter-application

☐ Inter-organization

✓

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

The architectural pattern which mandates separation of concerns into model, view and controller is known as

☒ Model-View-Controller

☐ Information exchange

☐ Application

✓

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

In a wellstructured application, information often flows between these layers

☐ presentation layer

☐ processing layer

☐ business layer

☒ All of the above

✓

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

[< Previous](#)

[Next >](#)

Chapter 9: Introduction to Eclipse

Review Questions

🔖 Bookmark this page

Instructions for Review Questions

- Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
- Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
- Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
- Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

What are the Basic things an Ide includes?

- ☐ A source code editor
- ☐ A compiler and/or an interpreter
- ☐ Build automation tools
- ☒ All of these



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

The Eclipse architecture starts with the Eclipse platform, a small layer of code. Everything else displayed here is a plug-in.

- ☒ True
- ☐ False



Show answer

Submit You have used 1 of 1 attempts

Question 3

1/1 point (graded)

In Eclipse RCP stands for

- ☐ Reality Co-Processor
- ☒ Rich Client Platform
- ☐ Reinforced Concrete Pipe
- ☐ Remote Copy Protocol



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

JDT stands for

- ☐ Java Defination Tools
- ☐ Java Determine Tools
- ☒ Java Development Tools
- ☐ Java Deployed Tools



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

< Previous

Next >

Chapter 10: Java Development Tools

IBMCEP CESWF4BIN
Advanced Programming With C++

Help Ddesai

Course Progress Discussion

Course / Chapter 10: Java Development Tools / Test Your Knowledge

< Previous



Next >

Review Questions

☐ Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**

- We encourage you to go back and review the materials to find the right answer

2. Attempts per question:

- One attempt - For True/False questions
- Two attempts - For any question other than True/False

3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

0/1 point (graded)

Compiling happens automatically whenever you save your code. It's not a separate step. This may be confusing for some.

☐ True

☒ False



Show answer

Submit

You have used 2 of 2 attempts

Incorrect (0/1 point)

Question 2

1/1 point (graded)

Which of the below is invalid identifier with the main method?

☐ public

☐ static

☒ private

☐ final



Show answer

Submit

You have used 2 of 2 attempts

Correct (1/1 point)

Question 3

1/1 point (graded)

Which component is responsible to optimize bytecode to machine code?

☐ JVM

☒ JIT

☐ JRE



Submit

You have used 2 of 2 attempts

Correct (1/1 point)

Question 4

1/1 point (graded)

Which component is used to compile, debug and execute java program?

☐ JVM

☒ JDK

☐ JRE



Show answer

Submit

You have used 2 of 2 attempts

Correct (1/1 point)

< Previous

Next >

Chapter 11: The Eclipse Debugger



IBM CPE CESWF4BIN
Advanced Programming With C++

Help

Ddesai

Course Progress Discussion

Course / Chapter 11: The Eclipse Debugger / Test Your Knowledge



< Previous



Next >

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**

- We encourage you to go back and review the materials to find the right answer

2. Attempts per question:

- One attempt - For True/False questions
- Two attempts - For any question other than True/False

3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Continues execution until the end of the current method (until a return) refers

☒ Step Return

☐ Drop to Frame

☐ Terminate



Show answer

Submit You have used 2 of 2 attempts

Correct (1/1 point)

Question 2

1/1 point (graded)

Variables view Does not Show all the variables currently in scope

☐ Yes

☒ No



Show answer

Submit You have used 1 of 1 attempt

Question 3

1/1 point (graded)

Which breakpoint Stopping , when the debugger enters or exits a particular method

☐ Expression breakpoint

☒ Method breakpoint

☐ Line breakpoint



Show answer

Submit You have used 2 of 2 attempts

Question 4

1/1 point (graded)

What is true about Properties?

☐ All resources have properties

☐ The Properties view gives basic information on the resource

☐ The Properties dialog gives much more detailed information

☒ All of these



Show answer

Submit You have used 2 of 2 attempts

< Previous

Next >

Chapter 12: The Eclips Plug-in Architecture

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "Final Check" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

The Eclipse platform provides some basic functions; everything else Eclipse does is through

- ☒ plug-ins
- ☐ JDK
- ☐ SDK
- ☐ JAVA



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

The Java development tools are technically a set of plug-ins, even though they come as part of the basic Eclipse _____.

- ☐ JDK
- ☒ SDK
- ☐ plug-in
- ☐ None of the above



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

There are how many plug-ins listed at the site

- ☐ more than 10
- ☐ more than 100
- ☒ more than 1000



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

The best way to install a plug-in is from an update site.

- ☒ True
- ☐ False



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Chapter 13: Eclipse Web Tools Platform (and related tools)

[< Previous](#)

[Next >](#)

Review Questions
[Bookmark this page](#)

Instructions for Review Questions

- Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
- Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
- Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
- Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

WST stands for

☒ Web Standard Tools

☐ Weblogic Standard Tools

☐ Western Standard Tools

✓

[Show answer](#)

[Submit](#) You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

Eclipse Foundation creation review in _____

☐ June 2008

☒ June 2004

☐ June 2010

✓

[Show answer](#)

[Submit](#) You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

A. API declaration where appropriate

B. Large-scale development

C. Simple to use - wizards, editing support

Select Project goals from following -

☐ Only A

☐ Only B

☒ All A, B, C

✓

[Show answer](#)

[Submit](#) You have used 2 of 2 attempts

Answers are displayed within the problem

Question 4

1/1 point (graded)

BEA joins project leadership in _____

☒ February 2005

☐ February 2010

☐ February 2015

✓


[Show answer](#)

[Submit](#) You have used 2 of 2 attempts

✓ Correct (1/1 point)

[< Previous](#)

[Next >](#)

 Ganpat
University

© All Rights Reserved

Chapter 14: Software in Real World - The IBM Canvas



IBMCEP CESWF4BIN
Advanced Programming With C++

Help

Ddesai ▾

Course Progress Discussion

Course / Chapter 14: Software in Real World - The IBM Canvas / Test Your Knowledge



< Previous



Next >

Review Questions

Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

SmartCloud Provisioning is

☐ DaaS

☐ PaaS

☐ SaaS

☒ IaaS



Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

With SmartCloud Provisioning, users can perform only de-provisioning of virtual machines

☐ Yes

☒ No



Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

Which one refers family of client and server-based offerings for messaging and collaboration on a wide variety of operating environments?

☐ Connections

☐ Sametime

☒ Lotus Domino



Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

BlueWorks Live is a

☐ DaaS

☐ PaaS

☒ SaaS



Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

< Previous

Next >

Chapter 15: Software in Real World- About Licensing

Review Questions

🔖 Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

1/1 point (graded)

Free Software means

- ☐ Freedom to run the software for any purpose
- ☐ Freedom to redistribute copies
- ☐ Free software does not mean "non-commercial".
- ☒ All of the above



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

The term "open source" software exactly the same as free software.

- ☐ True
- ☒ False



Show answer

Submit You have used 1 of 1 attempt

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

Copyright is a general method for

- ☐ making a software costly, and requiring all modified and extended versions of the program to be paid as well.
- ☒ making a software free, and requiring all modified and extended versions of the program to be free as well.
- ☐ Both A and B



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

Public Domain Software is

- ☐ It is the software that is not Copyright
- ☐ It is the software that is copyrighted.
- ☒ It is the software that is not copyrighted.
- ☐ None of the above



Show answer

Submit You have used 2 of 2 attempts

✓ Correct (1/1 point)

< Previous

Next >

Chapter 16: Software in Real World - Road Ahead

Review Questions

☐ Bookmark this page

Instructions for Review Questions

1. Time allowed: **Unlimited**
 - We encourage you to go back and review the materials to find the right answer
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the **"Final Check"** button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again
4. Check your grades in the course at any time by clicking on the "Progress" tab

Question 1

0/1 point (graded)

Software is _____

☒ Omnipresent

☐ limited

☐ confined

☐ bounded

Show answer

Submit

You have used 2 of 2 attempts

✗ Incorrect (0/1 point)

Question 2

1/1 point (graded)

Software industry can be divided broadly in

☐ Manufacturing

☒ Services, Products, System Integrator.

☐ Banking

☐ Health care

✓

Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

which of the following is non Software industry

☐ Services

☐ Products

☐ System Integrator

☒ Banking

✓

Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

A. Observer Quality

B. doer Engineering

C. Planner Management

Competency require _____

☐ Only A

☐ Only A, B

☒ All A, B, C

✓

Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Final Exam



IBMCEP CESWF4BIN
Advanced Programming With C++

Help

Ddesai ▾

Course Progress Discussion

Course / Final Exam / Final Exam



< Previous



Next >

Review Questions

Bookmark this page

Final Exam Instructions

1. Time allowed: **1 hour** or more (* depends on course)
2. Attempts per question:
 - One attempt - For True/False questions
 - Two attempts - For any question other than True/False
3. Clicking the "**Final Check**" button when it appears, means your submission is **FINAL**. You will **NOT** be able to resubmit your answer for that question ever again

IMPORTANT: Do not let the time run out and expect the system to grade you automatically. You must explicitly submit your answers, otherwise they would be marked as incomplete.

Question 1

1/1 point (graded)

IBM Licensing has

☐ User based licensing

☐ Capacity based licensing

☒ Both A and B

☐ none of the above



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 2

1/1 point (graded)

A proprietary software is a "non-free software".

☒ True

☐ False



Show answer

Submit

You have used 1 of 1 attempt

✓ Correct (1/1 point)

Question 3

1/1 point (graded)

Which of the following is used for comments in C++?

☐ // comment

☐ /* comment */

☒ both // comment or /* comment */

☐ // comment */



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 4

1/1 point (graded)

Which as the output operator in C++?

☐ print

☐ echo

☐ system.out)

☒ cout



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 5

1/1 point (graded)

Which of the following is a correct identifier in C++?

- ☐ 7var_name
- ☐ 7VARNAME
- ☒ VAR_1234
- ☐ \$var_name



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 6

1/1 point (graded)

Which of the following methods can be used to open a file in file handling?

- ☐ Using Open ()
- ☐ Constructor method
- ☐ Destructor method
- ☒ Both A and B



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 7

1/1 point (graded)

It is not possible to combine two or more file opening mode in open () method

- ☐ True
- ☒ False



Show answer

Submit

You have used 1 of 1 attempt

✓ Correct (1/1 point)

Question 8

1/1 point (graded)

Which stream class is to only read from file

- ☐ ofstream
- ☒ ifstream
- ☐ fstream
- ☐ iostream



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 9

0/1 point (graded)

how many type of nodes in XML?

- ☐ 8
- ☐ 9
- ☒ 7
- ☐ 6

Show answer

Submit

You have used 2 of 2 attempts

Question 10

1/1 point (graded)

In Eclipse Copying and moving resources

- ☐ Use the command from the context menu
- ☐ Drag and drop the resource
- ☐ The Ctrl+X, Ctrl+C, and Ctrl+V combinations work most of the time as well
- ☒ All of these



Show answer

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 11

1/1 point (graded)

Eclipse is an extremely customizable, flexible platform.

☒ True

☐ False



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 12

1/1 point (graded)

Eclipse supports different ways to import and export resources are

☐ You can import an existing project from another workspace

☐ You can import or export a zip file, a JAR archive, an EAR file, etc.

☒ BOTH A and B

☐ none of the above



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 13

1/1 point (graded)

In Eclipse Copying and moving resources

☐ Use the command from the context menu

☐ Drag and drop the resource

☐ The Ctrl+X, Ctrl+C, and Ctrl+V combinations work most of the time as well

☒ All of these



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 14

1/1 point (graded)

What are the Basic things an ide includes?

☐ A source code editor

☐ A compiler and/or an interpreter

☐ Build automation tools

☒ All of these



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 15

1/1 point (graded)

Copyright is a general method for

☐ making a software costly, and requiring all modified and extended versions of the program to be paid as well.

☐ making a software free, and requiring all modified and extended versions of the program to be free as well.

☒ Both A and B

☐ none of the above



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 16

1/1 point (graded)

Public Domain Software is

- ☐ It is the software that is not Copy/left
- ☐ It is the software that is copyrighted.
- ☒ It is the software that is not copyrighted.
- ☐ none of the above



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 17

0/1 point (graded)

A proprietary software is a "non-free software".

- ☒ True
- ☐ False



[Show answer](#)

Submit

You have used 1 of 1 attempt

✗ Incorrect (0/1 point)

Question 18

1/1 point (graded)

IBM Licensing has

- ☐ User based licensing
- ☐ Capacity based licensing
- ☒ Both A and B
- ☐ none of the above



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 19

1/1 point (graded)

Consider the following array : arr = (-1,0,1,2) what is the arr[1] value

- ☐ 2
- ☐ 1
- ☒ 0
- ☐ -1



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 20

1/1 point (graded)

arr[3][3]={{1,2,3},{3,2,1},{2,3,0}}.what would be the value of arr[2,1]

- ☐ 1
- ☐ 2
- ☒ 3
- ☐ 0



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 21

1/1 point (graded)

Passing the address of the variable to the function is called

☒ Call by reference

☐ Call by Value

☐ Pointers

☐ All the above



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 22

1/1 point (graded)

ASCII value of 0 is

☐ 49

☐ 47

☒ 48

☐ 0



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 23

1/1 point (graded)

Which rule will not affect the friend function?

☒ private and protected members of a class cannot be accessed from outside

☐ private and protected member can be accessed anywhere

☐ protected member can be accessed anywhere

☐ private member can be accessed anywhere



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 24

1/1 point (graded)

Which of the following methods can be used to open a file in file handling?

☐ Using Open ()

☐ Constructor method

☐ Destructor method

☒ Both A and B



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 25

1/1 point (graded)

It is not possible to combine two or more file opening mode in open () method

☐ True

☒ False



[Show answer](#)

Submit

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 26

1/1 point (graded)

What is allowed in a DTD?

- ☐ Element Type Declaration
- ☐ Attribute List
- ☐ Comments
- ☒ All the Above



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 27

1/1 point (graded)

DTD is

- ☐ Data Type Definition
- ☐ Definition Type Data
- ☒ Document Type Definition
- ☐ Definition Type Document



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 28

1/1 point (graded)

What is allowed in a DTD?

- ☐ Element Type Declaration
- ☐ Attribute List
- ☐ Comments
- ☒ All the Above



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 29

1/1 point (graded)

Eclipse supports different ways to import and export resources are

- ☐ You can import an existing project from another workspace
- ☐ You can import or export a zip file, a JAR archive, an EAR file, etc.
- ☒ BOTH A and B
- ☐ none of the above



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 30

1/1 point (graded)

In Eclipse Copying and moving resources

- ☐ Use the command from the context menu
- ☐ Drag and drop the resource
- ☐ The Ctrl+X, Ctrl+C, and Ctrl+V combinations work most of the time as well
- ☒ All of these



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

Question 31

1/1 point (graded)

WTP plug-ins stands for

☐ Worst Tools Project

☐ World Tools Project

☒ Web Tools Project

☐ Work Tools Project



[Show answer](#)

You have used 2 of 2 attempts

✓ Correct (1/1 point)

[< Previous](#)

[Next >](#)

© All Rights Reserved