Turbidity Readings DEMO 0 NTU F.V2

1 4.188 0 2 4.133 41.4 3 4.134 40.22 4 4.133 41.04	
3 4.134 40.22	
4 4.133 41.04	
5 4.133 40.99	
6 4.133 40.95	
7 4.134 40.13	
8 4.134 40.47	
9 4.132 42.29	
10 4.132 42.43	
11 4.134 40.2	
12 4.134 40.15	
13 4.133 41.14	
14 4.133 41.49	
15 4.13 43.59	
16 4.131 42.51	
17 4.13 44.06	
18 4.13 43.76	
19 4.133 41.17	
20 4.136 38.38	
21 4.136 38.58	
22 4.135 39.52	
23 4.132 42.33	
24 4.131 42.93	
25 4.133 41.45	
26 4.131 42.77	
27 4.131 43.03	
28 4.132 41.94	
29 4.132 41.83	

Turbidity Readings DEMO 0 NTU F.V2

30 4.136 38.43 31 4.136 38.76 32 4.133 41.25 33 4.133 40.84 34 4.135 39.67 35 4.135 39.28 36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.36 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41	Sample ID	Average Voltage (V)	NTU
32 4.133 40.84 33 4.135 39.67 35 4.135 39.28 36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 39 4.133 41.19 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.134 40.37 45 4.134 40.37 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.11	30	4.136	38.43
33 4.133 40.84 34 4.135 39.67 35 4.135 39.28 36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 39 4.133 41.19 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.11	31	4.136	38.76
34 4.135 39.28 36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 39 4.133 41.49 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	32	4.133	41.25
35 4.135 39.28 36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 39 4.133 41.49 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	33	4.133	40.84
36 4.134 40.37 37 4.134 40.62 38 4.133 41.03 39 4.133 41.49 40 4.133 41.19 41 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.11	34	4.135	39.67
37 4.134 40.62 38 4.133 41.03 39 4.133 41.49 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	35	4.135	39.28
38 4.133 41.03 39 4.133 41.49 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	36	4.134	40.37
39 4.133 41.49 40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	37	4.134	40.62
40 4.133 41.19 41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	38	4.133	41.03
41 4.132 41.99 42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	39	4.133	41.49
42 4.132 42.27 43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	40	4.133	41.19
43 4.133 41.23 44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	41	4.132	41.99
44 4.134 40.37 45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	42	4.132	42.27
45 4.134 40.7 46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	43	4.133	41.23
46 4.135 39.48 47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	44	4.134	40.37
47 4.135 39.23 48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	45	4.134	40.7
48 4.135 39.86 49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	46	4.135	39.48
49 4.134 40.16 50 4.134 40.19 51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	47	4.135	39.23
504.13440.19514.13440.04524.13341.36534.13341.14544.13539.97554.13440.47564.13440.51574.13341.1	48	4.135	39.86
51 4.134 40.04 52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	49	4.134	40.16
52 4.133 41.36 53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	50	4.134	40.19
53 4.133 41.14 54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	51	4.134	40.04
54 4.135 39.97 55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	52	4.133	41.36
55 4.134 40.47 56 4.134 40.51 57 4.133 41.1	53	4.133	41.14
56 4.134 40.51 57 4.133 41.1	54	4.135	39.97
57 4.133 41.1	55	4.134	40.47
	56	4.134	40.51
58 4.132 41.82	57	4.133	41.1
	58	4.132	41.82

Turbidity Readings DEMO 0 NTU F.V2

Sample ID	Average Voltage (V)	NTU
59	4.136	38.87
60	4.134	40.14
In ±10NTU Range	Range	Range
Not In ±10NTU Range	4.130 to 4.136	38.38 to 44.06