

SOP 85: Using NOAA Climate Records

Marc Los Huertos

August 4, 2017

1 Introduction

Raw data sets often come with untidy/non-useful formats or information that must first be cleaned or processed before an accurate and useful analysis of the contents can be done. After obtaining a data set there are some preliminary steps you must follow in order to get your data file into working order for your analysis.

1.1 Purpose

This document is intended a resource and guide to help you:

- upload your data file into the R environment using the Rstudio server online
- clean, organize and reformat the data to prepare it for analysis

1.2 About the Programs We'll Be Using

We will be using the program R, to run our data analysis. To access the program R we will be using the platform Rstudio which is available on the cloud to students. Since we will be using cloud based computing it will require us to know a little bit about how to access the resources online. Thus, it might be useful to look at SOP 6 on the basics of working with Rstudio and Github: You can click on the following link below to download the document:

An Introduction to R, Rstudio, Github

2 Preparing CSV files

2.1 Preprocessing CSV files


In most cases, we don't need to preprocess the csv files. However, Mac users have been confronted with a host of problems that has something to do with how Macs format CSV files.¹

¹I will update this when I try using a Mac for this.

2.2 Upload CSV Files into Appropriate Rstudio Directory

To begin working with your data upload it to the server so that Rstudio can pull information from it.

In Rstudio use the navigation pane (pictured below) to find a proper location to upload the data. If you have already connected to Marc's Github repository for the "Climate Change Narratives" Project you should see the folder available your Rstudio directory.



3 Reading CSV Files into R

Although the csv file might be present in an Rstudio directory, it is not in the R environment. One way to confirm this is to look at the Rstudio window tab 'Environment', where the file listed.

To have the file in the R environment, we read the file using the `read.csv()` function. The function is expecting the path and name of the file as an argument inside the perentecies, which is tough to type without making errors.

3.1 Assigning the File Path and Name

Okay, now we know what the file name and path look like from the eyes of R. In this example, the path and filename is:

We could paste the whole mess into the `read.csv()` function. Okay, let's keep moving. Although R was able to see the file, we still don't have an object we can actually do something with. Instead, we merely printed it to the screen.

However, you have not created an object yet. To do this you need to assign it a name. So, what do we need to make an object? Yes, the name of the object and the use of the assignment symbol. Let's create an object names filename instead that has the whole path and file name in it. Start with the name you want to use before the `read.csv()` function like this:

First, we will import the CSV file. In most cases, we don't need to preprocess the csv files. Use "file.choose" to find the folder path name.

We will use a pop-up window to select the file the first time and then we'll assign the file path and name to an object.

```
> choose.file()
```

Need an image of the pop-up window...

3.2 Reading a CSV File into a Dataframe

3.3 Importing CSV Files

Importing Scripts

```
import = read.csv(file)
```

```
# Read CSV

file = "/home/CAMPUS/kaj41925/Climate_Change_Narratives/Khalil/NewOrleansNOAAdata.csv"

import = read.csv(file)
```

3.4 Confirming the Dataframe

3.5 Checking the Data

Now we will check the data by plotting it.

3.6 Checking the Data

What's going on? What is the deal with the -9999? These are used for missing data. We need to remove them!

Okay, now we'll check again, for dates less then Dec. 31, 1913:

Yikes! What's wrong? As it turns out the problem is that with how the dates are specified. In particular, the Dec 31 to Jan 1 transition:

19131231 -> 19140101, if you use these as numbers it should be 19131232, 19131232, etc. You see we are missing lots numbers!

3.7 Converting Dates

3.8 Re-assigning Missing Values

3.9 Fixing the Dates

First, we convert the date to a string of character values. Next, we'll convert the strings to a data format.

3.10 Checking the New Dates

3.11 Subset Sites

Olivia has two sites in here data, so, we need to subset it.

Let's choose the FAIRPLEX NY US because the record is longer than the airport.

Okay, you know have created a data frame. To confirm this, type `str(maunaloa)` and you should see some strange text that describes the data frame. This function allow you to peer into the data frame structure. You you see it is a data frame and it has several variables and each one has certain characteristics and R even shows you some of the observations. This is a good thing to get into the habitat of check, for you want to ensure the data have been imported in a way that you expect.

Remember, a data frame is a list of vectors. To access the data inside the data frame, you can use the following command

```
#maunaloa$average
```

to dump the average CO₂ concentrations readings onto your screen as a vector. You should see some 627 observations, depending on how recent the data have been uploaded. So, the dollar symbol is used to drill into the data frame vectors. And when you look at the `str()` function again, you will see these dollar signs again.

4 Preparing Records for Analysis