

Competing model (best w age) - main effects only

The LOGISTIC Procedure

Model Information

Data Set	WORK.TIMESINCEVAX	
Response Variable	breakthrough	breakthrough
Number of Response Levels	2	
Model	binary logit	
Optimization Technique	Fisher's scoring	

Number of Observations Read	3084648
Number of Observations Used	3084648

Response Profile

Ordered Value	breakthrough	Total Frequency
1	1	29677
2	0	3054971

Probability modeled is breakthrough=1.

Model Convergence Status

Convergence criterion (GCONV=1E-8) satisfied.

Model Fit Statistics

Criterion	Intercept Only	Intercept and Covariates
AIC	334698.88	9680.174
SC	334711.82	9744.883

-2 Log L 334696.88 9670.174

Testing Global Null Hypothesis: BETA=0

Test	Chi-Square	DF	Pr > ChiSq
Likelihood Ratio	325026.709	4	<.0001
Score	1679005.59	4	<.0001
Wald	3166.4592	4	<.0001

Analysis of Maximum Likelihood Estimates

Parameter	DF	Estimate	Standard Error	Wald Chi-Square	Pr > ChiSq
Intercept	1	-8.4309	0.3258	669.5134	<.0001
followup_time	1	-4.3518	0.0790	3032.8648	<.0001
time_since_vax	1	131.8	2.3936	3031.1362	<.0001
age	1	0.0932	0.0135	47.8323	<.0001
age*age	1	-0.00112	0.000129	75.8318	<.0001

Competing model (best w age) - main effects only

The LOGISTIC Procedure

Association of Predicted Probabilities and Observed Responses

Percent Concordant	99.7	Somers' D	0.995
Percent Discordant	0.3	Gamma	0.995
Percent Tied	0.0	Tau-a	0.019
Pairs	90662374367	c	0.997

Odds Ratio Estimates and Profile-Likelihood Confidence Intervals

Effect	Unit	Estimate	95% Confidence Limits	
followup_time	1.0000	0.013	0.011	0.015
time_since_vax	1.0000	>999.999	>999.999	>999.999