CMIP6 Model Documentation

Institute: EC-EARTH-CONSORTIUM

Model: EC-EARTH3-VEG-LR

Topic: Top Level

Doc. Generated: 2018-12-16

Doc. Seeded From: N/A

Specialization Version: 1.1.1

Further Info: https://es-doc.org/cmip6

Note: * indicates a required property

Documentation Contents

1	Key Properties	3
2	Radiative Forcings	9

1 Key Properties

Key properties of the model

1.1.1 Top level properties

Key properties of the model

1.1.1.1 Name *

Name of coupled model

Enter TEXT:

1.1.1.2 Keywords *

Keywords associated with coupled model

Enter COMMA SEPERATED list:

1.1.1.3 Overview *

 $Top\ level\ overview\ of\ coupled\ model$

Enter TEXT:

1.2.1 Flux Correction

Flux correction properties of the model

1.2.1.1 Details *

Describe if/how flux corrections are applied in the model

Enter TEXT:

1.3.1 Genealogy

Genealogy and history of the model

1.3.1.1 Year Released *

Year the model was released

Enter TEXT:

1.3.1.2 CMIP3 Parent

 $CMIP3\ parent\ if\ any$

Enter TEXT:

1.3.1.3 CMIP5 Parent

CMIP5 parent if any

1.3.1.4 CMIP5 Differences

Briefly summarize the differences between this model and its CMIP5 parent, if applicable

Enter TEXT:

1.3.1.5 Previous Name

Previously known as

Enter TEXT:

1.4.1 Software Properties

 $Software\ properties\ of\ model$

1.4.1.1 Repository

Location of code for this component.

Enter TEXT:

1.4.1.2 Code Version

Code version identifier.

Enter TEXT:

1.4.1.3 Code Languages

 $Code\ language(s).$

Enter COMMA SEPERATED list:

1.4.1.4 Components Structure

 $Describe\ how\ model\ realms\ are\ structured\ into\ independent\ software\ components\ (coupled\ via\ a\ coupler)\ and\ internal\ software\ components.$

Enter TEXT:

1.4.1.5 Coupler

 $Overarching\ coupling\ framework\ for\ model.$

Select SINGLE option:

Ш	OASIS - The OASIS coupler - prior to OASIS-MCT
	OASIS3-MCT - The MCT variant of the OASIS coupler
	ESMF - Vanilla Earth System Modelling Framework
	NUOPC - National Unified Operational Prediction Capability variant of ESMF
	Bespoke - Customised coupler developed for this model
	Unknown - It is not known what/if-a coupler is used
	None - No coupler is used

Other - please specify:
1.5.1 Coupling
1.5.1.1 Atmosphere Double Flux * Is the atmosphere passing a double flux to the ocean and sea ice (as opposed to a single one)? Select either TRUE or FALSE: True False
1.5.1.2 Atmosphere Fluxes Calculation Grid Where are the air-sea fluxes calculated
Select SINGLE option:
Atmosphere grid
Ocean grid
Specific coupler grid
Other - please specify:
1.5.1.3 Atmosphere Relative Winds * Are relative or absolute winds used to compute the flux? I.e. do ocean surface currents enter the wind stress calculation?
Select either TRUE or FALSE:
☐ True ☐ False
1.6.1 Tuning Applied
Tuning methodology for model
1.6.1.1 Description *
General overview description of tuning: explain and motivate the main targets and metrics/diagnostics retained. Document the relative weight given to climate performance metrics/diagnostics versus process oriented metrics/diagnostics, and on the possible conflicts with parameterization level tuning. In particular describe any struggle with a parameter value that required pushing it to its limits to solve a particular model deficiency.
Enter TEXT:
1.6.1.2 Global Mean Metrics Used
List set of metrics/diagnostics of the global mean state used in tuning model
Enter COMMA SEPERATED list:

1.6.1.3 Regional Metrics Used

List of regional metrics/diagnostics of mean state (e.g THC, AABW, regional means etc) used in tuning model/component

Enter COMMA SEPERATED list:

1.6.1.4 Trend Metrics Used

List observed trend metrics/diagnostics used in tuning model/component (such as 20th century)

Enter COMMA SEPERATED list:

1.6.1.5 Energy Balance *

 $Describe\ how\ energy\ balance\ was\ obtained\ in\ the\ full\ system:\ in\ the\ various\ components\ independently\ or\ at\ the\ components\ coupling\ stage?$

Enter TEXT:

1.6.1.6 Fresh Water Balance *

 $Describe\ how\ fresh_water\ balance\ was\ obtained\ in\ the\ full\ system:\ in\ the\ various\ components\ independently\ or\ at\ the\ components\ coupling\ stage?$

Enter TEXT:

1.6.2 Heat

Global heat convervation properties of the model

1.6.2.1 Global *

Describe if/how heat is conserved globally

Enter TEXT:

1.6.2.2 Atmos Ocean Interface

Describe if/how heat is conserved at the atmosphere/ocean coupling interface

Enter TEXT:

1.6.2.3 Atmos Land Interface *

 $Describe\ if/how\ heat\ is\ conserved\ at\ the\ atmosphere/land\ coupling\ interface$

Enter TEXT:

1.6.2.4 Atmos Sea-ice Interface

Describe if/how heat is conserved at the atmosphere/sea-ice coupling interface

Enter TEXT:

1.6.2.5 Ocean Seaice Interface

Describe if/how heat is conserved at the ocean/sea-ice coupling interface

1.6.2.6 Land Ocean Interface

Describe if/how heat is conserved at the land/ocean coupling interface

Enter TEXT:

1.6.3 Fresh Water

Global fresh water convervation properties of the model

1.6.3.1 Global *

Describe if/how fresh_water is conserved globally

Enter TEXT:

1.6.3.2 Atmos Ocean Interface

Describe if/how fresh_water is conserved at the atmosphere/ocean coupling interface

Enter TEXT:

1.6.3.3 Atmos Land Interface *

Describe if/how fresh water is conserved at the atmosphere/land coupling interface

Enter TEXT:

1.6.3.4 Atmos Sea-ice Interface

Describe if/how fresh water is conserved at the atmosphere/sea-ice coupling interface

Enter TEXT:

1.6.3.5 Ocean Seaice Interface

Describe if/how fresh water is conserved at the ocean/sea-ice coupling interface

Enter TEXT:

1.6.3.6 Runoff

Describe how runoff is distributed and conserved

Enter TEXT:

1.6.3.7 Iceberg Calving

Describe if/how iceberg calving is modeled and conserved

Enter TEXT:

1.6.3.8 Endoreic Basins

Describe if/how endoreic basins (no ocean access) are treated

1.6.3.9 Snow Accumulation

 $Describe\ how\ snow\ accumulation\ over\ land\ and\ over\ sea\text{-}ice\ is\ treated$

Enter TEXT:

1.6.4 Salt

 $Global\ salt\ convervation\ properties\ of\ the\ model$

1.6.4.1 Ocean Seaice Interface

Describe if/how salt is conserved at the ocean/sea-ice coupling interface

Enter TEXT:

1.6.5 Momentum

 $Global\ momentum\ convervation\ properties\ of\ the\ model$

1.6.5.1 Details

Describe if/how momentum is conserved in the model

2 Radiative Forcings

Radiative forcings of the model for historical and scenario (aka Table 12.1 IPCC AR5)

2.1.1 Top level properties

Radiative forcings of the model for historical and scenario (aka Table 12.1 IPCC AR5)

2.1.1.1 Name

Commonly used name for the radiative forcings in toplevel model.

Enter TEXT:

2.1.1.2 Overview

Overview of radiative forcings of the model for historical and scenario (aka table 12.1 ipcc ar5) in toplevel model.

Enter TEXT:

2.1.2 CO2

Carbon dioxide forcing

2.1.2.1 Provision *

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)

Select MULTIPLE options:

	N/A - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed
	Y - Prescribed concentrations, distributions or time series data
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration
	C - Fixed prescribed climatology of concentrations with no year-to-year variability

2.1.2.2 Additional Information

Other - please specify:

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

Enter TEXT:

2.1.3 CH4

Methane forcing

2.1.3.1 Provision * How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) Select MULTIPLE options: N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed Y - Prescribed concentrations, distributions or time series data E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration C - Fixed prescribed climatology of concentrations with no year-to-year variability Other - please specify: 2.1.3.2 Additional Information Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.). Enter TEXT: 2.1.4 N2O Nitrous oxide forcing 2.1.4.1 Provision * How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) Select MULTIPLE options: N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed Y - Prescribed concentrations, distributions or time series data E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions

2.1.4.2 Additional Information

Other - please specify:

prescribed surface concentration

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

C - Fixed prescribed climatology of concentrations with no year-to-year variability

ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the

2.1.5 Tropospheric O3

Troposheric ozone forcing

2.1.5.1 Provision	Ŧ

Other - please specify:

2.1.5.1	Provision *								
How this	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)								
Selec	t MULTIPLE options:								
	N/A - Not applicable - forcing agent is not included								
	M - Emissions and concentrations determined by the model state rather than externally prescri								
	Y - Prescribed concentrations, distributions or time series data								
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions								
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration								
	C - Fixed prescribed climatology of concentrations with no year-to-year variability								
	Other - please specify:								
$Additiona \ non-stand$	Additional Information Information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.). TEXT:								
	Stratospheric O3								
	heric ozone forcing								
2.1.6.1	Provision *								
How this	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)								
Selec	t MULTIPLE options:								
	N/A - Not applicable - forcing agent is not included								
	M - Emissions and concentrations determined by the model state rather than externally prescribed								
	Y - Prescribed concentrations, distributions or time series data								
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions								
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration								
	C - Fixed prescribed climatology of concentrations with no year-to-year variability								

2.1.6.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

Enter TEXT:

2.1.7 CFC

Ozone-depleting and non-ozone-depleting fluorinated gases forcing

2.1.7.1 Pr	covision *						
How this for	cing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)						
Select N	MULTIPLE options:						
□ N	/A - Not applicable - forcing agent is not included						
	I - Emissions and concentrations determined by the model state rather than externally prescribed						
Y - Prescribed concentrations, distributions or time series data							
☐ E - Concentrations calculated interactively driven by prescribed emissions or precursor							
ES - Surface emissions (and 3-D concentrations away from the surface) derived via the prescribed surface concentration							
C - Fixed prescribed climatology of concentrations with no year-to-year variability							
	ther - please specify:						
2.1.7.2 Ec	quivalence Concentration *						
Details of an	ny equivalence concentrations used						
Select S	SINGLE option:						
state) N	/A - Not applicabale (CFCs not included or emissions and concentrations determined by the model						
□ o	ption 1 - CFCs, including CFC-12, are provided as actual concentrations						
	ption 2 - CFC- 12 is provided as actual concentrations and any other gases are provided as an equivartation of CFC- 11						
	option 3 - Ozone depleting gases, including CFC-12, are provided as an equivalence concentration of all other fluorinated gases are provided as an equivalence concentration of HFC-134a						

2.1.7.3 Additional Information

Other - please specify:

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

2.1.8 SO4

Other - please specify:

SO4 aerosol forcing

2.1.8.1 Provision *

How this	jorcing	agent is	proviaea	(e.g.	via	concentrations,	emission	precursors,	prognostically	aerivea,	etc.)

Selec	t MULTIPLE options:							
	$\mathrm{N/A}$ - Not applicable - forcing agent is not included							
	\square M - Emissions and concentrations determined by the model state rather than externally prescrib							
Y - Prescribed concentrations, distributions or time series data								
E - Concentrations calculated interactively driven by prescribed emissions or precursor emission								
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration							
	C - Fixed prescribed climatology of concentrations with no year-to-year variability							
	Other - please specify:							
Addition a	Additional Information l information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.).							
Enter	r TEXT:							
9 1 0 I	Black Carbon							
	erbon aerosol forcing							
2.1.9.1	Provision *							
How this.	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)							
Selec	t MULTIPLE options:							
	N/A - Not applicable - forcing agent is not included							
	M - Emissions and concentrations determined by the model state rather than externally prescribed							
	Y - Prescribed concentrations, distributions or time series data							
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions							
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration							
	C - Fixed prescribed climatology of concentrations with no year-to-year variability							

2.1.9.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

Enter TEXT:

2.1.10 Organic Carbon

Organic carbon aerosol forcing

2.1.10.1 Provision *

prescribed surface concentration

How	this	forcina	agent	is	provided	(e.a.	via	concentrations,	emission	precursors.	prognostically	derived.	etc.)
1100	01000	jorcong	agent	00	proceaca	(0.9.	Cuc	concentrations,	CITOLOGUOTO	precureore,	progrecetteating	acrocca,	coc.,	-

Selec	t MULTIPLE options:								
	N/A - Not applicable - forcing agent is not included								
	M - Emissions and concentrations determined by the model state rather than externally prescribe								
	Y - Prescribed concentrations, distributions or time series data								
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions								
ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from prescribed surface concentration									
	C - Fixed prescribed climatology of concentrations with no year-to-year variability								
	Other - please specify:								
2.1.10.2	2 Additional Information								
	l information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.).								
Ente	r TEXT:								
2.1.11	Nitrate								
Nitrate j									
2.1.11.1	Provision *								
How this	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)								
Selec	t MULTIPLE options:								
	$\mathrm{N/A}$ - Not applicable - forcing agent is not included								
	M - Emissions and concentrations determined by the model state rather than externally prescribed								
	Y - Prescribed concentrations, distributions or time series data								
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions								
	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the								

C - Fixed prescri	ibed climatology of concentrations with no year-to-year variability
Other - please sp	pecify:
2.1.11.2 Additional I	nformation
-	ting to the provision and implementation of this forcing agent (e.g. citations, use of aining how multiple provisions are used, etc.).
Enter TEXT:	
2.1.12 Cloud Albe	edo Effect
Cloud albedo effect force	ing (RFaci)
2.1.12.1 Provision *	
How this forcing agent is pr	rovided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Select MULTIPLE o	ptions:
N/A - Not applie	cable - forcing agent is not included
M - Emissions an	and concentrations determined by the model state rather than externally prescribed
Y - Prescribed co	oncentrations, distributions or time series data
E - Concentration	ns calculated interactively driven by prescribed emissions or precursor emissions
ES - Surface emis	ssions (and 3-D concentrations away from the surface) derived via the model from the ation
C - Fixed prescri	ibed climatology of concentrations with no year-to-year variability
Other - please sp	pecify:
2.1.12.2 Aerosol Effe	ct On Ice Clouds *
Radiative effects of aerosols	s on ice clouds are represented?
Select either TRUE	or FALSE:
True] False
2.1.12.3 Additional I	nformation
	ting to the provision and implementation of this forcing agent (e.g. citations, use of aining how multiple provisions are used, etc.).
Enter TEXT:	
2.1.13 Cloud Lifet	time Effect
Cloud lifetime effect for	cing (ERFaci)

2.1.13.1	Provision *
How this j	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Select	t MULTIPLE options:
	N/A - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed
	Y - Prescribed concentrations, distributions or time series data
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration
	C - Fixed prescribed climatology of concentrations with no year-to-year variability
	Other - please specify:
2.1.13.2	Aerosol Effect On Ice Clouds *
Radiative	effects of aerosols on ice clouds are represented?
Select	t either TRUE or FALSE:
	True False
2.1.13.3	RFaci From Sulfate Only *
Radiative	forcing from aerosol cloud interactions from sulfate aerosol only?
Select	t either TRUE or FALSE:
	True
2.1.13.4	Additional Information
	l information relating to the provision and implementation of this forcing agent (e.g. citations, use of ard datasets, explaining how multiple provisions are used, etc.).
Enter	TEXT:
2.1.14	Dust
Dust for	cing
2.1.14.1	Provision *
How this j	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Select	t MULTIPLE options:
	$\mathrm{N/A}$ - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed

	Y - Prescribed concentrations, distributions or time series data
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration
	C - Fixed prescribed climatology of concentrations with no year-to-year variability
	Other - please specify:
2.1.14.2	Additional Information
	l information relating to the provision and implementation of this forcing agent (e.g. citations, use of ard datasets, explaining how multiple provisions are used, etc.).
Enter	TEXT:
2.1.15	Tropospheric Volcanic
Troposph	neric volcanic forcing
2.1.15.1	Provision *
How this j	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Select	t MULTIPLE options:
	$\mathrm{N/A}$ - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed
	Y - Prescribed concentrations, distributions or time series data
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions
prescribed	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration
	C - Fixed prescribed climatology of concentrations with no year-to-year variability
	Other - please specify:
2.1.15.2	Historical Explosive Volcanic Aerosol Implementation *
How explo	sive volcanic aerosol is implemented in historical simulations
Select	t SINGLE option:
	Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background.
	Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano)
Dackgroun	Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) d .
	Type D - Explosive volcanic aerosol set to zero

	Type E - Explosive volcanic aerosol set to constant (average volcano) background
Ш	Other - please specify:
2.1.15.3	3 Future Explosive Volcanic Aerosol Implementation *
How expl	losive volcanic aerosol is implemented in future simulations
Selec	et SINGLE option:
	Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background.
	Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano)
Dackgrou	Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) nd.
	Type D - Explosive volcanic aerosol set to zero
	Type E - Explosive volcanic aerosol set to constant (average volcano) background
	Other - please specify:
	dard datasets, explaining how multiple provisions are used, etc.).
Ente	or TEXT:
2.1.16	Stratospheric Volcanic
Stratosp	pheric volcanic forcing
2 1 16	1 Provision *
	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Selec	et MULTIPLE options:
	N/A - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed
	Y - Prescribed concentrations, distributions or time series data
	E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions
prescribe	ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the d surface concentration
	C - Fixed prescribed climatology of concentrations with no year-to-year variability
	Other - please specify:

2.1.16.2 Historical Explosive Volcanic Aerosol Implementation *

 $How\ explosive\ volcanic\ aerosol\ is\ implemented\ in\ historical\ simulations$

Sele	ct SINGLE option:
	Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background.
	Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano)
backgrou	Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) and.
	Type D - Explosive volcanic aerosol set to zero
	Type E - Explosive volcanic aerosol set to constant (average volcano) background
	Other - please specify:
2.1.16.	3 Future Explosive Volcanic Aerosol Implementation *
How exp	losive volcanic aerosol is implemented in future simulations
Sele	ct SINGLE option:
	Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background.
	Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano)
 backgrou	Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) and.
	Type D - Explosive volcanic aerosol set to zero
	Type E - Explosive volcanic aerosol set to constant (average volcano) background
	Other - please specify:
	4 Additional Information
	al information relating to the provision and implementation of this forcing agent (e.g. citations, use of dard datasets, explaining how multiple provisions are used, etc.).
Ente	er TEXT:
2.1.17	' Sea Salt
Sea sala	t forcing
2.1.17.	1 Provision *
How this	forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)
Sele	ct MULTIPLE options:
	N/A - Not applicable - forcing agent is not included
	M - Emissions and concentrations determined by the model state rather than externally prescribed

Y - Prescribed concentrations, distributions or time series data		
E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions		
ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration		
C - Fixed prescribed climatology of concentrations with no year-to-year variability		
Other - please specify:		
2.1.17.2 Additional Information		
Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).		
Enter TEXT:		
2.1.18 Land Use		
Land use forcing		
2.1.18.1 Provision *		
How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)		
Select MULTIPLE options:		
N/A - Not applicable - forcing agent is not included		
M - Emissions and concentrations determined by the model state rather than externally prescribed		
Y - Prescribed concentrations, distributions or time series data		
\square E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions		
\square ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration		
C - Fixed prescribed climatology of concentrations with no year-to-year variability		
Other - please specify:		
2.1.18.2 Crop Change Only *		
Land use change represented via crop change only?		
Select either TRUE or FALSE:		
☐ True ☐ False		
2.1.18.3 Additional Information		

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

2.1.19 Solar

 $Solar\ forcing$

2.1.19.1 Provision *

 $How\ solar\ forcing\ is\ provided$

Select MULTIPLE options:		
	$\ensuremath{\mathrm{N}/\mathrm{A}}$ - Not applicable - solar forcing is not included	
	Irradiance - Solar irradiance forcing	
	Proton - Proton pathway to solar forcing	
	Electron - Electron pathway to solar forcing	
	Cosmic ray - Cosmic ray pathway to solar forcing	
	Other - please specify:	

2.1.19.2 Additional Information

 $Additional\ information\ relating\ to\ the\ provision\ and\ implementation\ of\ this\ forcing\ agent\ (e.g.\ citations,\ use\ of\ non-standard\ datasets,\ explaining\ how\ multiple\ provisions\ are\ used,\ etc.).$