BEMOSS and Its Enhanced Applications

Brian Lauer Advisor: Dr. Suruz Miah

Department of Electrical and Computer Engineering Bradley University 1501 W. Bradley Avenue Peoria, IL, 61625, USA

Friday, August 2, 2019



Outline

- VOLTTRON
- 2 Motor Interface
- 3 Bug Fixes
- Plans

VOLTTRON




Figure: Source https://volttron.readthedocs.io/

Overview


- Agent-based system for improving energy management
- Improves sensing and control of devices in buildings
- Single point of contact for interfacing with devices (RTUs, building systems, power meters)
- Open source, available on github
- Python 2.7, Linux

VOLTTRON




Update

- Added identify device behavior to motor
- Python Digi-XBee library instead of python-xbee library
 - Commands to read status of IO pins
 - Send commands to end point XBee specifying remote node identification



Problems

- No chart visible
- Motor not properly added to BEMOSS database (PostgreSQL)
 - Required to run PROJECT_DIR/Web_Server/run/defaultDB.py



Bug Fixes

Corrected TSDAgent Error

• Downgraded Python cassandra-driver to version 3.16.0

9 / 12

Plans

Begin writing paper

Motor interface must be fully functional

Develop deep understanding of BEMOSS

- Understand every part of the code base
 - This is required to make further progress
- Completed before August 23

Add new device

Possibly space heater




August 2, 2019

Plans



Figure: Dyson Pure Hot + Cool Air Purifier Courtesy of https://www.wantse.com/images/2/o6y516bzd.jpg

For Further Reading I



VOLTTRON Documentation.

https://volttron.readthedocs.io/