

Setup Instructions


- For all users
 - R and RStudio
 - R packages
- For Windows
 - Terminal
 - Git
 - Make
- For Mac
 - Terminal
 - Git
 - Make
- Further resources

For all users

Please contact the instructors or ECOSCOPE at info.ecoscope@ubc.ca (mailto:info.ecoscope@ubc.ca) if you run into difficulties so we can help you setup your computer properly. There will not be time to troubleshoot issues during the workshop.

R and RStudio

1. Download and install R (<http://www.r-project.org>), a free software environment for statistical computing and graphics from CRAN (<http://cran.rstudio.com>), the Comprehensive R Archive Network.
 - It is *highly recommended* to install a precompiled binary distribution for your operating system – use the links up at the top of the CRAN page linked above!
 - If you currently have R installed on your laptop, please make sure it is version 3.4.0 or later. **Please update if it is not!**
2. Install RStudio (<https://www.rstudio.com/products/rstudio/download/>), a powerful user interface for R.
3. Do whatever is appropriate for your OS to launch RStudio. You should get a window similar to the screenshot below.



If you don't see a window that is divided into distinct areas labelled "Console", "Environment", etc., you are probably running the user interface that comes bundled with R. Check that RStudio is present in your applications and start it instead.

R packages

Please install the following packages in RStudio.

- tidyverse

- Please note that if you have **R v3.3 or older**, you may not be able to install `tidyverse`. In this case, you need to separately install each package within the tidyverse. This includes: `readr`, `tibble`, `dplyr`, `tidyr`, `stringr`, `ggplot2`, `purrr`, `forcats`
- `packrat`

For Windows

Terminal

1. The native Terminal in Windows is not Linux-based so you need to install GitBash (<https://gitforwindows.org/>) for use in this workshop.
 - All command line aspects of the workshop (like Make and git) should be completed in GitBash and not the native “Command Prompt” program.

Git

1. Basic git was installed automatically with your GitBash Terminal.
 - Test that git is properly installed by opening GitBash and typing `git --version` [Enter]. This should populate the window with information on your version of git such as

```
git version 2.20.1.windows.1
```

2. If you do not already have one, signup for an account on GitHub (<https://github.com/>).
3. Download and install the Git desktop GUI (<https://desktop.github.com/>).

Make

1. Download the latest version of Make (<https://www.gnu.org/software/make/>) *without guile* from ezwinports (<https://sourceforge.net/projects/ezwinports/files/>)
 - The file name is `make-4.1-2-without-guile-w32-bin.zip`, though the most recent version number may be different.
2. Unzip the folder.
3. Copy all of its contents to `c:/Program Files/Git/mingw64/`
 - Merge all of the contents of the folders but do NOT overwrite/replace any existing files.
4. Check that Make is installed by typing `make --version` [Enter] in GitBash. This should populate the window with information on your version of Make such as

```
GNU Make 4.2.1
Built for Windows32
Copyright (C) 1988-2016 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law.
```

For Mac

Terminal

The native Terminal in the Mac OS is Linux-based and therefore, can be used in this workshop. You can access it under Applications > Utilities > Terminal.app

Git

1. Download and install git (<https://git-scm.com/downloads>). Test that git is properly installed by opening your Terminal and typing `git --version` [Enter]. This should populate the window with information on your version of git such as

```
git version 2.18.0
```

2. If you do not already have one, signup for an account on GitHub (<https://github.com/>).
3. Download and install the Git desktop GUI (<https://desktop.github.com/>).

Make

1. Download and install the Mac command line developer tools (including Make (<https://www.gnu.org/software/make/>)) by opening your Terminal and typing `xcode-select --install` [Enter]
 - Click ‘Install’ to allow the installation of the full developer’s packet
2. Check that Make is installed by typing `make --version` [Enter] in your Terminal. This should populate the window with information on your version of Make such as

```
GNU Make 3.81
Copyright (C) 2006 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.
There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.
```

```
This program built for i386-apple-darwin11.3.0
```

Further resources

The above is enough preparation but here are some links if you are interested in reading a bit further.

- How to Use RStudio:
 - <https://support.rstudio.com/hc/en-us/sections/200107586-Using-RStudio> (<https://support.rstudio.com/hc/en-us/sections/200107586-Using-RStudio>)
- RStudio Public Discussion & Troubleshooting Guide:
 - <https://support.rstudio.com/hc/en-us/sections/203994097-RStudio-IDE> (<https://support.rstudio.com/hc/en-us/sections/203994097-RStudio-IDE>)
- How to Install R:
 - <http://cran.r-project.org/doc/manuals/R-admin.html> (<http://cran.r-project.org/doc/manuals/R-admin.html>)
 - http://cran.stat.sfu.ca/doc/FAQ/R-FAQ.html#How-can-R-be-installed_003f (http://cran.stat.sfu.ca/doc/FAQ/R-FAQ.html#How-can-R-be-installed_003f)
- R FAQ:
 - <http://cran.r-project.org/doc/FAQ/R-FAQ.html> (<http://cran.r-project.org/doc/FAQ/R-FAQ.html>)
- How to git
 - <https://githowto.com/> (<https://githowto.com/>)
- GitHub FAQ
 - <https://help.github.com/> (<https://help.github.com/>)