




# Data Steward Wizard



Korbinian Bösl  
Data management coordinator  
ELIXIR Norway/Digital Life Norway  
11th December 2020




Developed by



[elixir-no.ds-wizard.org](https://elixir-no.ds-wizard.org)



# Forskningsrådet



## DMP

SCIENCE  
**EUROPE** 





# Horizon 2020 → Horizon Europe

Open Research Data Pilot (ORD pilot)  
Default since 2017 → mandatory 2021



**DMP**  
outline

**DMP**

- After 6 month
- Update upon significant changes



**Filled questionnaire** → **Template** → **DMP in various formats**  
once per funding body .docx, .tex, .html, .json


Adapted for Norwegian users



[elixir-no.ds-wizard.org](https://elixir-no.ds-wizard.org)





 DSW ELIXIR-NO

Knowledge Models

Questionnaires

My DMP (Life Sciences DSW Knowledge Model - ELIXIR Norway localization, 0.0.16)

Current Phase

Before Submitting the Proposal

Before Submitting the Proposal

Before Submitting the DMP

Before Finishing the Project

Ch

I. Administrative details 2

II. Re-using data 2

III. Creating and collecting data 7

IV. Data sensitivity 2

V. Processing data 3

## V. Processing data

In the processing phase, the data will be undergoing the mostly automated steps fo

1

Will you be using a shared working space to work with your data:

Will you be using a working space that is shared between all the people working on

☒ Desirable: Before Submitting the Proposal

☐ a. No

☐ b. Yes

### 1.b.1 Will you be using any pre-existing data (including other people's data)?




Will you be referring to any earlier measured data, reference data, or data that should be mined from existing literature? Your own data as well as data from others?

☒ Desirable: *Before Submitting the Proposal*

 Data Stewardship for Open Science: [ezi](#)

☐ a. No

☒ b. Yes 

 Clear answer

### 1.b.1.b.1 What reference data will you use?



Much of today's data is used in comparison with reference data. A genome for instance is compared with a reference genome to identify genomic variants. If you use reference data, there are several other issues that you should consider. What are the reference data sets that you will use?

☒ Desirable: *Before Submitting the DMP*

 Data Stewardship for Open Science: [quc](#)

#### 1.b.1.b.1.a.1 Reference data:



Banana Breeding Tracker Database

 <https://fairsharing.org/bsg-d001258>

☒ Desirable: *Before Submitting the DMP*

#### 1.b.1.b.1.a.2 Do you know where and how is it available?



Do you know where the reference data is available, what the conditions for use are, and how to reference it?

☒ Desirable: *Before Submitting the DMP*





## Data Stewardship for Open Science: Chapter 2.5.1.2

With kind permission of



## Can the original data be regenerated?

### What's up?

In some cases it might be cheaper (and acceptable) to regenerate data rather than storing them. Two examples: It may soon become cheaper to 're-sequence' a genome than to store it for 10 years. Also text mining the same massive corpus of text with the same tagger and the same thesaurus, should in principle give the exact same result when repeated at any time. However, in both examples, a number of assumptions would have to be made before a decision would be made to re-generate the data rather than storing the first version for extended period of time. First of all, the technology should not change; sequencers get more reliable by the day and therefore may give different results and the 'old sequencer' may not be in your possession anymore by the time you want to generate the results. Workflows are not necessarily stable but more importantly even 'stable' substrates (a genome of a living individual or a corpus of text) may not be as stable as you think. Changes to a text corpus may occur unbeknownst to you, but also, the somatic mutation rate in the genome of a living organism are not insignificant and therefore a new sample of cells to take DNA from may give different results and even if the DNA sample was stored in 'preserved state' there is no absolute guarantee that later re-sequencing of it will give exactly the same result. So in all cases, the decision to 'regenerate versus store' is a deep-scientific method discussion in the group and not a 'trivial decision'

[elixir-no.ds-wizard.org](https://elixir-no.ds-wizard.org)

Barend Mons

[ds-wizard.org](https://ds-wizard.org)  
[github.com/ds-wizard](https://github.com/ds-wizard)




## Information and insight

Answered: 12/17



Metric	Measure	
Findability	0.70	<div><div></div></div>
Accessibility	0.22	<div><div></div></div>
Reusability	1.00	<div><div></div></div>
Good DMP Practice	0.67	<div><div></div></div>
Openness	0.69	<div><div></div></div>



## Metrics Explanation

### F - Findability

The Findability metric describes how easily data can be located. The score associated with an answer will be higher if it makes it easier for humans or for computers to locate your data set, e.g. if it ends up in an index or has a unique resolvable identifier.

### A - Accessibility

The Accessibility metric describes how well the access to the database is described and how easy it is to implement. The score associated with an answer will be higher if it makes it easier for humans and computers to get to the data. This is determined by e.g. the protocol for accessing the data or for authenticating users, and also by the guaranteed longevity of the repository. Note that this is different from the Openness metric!



[elixir-norway.org](https://elixir-norway.org)  
[digitallifenorway.org](https://digitallifenorway.org)



[contact@bioinfo.no](mailto:contact@bioinfo.no)



[@elixirnorway](https://twitter.com/elixirnorway)  
[@DigitaltLiv](https://twitter.com/DigitaltLiv)



**Horizon 2020**  
**Research Infrastructure**  
**Program**



With funding from  
**The Research**  
**Council of Norway**



UNIVERSITY OF BERGEN



**UiT** The Arctic University of Norway



**UiO** : **University of Oslo**



**NTNU**  
Norwegian University of  
Science and Technology



Norwegian University  
of Life Sciences

Data Steward Wizard development

