PRINTABLE VERSION

Quiz 2

You scored 87.5 out of 100

Question 1

Your answer is CORRECT.

After a statement P has been negated 8 times, the resulting statement is logically equivalent to

- a)

 P
- b) $\bigcirc P \land \neg P$
- c) $\bigcirc \neg P$
- d) $\bigcirc P \lor \neg P$
- e) None of the above.

Question 2

Your answer is CORRECT.

 $\neg P \lor Q$ is logically equivalent to which, if any, of the following statements? (Hint: a truth table should help!)

- $a) \bigcirc \neg Q \land \neg P$
- b) $\bigcirc Q \Rightarrow P$
- c) $\bigcirc \neg P \land Q$
- d) \bigcirc P \Rightarrow Q
- e) $\bigcirc \neg P \Rightarrow \neg Q$

Question 3

Your answer is CORRECT.

De Morgan's Laws tells us that $\neg (P \land \neg Q)$ is logically equivalent to which of the following statements?

 $a) \bigcirc P \lor Q$

- b) $\bigcirc P \land Q$
- c) $\bigcirc \neg P \land Q$
- d) $\bigcirc \neg P \lor Q$
- e) $\bigcirc \neg Q \land \neg P$

Question 4

Your answer is CORRECT.

The symbol "∃" means ...

- a) O "For all" or "For every"
- **b)** O "Not all" or "Not every"
- c) "There exists" or "Some "
- d) "There does not exist"
- e) There exists exactly one" or "There exists a unique"

Ouestion 5

Your answer is CORRECT.

Determine which of the following statements is true when using the universal set $U = \{-2, 0, 2\}$.

a)
$$\bigcirc \forall x$$
, $x^3 - 4x \neq 0$

- **b)** $\bigcirc \exists x, x^3 4x = 0$, but not every x satisfies this condition.
- d) $\exists x, x^2 \le -1$, but not every x satisfies this condition.
- e) $\exists ! x, x^3 4x = 0$

Ouestion 6

Your answer is CORRECT.

Consider the English sentence:

The sum of two integers is another integer.

Which of the following statements correctly expresses this sentences using logical symbols?

- a) $\bigcirc \forall x, y \in Z$, $xy \in Z$
- **b)** \bigcirc \forall $x, y \in Z$, $x + y \in Z$
- \mathbf{c}) $\bigcirc \exists x, y \in \mathbb{Z}, xy \in \mathbb{Z}$
- \mathbf{d}) $\forall x, y \in \mathbb{Z}$, $x + y \leq 0$
- $e_1 \odot \exists x, y \in Z, x + y \in Z$
- $\mathbf{f}_0 \odot \exists x, y \in \mathbb{Z}, x + y \leq 0$

Question 7

Your answer is INCORRECT.

Consider the following statement:

$$\exists x, \forall y, x + y = 0.$$

From the options provided below, which universal set U makes this statement true?

- a) \cup U = {5}
- **b)** \bigcirc U = {2, 4, 6, 8, ...}
- $e) \cup U = \{1/2, 1, 2\}$
- \mathbf{d}) $\mathbf{U} = \{-9, -6, -3, 0, 3, 6, 9\}$
- e) \cup U = $\{-1, 3\}$

Ouestion 8

Your answer is CORRECT.

Consider the English sentence P: "Someone is wearing a blue shirt." The negation of P can be expressed in logical symbols as which of the following? (We are using $U = \{ \text{ all people } \}$ as our universal set.)

- a) $\bigcirc \neg P : \forall x, x$ is wearing a blue shirt
- **b)** $\bigcirc \neg P : \forall x, x \text{ is not wearing a blue shirt}$
- c) $\neg P : \exists x, x$ is wearing a blue shirt
- d) $\bigcirc \neg P : \exists x, x$ is not wearing a blue shirt