An overview of OpenFOAM

Arash Alizad Banaei/PDC







What is OpenFOAM?

Open Source Field Operation and Manipulation

A computational fluid dynamics (CFD) software

Solves equations of fluid motion with finite volume method

First developed by OpenCFD Ltd

Open source

The source code is written in C++

OpenFOAM versions

- There are two main variants of OpenFOAM:
 - OpenCFD version :
 - New versions released twice a year (June-December)
 - Versions are named as (vYYMM) like v1912
 - Website: https://www.openfoam.com
 - OpenFOAM foundation version :
 - No defined date for new release
 - Versions are named with with two digits like 4.1
 - Website: https://openfoam.org

OpenFOAM versions What is the story behind this?


- First version of OpenFOAM was released by OpenCFD in 2004
- OpenCFD kept issuing new releases up to 2.0.1 (2011)
- Silicon Graphics International (SGI) acquired OpenCFD
- OpenFOAM foundation was created with permission of using OpenFOAM trademark
- Since 2016, OpenCFD has started issuing OpenFOAM by itself
- For more information visit : https://www.openfoam.com/news/history

OpenFOAM versions

Which version to use?


- Depends on the feature you want to use
- Check the website and release notes to see which one fits better to your framework
- If both include the features you need, do some performance and accuracy benchmarks to see which one is better
- Otherwise it is just matter of taste!
- We will be using v1912 for the training

OpenFOAM environment



OpenFOAM input files

To setup a case, you need to have 3 directories in your case directory



OpenFOAM input files Input file format

 For input files, OpenFOAM uses a plain text dictionary format with keywords and values

```
FoamFile
                2.0;
    version
                ascii;
    format
    class
                dictionary;
                blockMeshDict;
    object
scale 0.1;
               → keyword
vertices —
    (0 \ 0 \ 0)
                       → value
    (0\ 0\ 0.1)
    (0\ 1\ 0.1)
```

OpenFOAM executables

 Unlike many other software, OpenFOAM does not have a unique executable. For every solver, mesh generation etc. there is a separate executable!

- You should run the right executable according to the solver you are using!
 - 'simpleFoam': if you use SIMPLE algorithm
 - 'icoFoam': if you use PISO algorithm for laminar flow
 - •
 - Check the documentation to see recommended solvers for different cases

OpenFOAM output files

 Similar to the input files, the output files are also in plain text dictionary format

```
internalField nonuniform List<scalar>
400
(
1.66908e-08
-0.00577259
-0.0128362
-0.0182176
-0.0201885
-0.0179911
-0.0115712
-0.00137173
```


Do not worry if you have not understood anything! We will go through the files with an example

Postprocessing of the output data

- ParaView is the main tool for postprocessing of the output data
- ParaView is a general visualization tool (not part of OpenFOAM)
- It can be used in several ways to visualize OpenFOAM results:
 - Load the output data using ParaView data loader for OpenFOAM
 - Load the output data using the reader module supplied by OpenFOAM
 - Convert output data to VTK format by OpenFOAM conversion module and load it to ParaView
 - Convert output data to VTK in runtime using OpenFOAM function objects
- 'paraFoam' is an OpenFOAM script to launch ParaView with OpenFOAM reader module

Parallelisation in OpenFOAM

Parallelisation in OpenFOAM is Message Passing Interface (MPI)




Lid driven cavity Geometry and assumptions

The flow is 2 dimensional

 The fluid is incompressible (density does not change)

The flow is isothermal (no heat transfer)


Stationary wall U=0




Stationary wall U=0

Lid driven cavity input files

Located at tutorials/incompressible/icoFoam/cavity/cavity



Lid driven cavity Geometry



Χ

Z

Lid driven cavity blockMesh utility

decomposes the domain geometry into a set of 1 or more three dimensional, hexahedral blocks

