

Lecture 01a – Welcome

ENVX2001 Applied Statistical Methods

Januar Harianto  

Lecturer, SOLES

Apr 2026

This is ENVX2001

Staff



Figure 1: A. Prof Aaron
GreenvilleUnit
CoordinatorWeeks 4-6



Figure 2: Dr Liana
PozzaLecturerWeeks 7-9



Figure 3: Dr Januar
HariantoLecturerWeeks
1-3



Figure 4: Prof Mathew
CrowtherProfessorWeeks
9-11


Your statistical journey

Does migration come at a cost?

In a partially migratory elk population in Alberta, Canada, researchers compared calf birth weights between resident and migrant herds.

```
elk ← read.csv("data/elk_calf_clean.csv")
elk$mig_status ← factor(elk$mig_status,
  levels = c("Resident", "Eastern"),
  labels = c("Resident", "Migrant")
)

ggplot(elk, aes(x = mig_status, y = birth_wt, fill = mig_status)) +
  geom_boxplot(show.legend = FALSE) +
  scale_fill_viridis_d(end = 0.9) +
  labs(x = NULL, y = "Birth weight (kg)") +
  theme_minimal(base_size = 18)
```



You have already learnt to compare groups like this with *t-tests* (Weeks 1–3).

Can dogs smell human stress?

Eighteen pet dogs were exposed to odours from humans who were either relaxed or stressed. Researchers then measured how long each dog took to approach food bowls.

```
dogs ← read.csv("data/dog_odour_clean.csv")
dogs$treatment ← factor(dogs$treatment,
  levels = c("Baseline", "Relaxed", "Stressed")
)

dog_means ← aggregate(latency ~ dog_id + treatment, data = dogs, FUN = mean)

ggplot(dog_means, aes(x = treatment, y = latency, fill = treatment)) +
  geom_violin(alpha = 0.6) +
  scale_fill_viridis_d(end = 0.9) +
  labs(x = "Odour treatment", y = "Mean latency (s)") +
  theme_minimal(base_size = 18) +
  theme(legend.position = "none")
```




What if there are more than 2 groups to compare? We use **Analysis of Variances (ANOVA)** (Weeks 3–6).

How big is that penguin?

Heavier penguins tend to have longer flippers – but how strong is that relationship?

```
penguins ← palmerpenguins::penguins

ggplot(penguins, aes(x = flipper_length_mm, y = body_mass_g)) +
  geom_point(aes(colour = species), alpha = 0.6) +
  geom_smooth(method = "lm", se = FALSE, colour = "#e64626", aes(linetype = "Linear")) +
  geom_smooth(method = "lm", formula = y ~ poly(x, 2), se = FALSE, colour = "#8f9ec9", aes(linetype
= "Quadratic")) +
  scale_colour_viridis_d(end = 0.9) +
  scale_linetype_manual(values = c(Linear = "solid", Quadratic = "solid")) +
  guides(linetype = guide_legend(override.aes = list(colour = c("#e64626", "#8f9ec9")))) +
  labs(x = "Flipper length (mm)", y = "Body mass (g)", linetype = "Model") +
  theme_minimal(base_size = 18)
```



We can model this relationship with **regression**, but how do we validate this against other models? You will learn to do this with **model selection** (Weeks 7–9).

Hawks of Iowa

Researchers at Lake MacBride, Iowa trapped three hawk species over a decade and measured wing length, weight, culmen, and hallux on each bird.

```
hawks ← read.csv("data/hawks_clean.csv")
pca ← prcomp(hawks[, c("Wing", "Weight", "Culmen", "Hallux")], scale. = TRUE)
scores ← data.frame(pca$x, Species = hawks$Species)

ggplot(scores, aes(x = PC1, y = PC2, colour = Species)) +
  geom_point(alpha = 0.5) +
  stat_ellipse(linewidth = 1) +
  scale_colour_viridis_d(end = 0.9) +
  labs(x = "PC1", y = "PC2", colour = "Species") +
  theme_minimal(base_size = 18)
```


Housekeeping

Lectures

Wednesdays 10am - 12pm, Chemistry Lecture Theatre 3 (CLT03)



Figure 1: Copyright The University of Sydney

Labs

Labs are held at the **South Eveleigh Precinct**



Figure 2: Credit: Michael Wheatland

Directions from Carslaw

If the map does not load, click [here](#)

Transport options

Buses

Courtesy buses are available from **Fisher Library** to **Redfern Station**. You must then walk to the precinct (10 minutes).

Driving

Free parking is available around Henderson Road, but it is extremely crowded. We do *not* recommend driving to the precinct.

Walking

Walking to the South Eveleigh Precinct takes about 20 minutes from Carlaw. You can save approximately 5 minutes by using Redfern station's community access gates.

Expectations

Attendance

Lectures

- You are expected to attend 80% of lectures
- We may collect attendance data to determine if students are engaging with the course

Labs are compulsory with 80% minimum attendance

- Labs are the heart of this unit. No exceptions except through special consideration
- Attendance is recorded - we take attendance seriously and tutors may not record attendance for students who game the attendance system (e.g., signing in for a friend, leaving early without permission, etc.)

Assessments

Check [Unit Outline](#)

Week	Assessment	Weight	Type
3	Early Feedback Task	1%	Individual
5	Project 1: Describing data	10%	Individual
10	Project 2: Analysing experimental data	20%	Individual
13	Project 3: Presentation (multivariate)	20%	Group
-	Quizzes (weekly, multiple due dates)	4%	Individual
-	Exam (2 hours, MCQs + Short Answers)	45%	Individual

Doing well

Put in the hours

- This is a **6 credit point** unit, which means that you are expected to spend **120 – 150 hours** in total, including exam prep time (~10 h per week)!
- **Practice makes perfect.** Tutorials and Labs help you apply the concepts you learn in lectures – complete all the exercises, and practice with the bonus questions provided.



Ask questions

Don't be afraid to seek help. We are happy when students show genuine interest to learn and will do our best to support you. Here are some ways to ask questions:

- **Ed Discussion** is the *best* place to ask questions. We are way more responsive on **Ed** than on email.
- **Drop-in sessions** are available. Check Ed Discussion for times and links.

Learning outcomes

By the end of this course, we want you to be able to:

- **LO1** demonstrate proficiency in designing sample schemes and analysing data from them **using R**.
- **LO2** describe and identify the basic features of an **experimental design**: replicate, treatment structure and blocking structure.
- **LO3** demonstrate proficiency in the use of the statistical programming language **R** to apply an ANOVA and fit regression models to experimental data.
- **LO4** demonstrate proficiency in the use of the statistical programming language **R** to use multivariate methods to find patterns in data.
- **LO5** interpret the output and understand conceptually how it's derived of a regression, ANOVA and multivariate analysis that have been calculated by R.
- **LO6** write statistical and modelling results as part of a scientific report.
- **LO7** appraise the validity of statistical analyses used in publications.

Questions?

This presentation is based on the [SOLES Quarto reveal.js template](#) and is licensed under a [Creative Commons Attribution 4.0 International License](#)

Take a break

We will resume the second half of the lecture in 10 minutes. Come on down if you have questions!