

## Table Of Content

BR Balance Bar.....	2	MS Driver's Harness .....	56
BR Brake Master Cylinder.....	3	MS Fire Wall.....	57
BR Brake System Front.....	4	MS Headrest / Restraints .....	58
BR Brake System Rear.....	6	MS Seats.....	59
EL Control Unit.....	8	ST Steering Rack.....	60
EL Dash Panel.....	9	ST Steering Shaft.....	61
EL Fuses.....	10	ST Steering Wheel.....	63
EL Kill Switch.....	11	ST Tie Rods.....	64
EL LV-Battery.....	12	SU A-Arms front lower.....	66
EL Sensors.....	13	SU A-Arms front upper.....	67
EL Wire Harness/Connectors.....	15	SU A-Arms rear lower.....	68
EN Cooling System.....	16	SU A-Arms rear upper.....	69
EN Drivetrain Assembly.....	19	SU Anti Roll Bar Front.....	70
EN Engine.....	23	SU Anti Roll Bar Rear.....	71
EN Exhaust System.....	26	SU Bell Cranks Front.....	72
EN Fuel Tank – NOT THE HV-Battery.....	30	SU Bell Cranks Rear.....	73
EN Intake System.....	32	SU Front Uprights.....	74
EN Other: Fuel system.....	34	SU Push/Pullrod Front.....	75
EN Overflow Bottles.....	36	SU Push/Pullrod Rear.....	76
EN Throttle Body.....	37	SU Rear Uprights .....	77
FR Brackets => Braking System.....	40	SU Shocks Front.....	78
FR Brackets => Electrical.....	41	SU Shocks Rear.....	79
FR Brackets => Engine & Powertrain.....	42	SU Tie Rod - Rear.....	80
FR Brackets => Frame & Body.....	44	WT Front Hubs.....	81
FR Brackets => Miscellaneous, Finish & Assembly .....	45	WT Rear Hubs.....	82
FR Brackets => Steering system.....	46	WT Wheels.....	83
FR Brackets => Suspension bracket.....	47	Overview Costed System EN.....	84
FR Floor Pan.....	49		
FR Frame / Frame Tubes .....	50		
FR Impact Attenuator.....	51		
FR Other: Bodywork.....	52		
FR Other: Clutch actuation system.....	53		
FR Pedals.....	54		

<b>BR (Brake System)</b>		<b>Balance Bar</b>			<b>BR_A0400</b>
<b>[Assembly Processes]</b>			<b>Make</b>	<b>1 x</b>	<b>BR_A0400_P</b>
Process	Other: Assemble by hand	Put balance bar through pedal supports		1 x	
<b>Balance bar</b>		<b>Bought from Reverchon</b>	<b>Buy</b>	<b>1 x</b>	<b>BR_04001</b>
Material	Bought Part	n/a		1 x	
<b>Master Cylinder support</b>		<b>Threaded aluminum part</b>	<b>Make</b>	<b>2 x</b>	<b>BR_04002</b>
Material	Other: Aluminium 2017A	Material		1 x	
Process	Other: Programming	Milling (CNC)		1 x	
Process	Other: Machining setup, install and remove	Milling (CNC)		1 x	
Process	Other: Machining (CNC)	Milling phase 1		1 x	
Process	Other: Machining setup, change	Milling (CNC)		1 x	
Process	Other: Machining (CNC)	Milling, phase 2		1 x	
Process	Other: Machining setup, change	Milling (CNC)		1 x	
Process	Other: Machining (CNC)	Milling phase 3		1 x	
Process	Other: Metrology	Milling (CNC)		1 x	

<b>BR (Brake System)</b>		<b>Brake Master Cylinder</b>			BR_A0300
<b>[Assembly Processes]</b>			Make	1 x	BR_A0300_P
Process	Other: Assemble by hand	Fixing the lower part of master cylinder		1 x	
Process	Other: Tighten bolts	Fixing the upper part of master cylinder		1 x	
<b>Master Cylinder</b>		<i>Bought from Beringer</i>	Buy	2 x	BR_03001
Material	Bought Part	n/a		1 x	

BR (Brake System)		Brake System Front		BR_A0100
[Assembly Processes]		Make	1 x	P_BR_A0100
Material	Safety wire	Safety wire for calipers	4 x	
Material	Other: Brake pad	Brake pad, iron or steel rotor	4 x	
Material	Other: Seal, O-ring, copper	Between caliper, master cylinder, hose	4 x	
Material	Fluid	Brake fluid	1 x	
Process	Other: Assemble by hand	Assemble brake rotor and shrink disc	1 x	
Process	Fastener install (every)	Insert button, retaining ring and washer	1 x	
Process	Drilled hole	On bolts head for safety wire	1 x	
Process	Other: Assemble by hand	Line up brake pad	1 x	
Process	Other: Assemble by hand	Put caliper in place with bolts, x2	1 x	
Process	Other: Tighten bolts	For brake caliper and upright, x4	1 x	
Process	Safety Wire, Install	Caliper bolts locking device	1 x	
Process	Other: Assemble by hand	Positioning the tank on the mount, x1	1 x	
Process	Other: Tighten bolts	Fixing the reservoir on the mount, x1	1 x	
Process	Other: Assemble by hand	Positioning tee on tee mount, x1	1 x	
Process	Other: Tighten bolts	Fixing tee to tee mount, x1	1 x	
Process	Other: Assemble by hand	Fitting on master cylinder, x1	1 x	
Process	Other: Tighten bolts	Fixing fitting on master cylinder, x1	1 x	
Process	Other: Assemble by hand	Put hose between MC and reservoir, x1	1 x	
Process	Install Tie Wrap (Zip Tie, Cable Clamp)	Install clamp on the hose, x2	1 x	
Process	Other: Assemble by hand	Install hose between MC and tee, x1	1 x	
Process	Other: Tighten bolts	Tighten the fittings, x1	1 x	
Process	Other: Assemble by hand	Install hose between tee and caliper, x2	1 x	
Process	Fastener install (every)	Tighten the fittings, x4	1 x	
Process	Install Tie Wrap (Zip Tie, Cable Clamp)	Install zip tie on frame and A-arms	1 x	
Process	Other: Assemble by hand	Install pressure sensor adapter on tee	1 x	
Process	Other: Tighten bolts	Pressure sensor adapter on the tee, x1	1 x	
Process	Other: Sealing verification	Verification of absence of air, leakage	1 x	
Fastener	Other: Adapter, H.P., Female Flare Tee, Brass	Brake lines-splitter tee	1 x	
Fastener	Bolt	grade 8.8, Fixing fluid reservoir	1 x	
Fastener	Nut	grade 8.8, Fixing fluid reservoir	2 x	
Fastener	Bolt	grade 8.8, Fixing tee to tee mount	1 x	
Fastener	Washer	Fixing tee to tee mount	2 x	
Fastener	Other: Nut, grade 8.8	grade 8.8, Fixing tee to tee mount	1 x	
Fastener	Other: Bolt grade 8.8	grade 8.8, Fixing caliper to upright	2 x	
Fastener	Other: Washer, steel stainless	Fixing caliper to upright	3 x	
Fastener	Hose Clamp	For the reservoir hose	2 x	
Fastener	Other: Zip tie	To clamp hoses on the frame	10 x	

<b>Front brake rotor</b>		<i>230 mm cast iron disc</i>	Buy	2 x	BR_01001
Material	Bought Part	<i>n/a</i>		1 x	
<b>Front brake caliper</b>		<i>Beringer 2P1A, dual piston 32mm bore</i>	Buy	2 x	BR_01002
Material	Bought Part	<i>n/a</i>		1 x	
<b>Front brake reservoir</b>		<i>tank to store brake fluid</i>	Buy	1 x	BR_01003
Material	Bought Part	<i>n/a</i>		1 x	
<b>Rotor button</b>		<i>to assemble brake rotor and shrink disc</i>	Buy	12 x	BR_01004
Material	Bought Part	<i>n/a</i>		1 x	
Fastener	Retaining Ring	<i>To secure brake button on rotor</i>		1 x	
Fastener	Washer	<i>Between brake button and rotor</i>		2 x	
<b>Adapter</b>		<i>Adapter for pressure sensors</i>	Make	1 x	BR_01005
Material	Steel	<i>30NCD8 steel</i>		1 x	
Process	Other: Programming	<i>Turning + milling</i>		1 x	
Process	Other: Machining setup, install and remove	<i>Turning</i>		1 x	
Process	Other: Machining (CNC)	<i>Turning, phase 1</i>		1 x	
Process	Other: Machining setup, change	<i>Turning</i>		1 x	
Process	Other: Machining (CNC)	<i>Turning, phase 2 + milling</i>		1 x	
Process	Other: Metrology	<i>Verification of the part</i>		1 x	
<b>Front brake circuit</b>		<i>Hoses stainless lines with fittings</i>	Make	1 x	BR_01006
Material	Other: Hose, Stainless Steel Braided Outer, H.P	<i>High pressure, brake lines</i>		1 x	
Material	Other: Hose, Stainless Steel Braided Outer, L.P	<i>Low pressure, for brake fluid tank</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master cylinder and tee, 1x</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master tee and caliper, 2x</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master cylinder and reservoir, 1x</i>		1 x	
Process	Other: Assemble (fittings on hoses)	<i>Assemble the fittings, 7x</i>		1 x	
Fastener	Other: Fitting, H.P., straight, Steel	<i>Between hose and master cylinder</i>		1 x	
Fastener	Other: Fitting, H.P., straight, Steel	<i>To fix hose to tee, caliper and MC</i>		6 x	

BR (Brake System)		Brake System Rear			BR_A0200
[Assembly Processes]			Make	1 x	P_BR_A0200
Material	Safety wire	Safety wire for caliper		4 x	
Material	Other: Brake pad	Brake pad, iron or steel rotor		4 x	
Material	Other: Seal, O-ring, copper	Between caliper, master cylinder, hose		4 x	
Material	Fluid	Brake fluid		1 x	
Process	Fastener install (every)	Insert button and washer		1 x	
Process	Drilled hole	On bolts head for safety wire		1 x	
Process	Other: Assemble by hand	Line up brake pad		1 x	
Process	Other: Assemble by hand	Put caliper in place with bolts, x2		1 x	
Process	Other: Tighten bolts	For brake caliper and upright, x4		1 x	
Process	Safety Wire, Install	Caliper bolts locking device, x2		1 x	
Process	Other: Assemble by hand	Positioning the tank on the mount, x1		1 x	
Process	Other: Tighten bolts	Fixing the reservoir on the mount, x1		1 x	
Process	Other: Assemble by hand	Positioning tee on tee mount, x1		1 x	
Process	Other: Tighten bolts	Fixing tee to tee mount, x1		1 x	
Process	Other: Assemble by hand	Fitting on master cylinder, x1		1 x	
Process	Other: Tighten bolts	Fixing fitting on master cylinder, x1		1 x	
Process	Other: Assemble by hand	Put hose between MC and reservoir, x1		1 x	
Process	Install Tie Wrap (Zip Tie, Cable Clamp)	Install clamp on the hose, x2		1 x	
Process	Other: Assemble by hand	Install hose between MC and tee, x1		1 x	
Process	Other: Tighten bolts	Tighten the fittings, x1		1 x	
Process	Other: Assemble by hand	Install hose between tee and caliper, x2		1 x	
Process	Other: Tighten bolts	Tighten the fittings, x4		1 x	
Process	Install Tie Wrap (Zip Tie, Cable Clamp)	Install zip tie on frame and A-arms		1 x	
Process	Other: Assemble by hand	Install pressure sensor adapter on tee		1 x	
Process	Other: Tighten bolts	Pressure sensor adapter on the tee, x1		1 x	
Process	Other: Sealing verification	Verification of absence of air, leakage		1 x	
Fastener	Other: Adapter, H.P., Female Flare Tee, Brass	Brake lines-splitter tee		1 x	
Fastener	Bolt	Banjo bolt, to fix hose to left caliper		1 x	
Fastener	Other: Nut, grade 8.8	To fix brake fluid tank		1 x	
Fastener	Other: Zip tie	Fixing tee to tee mount		1 x	
Fastener	Other: Bolt grade 8.8	To fix caliper to upright		4 x	
Fastener	Other: Washer, steel stainless	To fix caliper to upright		6 x	
Fastener	Hose Clamp	For the reservoir hose		2 x	
Fastener	Other: Zip tie	To clamp hoses on the frame		10 x	
Rear brake rotor		Sold attached with the rear brake bell	Buy	2 x	BR_02001
Material	Bought Part	n/a		1 x	

<b>Rear brake caliper</b>		<i>Béringer 2D1, dual piston 27mm bore</i>	Buy	2 x	BR_02002
Material	Bought Part	<i>n/a</i>		1 x	
<b>Rear brake reservoir</b>		<i>tank to store brake fluid</i>	Buy	1 x	BR_02003
Material	Bought Part	<i>n/a</i>		1 x	
<b>Rear brake circuit</b>		<i>Hoses stainless lines with fittings</i>	Make	1 x	BR_02005
Material	Other: Hose, Stainless Steel Braided Outer, H.P	<i>High pressure, brake lines</i>		3 x	
Material	Other: Hose, Stainless Steel Braided Outer, L.P	<i>Low pressure, for brake fluid tank</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master cylinder and tee, 1x</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master tee and caliper, 2x</i>		1 x	
Process	Other: Cut metallic hoses (grinder)	<i>Btw master cylinder and reservoir, 1x</i>		1 x	
Process	Other: Assemble (fittings on hoses)	<i>Assemble the fittings, 7x</i>		1 x	
Fastener	Other: Banjo fitting, 45°, Steel	<i>To fix hose to the left caliper</i>		1 x	
Fastener	Other: Fitting, H.P., straight, Steel	<i>To fix hose to tee, caliper and MC</i>		5 x	
Fastener	Other: Fitting, H.P., straight, Steel	<i>Between hose and master cylinder</i>		1 x	
<b>Adapter</b>		<i>Adapter for pressure sensors</i>	Make	1 x	BR_02004
Material	Steel	<i>30NCD8 steel</i>		1 x	
Process	Other: Programming	<i>Turning + milling</i>		1 x	
Process	Other: Machining setup, install and remove	<i>Turning</i>		1 x	
Process	Other: Machining (CNC)	<i>Turning, phase 1</i>		1 x	
Process	Other: Machining setup, change	<i>Turning</i>		1 x	
Process	Other: Machining (CNC)	<i>Turning + milling</i>		1 x	
Process	Other: Metrology	<i>Verification of the part</i>		1 x	

<b>EL (Electrical)</b>	<b>Control Unit</b>				EL_A0700
<b>Rear box shifter</b>	<i>protect plastic case</i>	Buy	1 x		EL_07001
<b>Rear board shifter</b>	<i>control the servo motor</i>	Make	1 x		EL_07002
<b>Servo motor cables</b>	<i>set of cable for the servo motor</i>	Buy	1 x		EL_07003
<b>Servo motor</b>	<i>controled by high power motor</i>	Buy	1 x		EL_07004
<b>servo motor support 1</b>	<i>support the servo motor assembly 1</i>	Make	1 x		EL_07005
<b>servo motor support 2</b>	<i>support the servo motor assembly 2</i>	Make	1 x		EL_07006
<b>Paddle</b>	<i>placed on the steering wheel</i>	Buy	1 x		EL_07007



<b>EL (Electrical)</b>	<b>Dash Panel</b>				<b>EL_A0100</b>
<b>Dashboard plate</b>	<i>inside the front hoop</i>	Make	1 x		EL_01001
<b>LED Bar</b>	<i>RPM display</i>	Buy	1 x		EL_01002
<b>2 way switch</b>	<i>for secondary functions</i>	Buy	4 x		EL_01003
<b>3 way switch</b>	<i>contact switch</i>	Buy	1 x		EL_01004
<b>push button red</b>	<i>with a red light circle</i>	Buy	1 x		EL_01005
<b>push button blue</b>	<i>with a blue light circle</i>	Buy	2 x		EL_01006
<b>push button</b>	<i>without any light</i>	Buy	2 x		EL_01007
<b>1 digit I2C display board</b>	<i>display engaged gear</i>	Make	1 x		EL_01008
<b>3 digit I2C display board</b>	<i>display water temp. Or Batt. Voltage</i>	Make	1 x		EL_01009
<b>front board</b>	<i>control the Dashboard and sensors</i>	Make	1 x		EL_01010
<b>front board box</b>	<i>protecting plastic case</i>	Buy	1 x		EL_01011

<b>EL (Electrical)</b>	<b>Fuses</b>				EL_A0500
<b>Rear Fuse Box</b>	<i>on the rear left hand side</i>	Buy	1 x		EL_05001
<b>Brake light Fuse 3A</b>	<i>in the Fuse box</i>	Buy	1 x		EL_05002
<b>Fuse 10A</b>	<i>in the Fuse box, Fan, Fr. har.</i>	Buy	2 x		EL_05003
<b>Lambda sensor Fuse 5A</b>	<i>in the Fuse box</i>	Buy	1 x		EL_05004
<b>Pump Fuse 20A</b>	<i>in the Fuse box</i>	Buy	1 x		EL_05005
<b>Fuse 15A</b>	<i>Servo motor ,Inject., in the Fuse Box</i>	Buy	2 x		EL_05006
<b>starter relay</b>	<i>on the right hand side of the motor</i>	Buy	1 x		EL_05007
<b>relays 35A</b>	<i>in the fuse box, fan, pump, DTA, rear</i>	Buy	4 x		EL_05008

<b>EL</b> (Electrical)	<b>Kill Switch</b>				EL_A0600
<b>Main hoop kill Switch</b>	<i>on both sides of the main hoop</i>	Buy	2 x		EL_06001
<b>24mm kill Switch</b>	<i>Dashboard and BOTS</i>	Buy	2 x		EL_06002
<b>BSPD</b>	<i>right hand side of the front hoop</i>	Make	1 x		EL_06003
<b>Crash sensor</b>	<i>right hand side of the front hoop</i>	Buy	1 x		EL_06004
<b>BSPD Box</b>	<i>protecting metal case</i>	Buy	1 x		EL_06005

<b>EL (Electrical)</b>	<b>LV-Battery</b>				EL_A0400
<b>Battery support</b>	<i>on the rear righth side</i>	Make	1 x		EL_04001
<b>LV-Battery</b>	<i>12V Battery</i>	Buy	1 x		EL_04002
<b>Battery connector</b>	<i>Battery connector</i>	Make	2 x		EL_04003
<b>Battery Fuse 250A</b>	<i>General fuse</i>	Buy	1 x		EL_04004
<b>Master switch</b>	<i>on the right hand side of the main hoop</i>	Buy	1 x		EL_04005
<b>Master switch pannel</b>	<i>on the right hand side of the main hoop</i>	Make	1 x		EL_04006
<b>Booster connector</b>	<i>on the right hand side of the main hoop</i>	Buy	1 x		EL_04007
<b>3 phase rectifier</b>	<i>mounted on the fire wall</i>	Buy	1 x		EL_04008

EL (Electrical)	Sensors				EL_A0200
data logger	MK3	Buy	1 x		EL_02001
data log connector set	connectors for the MK3	Buy	1 x		EL_02002
wheel speed sensor	on each four wheels, Hall effect	Buy	4 x		EL_02003
suspension travel sensor	on each four suspensions	Buy	4 x		EL_02004
steering wheel pos sensor	in the steering rack	Buy	1 x		EL_02005
pressure sensors	pressure of brake sys., fuel, oil	Buy	4 x		EL_02006
Lambda sensor	placed on the exhaust	Buy	1 x		EL_02007
Camshaft position sensor	present on the purchased engine	Buy	1 x		EL_02008
throttle position	linear sensor on the throttle body	Buy	1 x		EL_02009
Air temp,pressure sensor	to the ECU	Buy	1 x		EL_02010
Crankshaft pos sensor	present on the purchased engine	Buy	1 x		EL_02011
Water temp sensor	to the ECU	Buy	1 x		EL_02012
GPS Antenna	placed on top of the main hoop	Buy	1 x		EL_02013
connectors for the sensor	to the harness (fr./re.)	Buy	14 x		EL_02014
lambda connector	standard automobile connector	Buy	1 x		EL_02015

<b>camshaft sensors connecto</b>	<i>standard automobile connector</i>	Buy	1 x	EL_02016
<b>Crankshaft sensor connect</b>	<i>standard automobile connector</i>	Buy	1 x	EL_02017
<b>ECT connector</b>	<i>standard automobile connector</i>	Buy	1 x	EL_02018
<b>TPS connector</b>	<i>standard automobile connector</i>	Buy	1 x	EL_02019
<b>TMAP connector</b>	<i>standard automobile connector</i>	Buy	1 x	EL_02020

<b>EL (Electrical)</b>	<b>Wire Harness/Connectors</b>				<b>EL_A0300</b>
<b>front harness</b>	<i>link rear, dashboard, sensors</i>	Make	1 x		EL_03001
<b>rear harness</b>	<i>link fr. , servo motor, sensors, bat.</i>	Make	1 x		EL_03002
<b>connector front-rear</b>	<i>8STA71828S&amp;P, sensors and Power</i>	Buy	2 x		EL_03003
<b>connector BSPD</b>	<i>8STA70835S&amp;P, Power and DATA</i>	Buy	1 x		EL_03004
<b>connector rear board</b>	<i>8STA01497P&amp;S, Power and DATA</i>	Buy	2 x		EL_03005
<b>connector front board</b>	<i>8STA01002S&amp;P, 5V Power</i>	Buy	3 x		EL_03006
<b>Brake light</b>	<i>rear red light</i>	Buy	1 x		EL_03007
<b>ECU</b>	<i>DTAFast S80 Pro</i>	Buy	1 x		EL_03008
<b>ECU Power connector</b>	<i>power connector for the ECU</i>	Buy	1 x		EL_03009
<b>DB-9 connector</b>	<i>Access to the DTA</i>	Buy	1 x		EL_03010
<b>ECU Data connector</b>	<i>DATA Connector for the ECU</i>	Buy	1 x		EL_03011
<b>3 phase rectifier connect</b>	<i>2 pin connector</i>	Buy	2 x		EL_03012
<b>injectors connector</b>	<i>2 pin connector</i>	Buy	4 x		EL_03013
<b>Fan connector</b>	<i>For the fan - cooling system</i>	Buy	1 x		EL_03014
<b>Brake light connector</b>	<i>For the brake light - rear</i>	Buy	1 x		EL_03015

EN (Engine & Drivetrain)		Cooling System		655,08€	EN_A0600
[Assembly Processes]			Make	1 x 48,89€ = 48,89€	EN_A0600_P
Material	Fluid	Demineralized water as coolant	2 x 0,33€ = 0,66€	2L in cooling system when full	
Process	Other: Welding (Aluminium)	Radiator tabs on radiator	1 x 5,22€ = 5,22€	3 tabs of 15mm long weld, aluminum	
Process	Other: Assemble by hand	Radiator to frame	1 x 0,20€ = 0,20€	2 bolts to put in position	
Process	Other: Tighten bolts	Tighten radiator bolts	1 x 0,40€ = 0,40€	2 bolts to tighten	
Process	Other: Assemble by hand	Fixing bar on radiator	1 x 0,10€ = 0,10€	1 bolt	
Process	Other: Tighten bolts	Fixing bar to radiator	1 x 0,20€ = 0,20€	1 bolt	
Process	Other: Assemble by hand	Fixing bar to frame	1 x 0,10€ = 0,10€	1 bolt	
Process	Other: Tighten bolts	Fixing bar to frame	1 x 0,20€ = 0,20€	1 bolt	
Process	Other: Assemble by hand	Fan to radiator	1 x 0,40€ = 0,40€	4 tie straps to install	
Process	Install Tie Wrap (Zip Tie, Cable Clamp)	Tie fan to radiator	1 x 0,40€ = 0,40€	4 (tie straps) * 0.1	
Process	Other: Welding (Aluminium)	Expansion tank filler neck on core	1 x 8,69€ = 8,69€	75mm long aluminum weld	
Process	Other: Sealing verification	Expansion tank welds sealing check	1 x 3,46€ = 3,46€	Aluminum welds check-up	
Process	Other: Welding (Aluminium)	Expansion tank tab welding	1 x 0,70€ = 0,70€	6mm long weld	
Process	Other: Assemble by hand	Expansion tank on frame	1 x 0,10€ = 0,10€	1 bolt	
Process	Other: Tighten bolts	Expansion tank on frame	1 x 0,20€ = 0,20€	1 bolt	
Process	Other: Assemble by hand	Main coolant line assembly	1 x 0,80€ = 0,80€	4 clamps to install	
Process	Other: Tighten bolts	Main cooling line setup	1 x 0,80€ = 0,80€	4 clamps to tighten	
Process	Other: Assemble by hand	Secondary coolant line setup	1 x 0,40€ = 0,40€	2 clamps to install	
Process	Other: Tighten bolts	Secondary coolant line setup	1 x 0,40€ = 0,40€	2 clamps to tighten	
Process	Other: Fill with liquids, grease ...	Cooling system filling	1 x 2,04€ = 2,04€	2L of demineralized water	
Process	Other: Assemble by hand	Expansion tank cap setup	1 x 0,10€ = 0,10€	Manual operation, no tools	
Process	Other: Sealing verification	Cooling system sealing verification	1 x 6,12€ = 6,12€	Check all junctions for leaks	
Fastener	Other: Bolt grade 8.8	Maintains radiator, bar and exp. tank	5 x 0,02€ = 0,10€	5 8.8 M6 bolts	
Fastener	Other: Fitting, Weld-in, Male, Aluminum	Exp. tank exit	1 x 4,06€ = 4,06€	Exp. tank to calorstat	
Fastener	Hose Clamp	4 25-32mm for main	4 x 0,63€ = 2,52€	4 25-32mm for main	
Fastener	Hose Clamp	2 12-18 for secondary	2 x 0,56€ = 1,12€	2 12-18 for secondary	
Fastener	Other: Tie straps, blower	Attachs between radiator and fan	4 x 2,35€ = 9,40€	Attachs between radiator and fan	
<b>Radiator</b>		Aluminum radiator	Buy	1 x 380,00€ = 380,00€	EN_06001
Material	Bought Part	n/a	1 x 380,00€ = 380,00€	Aluminum radiator	
<b>Fan</b>		SPAL Fan 1360M3/H	Buy	1 x 81,75€ = 81,75€	EN_06002
Material	Bought Part	n/a	1 x 81,75€ = 81,75€	Radiator Fan	
<b>Expansion tank base</b>		Part of expansion tank welded to filler	Make	1 x 12,30€ = 12,30€	EN_06003
Material	Other: Tubing, Aluminum	Used for expansion tank core	1 x 0,47€ = 0,47€	D 24mm H 60mm e 1mm	
Material	Other: Aluminium 2017A	Tank bottom	1 x 0,04€ = 0,04€	24*24*1,5 aluminum sheet material	



Process	Other: Saw or tubing cut	Cut the expansion tank core	1 x 2,04€ = 2,04€	Tube cut at correct length
Process	Programming	Expansion tank base laser cut	1 x 0,61€ = 0,61€	Cut D24mm circle in plate
Process	Other: Laser cut setup, install and remove	Expansion tank bottom	1 x 0,01€ = 0,01€	24mm*24mm plate
Process	Laser Cut	Expansion tank bottom	1 x 0,03€ = 0,03€	87mm laser cut length
Process	Other: Metrology	Expansion tank bottom	1 x 0,41€ = 0,41€	24mm diameter circle
Process	Other: Welding (Aluminium)	Weld cut plate to tube	1 x 8,69€ = 8,69€	75mm aluminum welding
<b>Expansion tank filler nec</b>		<i>Receives the tank cap</i>	Buy	1 x 14,93€ = 14,93€ EN_06004
Material	Bought Part	n/a	1 x 14,93€ = 14,93€	Receives the tank cap
<b>Expansion tank cap</b>		<i>Expansion tank cap</i>	Buy	1 x 24,68€ = 24,68€ EN_06005
Material	Bought Part	n/a	1 x 24,68€ = 24,68€	Aluminum cap
<b>Fixing tube</b>		<i>Maintains the radiator to frame</i>	Make	1 x 5,94€ = 5,94€ EN_06006
Material	Other: Tubing, Aluminum	Keeps the radiator in place	1 x 1,44€ = 1,44€	D12*11mm*L375mm aluminum tube
Process	Other: Saw or tubing cut	Cut the raw tube at the correct length	1 x 2,04€ = 2,04€	Cut tube at fitting length
Process	Other: Press operation	Flatten ends of tube for bolts locations	1 x 0,82€ = 0,82€	Flatten both ends of tube : 2 * 0.41
Process	Drilled hole	Holes for bolts fitting	1 x 1,64€ = 1,64€	2 Manually drilled holes : 2 * 0.82
<b>Radiator tab</b>		<i>Tabs welded to the radiator</i>	Make	1 x 1,14€ = 1,14€ EN_06007
Material	Other: Aluminium 2017A	Tabs welded on the radiator	1 x 0,09€ = 0,09€	20*45*2mm aluminum plate
Process	Programming	Laser cut program	1 x 0,61€ = 0,61€	Laser cut programming cost
Process	Other: Laser cut setup, install and remove	Laser cut setup	1 x 0,01€ = 0,01€	20*45*2mm plate setup
Process	Laser Cut	Cut three tabs in aluminum	1 x 0,02€ = 0,02€	3 tabs of 85mm laser cut length each
Process	Other: Metrology	controls	1 x 0,41€ = 0,41€	controls
<b>Expansion tank tab</b>		<i>Welded to the tank</i>	Make	1 x 1,05€ = 1,05€ EN_06008
Material	Other: Aluminium 2017A	Expansion tank tab	1 x 0,01€ = 0,01€	1 plate of 15*20*1.5mm
Process	Other: Programming	programming laser cut	1 x 0,61€ = 0,61€	programming cost
Process	Other: Laser cut setup, install and remove	Laser cut setup	1 x 0,01€ = 0,01€	15*20mm plate setup
Process	Laser Cut	Laser cut tank tab	1 x 0,01€ = 0,01€	57mm laser cut on 1.5mm plate
Process	Other: Metrology	controls	1 x 0,41€ = 0,41€	controls
<b>Main coolant line</b>		<i>Engine - radiator links</i>	Make	1 x 73,36€ = 73,36€ EN_06009
Material	Other: Hose, Stainless	Main part of main coolant line	1 x 42,00€ = 42,00€	2m long D25mm stainless steel hose
Material	Other: Hose, Rubber	Joints for stainless hoses ends	1 x 15,00€ = 15,00€	1m long rubber hose, D25mm
Process	Other: Saw or tubing cut	Cut hoses at correct length	1 x 12,24€ = 12,24€	6 cuts to do
Process	Other: Assemble by hand	Assemble hoses and junctions	1 x 0,80€ = 0,80€	4 hoses clamps to install
Process	Other: Tighten bolts	Tighten hoses clamps	1 x 0,80€ = 0,80€	4 hoses clamps to tighten, screwdriver

Fastener	Hose Clamp	Hose clamps stainless/rubber hoses	4 x 0,63€ = 2,52€	25-32 hose clamps
<b>Secondary coolant line</b>		Engine - expansion tank	Make	1 x 11,04€ = 11,04€ EN_06010
Material	Other: Hose, Rubber	One hose D6-12mm	1 x 9,00€ = 9,00€	1m raw rubber hose
Process	Other: Saw or tubing cut	Cut hose to right length	1 x 2,04€ = 2,04€	Cut hose

EN (Engine & Drivetrain)		Drivetrain Assembly		4.105,32€	EN_A0700
[Assembly Processes]			Make	1 x 129,46€ = 129,46€	EN_A0700_P
Material	Fluid	Limited slip differential oil 75W140	1 x 20,54€ = 20,54€	1 L	
Material	Fluid	Tripod grease	1 x 5,80€ = 5,80€	50g	
Material	Fluid	Chain oil	1 x 1,70€ = 1,70€	10 times	
Material	Fluid	Threadlock	1 x 0,40€ = 0,40€	2 times	
Process	Other: Assemble by hand	Front sprocket with engine	1 x 0,10€ = 0,10€	1 (nbr of bolts) * 0,1	
Process	Other: Tighten bolts	Tighten bolts Front sprocket with engine	1 x 0,20€ = 0,20€	1 (nbr of bolts) * 0.2	
Process	Other: Press operation	Left roller bearing mounting	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Other: Press operation	Right roller bearing mounting	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Other: Press operation	1st needle roller bearing, differential	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Other: Press operation	2nd needle roller bearing, differential	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Other: Assemble by hand	Eccentrics and their carriers	1 x 0,40€ = 0,40€	4 (nbr of bolts) * 0,1	
Process	Other: Tighten bolts	Eccentrics and their carriers	1 x 0,80€ = 0,80€	4 (nbr of bolts) * 0.2	
Process	Other: Assemble by hand	Eccentrics carriers and differential	1 x 0,41€ = 0,41€	1 min by an operator	
Process	Other: Tighten bolts	Tighten bolts rear sprocket and adaptor	1 x 1,20€ = 1,20€	6 (nbr of bolts) * 0.2	
Process	Other: Assemble by hand	Sprocket adaptor and differential	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Fastener install (every)	Retaining ring on differential	1 x 0,10€ = 0,10€	1 (nbr of fasteners) * 0.1	
Process	Preparing	Threadlock application	1 x 0,40€ = 0,40€	2 (nbr of application)*0.2	
Process	Other: Tighten bolts	Inner tripods housings in differential	1 x 0,40€ = 0,40€	2 (nbr of bolts) * 0.2	
Process	Other: Tighten bolts	Setting on the frame	1 x 0,80€ = 0,80€	4 (nbr of bolts) * 0.2	
Process	Other: Assemble by hand	Differential assembly with frame	1 x 0,40€ = 0,40€	4 (nbr of bolts) * 0,1	
Process	Other: Fill with liquids, grease ...	Differential oil	1 x 4,08€ = 4,08€	10 min by an operator	
Process	Other: Tighten bolts	Outer tripod housing with hub	1 x 0,40€ = 0,40€	2 (nbr of bolts) * 0.2	
Process	Programming	Adjustement of driveshaft left	1 x 0,31€ = 0,31€	By a technician	
Process	Machining setup	Setup, install and remove	1 x 15,94€ = 15,94€	By operator	
Process	Machining	CNC	1 x 2,64€ = 2,64€	By operator 10600 mm3	
Process	Other: Metrology	Metrology	1 x 0,25€ = 0,25€	By a technician	
Process	Programming	Adjustment of driveshaft right	1 x 0,53€ = 0,53€	By a technician	
Process	Machining setup	Setup, install and remove	1 x 15,94€ = 15,94€	By operator	
Process	Machining	CNC	1 x 4,37€ = 4,37€	By operator 17600 cm3	
Process	Other: Metrology	Metrology	1 x 0,42€ = 0,42€	By a technician	
Process	Other: Assemble by hand	Tripods on driveshafts	1 x 0,41€ = 0,41€	1 min by an operator	
Process	Fastener install (every)	Retaining rings on driveshafts	1 x 0,80€ = 0,80€	8 (nbr of fastener) * 0.1	
Process	Other: Assemble by hand	Axle boots on driveshafts	1 x 2,04€ = 2,04€	5 min by an operator	
Process	Other: Fill with liquids, grease ...	Tripod grease	1 x 1,64€ = 1,64€	/	
Process	Fastener install (every)	Boot clamps to lock axle boots	1 x 0,80€ = 0,80€	4 (nbr of clamp) * 0.2	
Process	Preparing	Chain length adjustment	1 x 4,08€ = 4,08€	10 min by an operator	
Process	Assemble	Chain lenght installation	1 x 4,08€ = 4,08€	10 min by an operator	
Process	Other: Tighten bolts	Tighten bolts, chainshield with frame	1 x 0,40€ = 0,40€	2 (nbr of bolts) * 0.2	

Process	Aerosol Apply	Chain oil	1 x 0,80€ = 0,80€	/
Fastener	Other: Bolt grade 8.8	M6, assembly of chainshield	2 x 0,02€ = 0,04€	/
Fastener	Other: Nut, grade 8.8	M6, assembly of chainshield	2 x 0,02€ = 0,04€	/
Fastener	Other: Washer, steel stainless	M6, assembly of chainshield	4 x 0,04€ = 0,16€	/
Fastener	Other: Bolt grade 8.8	M8, assembly of excentrics carriers	8 x 0,04€ = 0,32€	/
Fastener	Other: Nut, grade 8.8	M8, assembly of excentrics carriers	6 x 0,03€ = 0,18€	/
Fastener	Other: Washer, steel stainless	M8, assembly of excentrics carriers	14 x 0,05€ = 0,70€	/
Fastener	Other: Bolt grade 8.8	M10, assembly of sprockets	7 x 0,10€ = 0,70€	/
Fastener	Other: Nut, grade 8.8	M10, assembly of sprockets	6 x 0,06€ = 0,36€	/
Fastener	Other: Washer, steel stainless	M10, assembly of sprockets	13 x 0,07€ = 0,91€	/
Fastener	Other: Bolt grade 12.9	M10, assembly of inner tripod housing	2 x 0,14€ = 0,28€	/
Fastener	Retaining Ring	External, diam 47 mm, for EN_07012	1 x 0,15€ = 0,15€	/
Fastener	Retaining Ring	External, diam 20 mm, for tripods	8 x 0,74€ = 5,92€	/
Fastener	Other: Boot clamp, ligarex strap with buckle	Assembly of axle boot, medium (33 cm)	4 x 0,90€ = 3,60€	/
Fastener	Other: Boot clamp, ligarex strap with buckle	Assembly of axle boot, large (72 cm)	4 x 0,90€ = 3,60€	/
Fastener	Other: Quick link chain	To close the chain	2 x 4,36€ = 8,72€	/

<b>Differential</b>	<i>Adjustable Limited Slip</i>	Buy	1 x 1.541,70€ = 1.541,70€	EN_07001
Material	Bought Part	n/a	1 x 1.541,70€ = 1.541,70€	provided by Drexler

<b>Eccentric left</b>	<i>Carry the differential</i>	Make	1 x 104,81€ = 104,81€	EN_07002
Material	Plastic	Delrin	1 x 12,99€ = 12,99€	185mm*185mm*23mm
Process	Programming	Milling (CNC)	1 x 17,30€ = 17,30€	By a technician, 582 000 mm3
Process	Other: Machining setup, install and remove	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Milling, phase 1	1 x 14,00€ = 14,00€	By an operator 282 000 mm3
Process	Other: Machining setup, change	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Milling, phase 2	1 x 14,90€ = 14,90€	By an operator 300 000 mm3
Process	Other: Metrology	Milling (CNC)	1 x 13,74€ = 13,74€	By a technician, 582 000 mm3

<b>Eccentric right</b>	<i>Carry the differential</i>	Make	1 x 91,69€ = 91,69€	EN_07003
Material	Plastic	Delrin	1 x 10,61€ = 10,61€	175mm*175mm*21mm
Process	Programming	Milling (CNC)	1 x 14,10€ = 14,10€	By a technician, 479 000 mm3
Process	Other: Machining setup, install and remove	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Milling, phase 1	1 x 12,00€ = 12,00€	By an operator 241 000 mm3
Process	Other: Machining setup, change	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Milling, phase 2	1 x 11,80€ = 11,80€	By an operator 238 000 mm3
Process	Other: Metrology	Milling (CNC)	1 x 11,30€ = 11,30€	By a technician, 479 000 mm3

<b>Eccentric carrier left</b>		<i>Link between drivetrain and frame</i>	Make	1 x 124,23€ = 124,23€	EN_07004
Material	Other: Aluminium, 7075 T6	10 mm thickness	1 x 15,65€ = 15,65€	367mm*190mm*10mm	
Process	Programming	Milling (CNC)	1 x 14,80€ = 14,80€	By a technician, 502 000 mm3	
Process	Other: Machining setup, install and remove	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator	
Process	Other: Machining (CNC)	Milling, phase 1	1 x 25,00€ = 25,00€	By an operator 251 000 mm3	
Process	Other: Machining setup, change	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator	
Process	Other: Machining (CNC)	Milling, phase 2	1 x 25,00€ = 25,00€	By an operator 251 000 mm3	
Process	Other: Metrology	Milling (CNC)	1 x 11,90€ = 11,90€	By a technician, 502 000 mm3	
<b>Eccentric carrier right</b>		<i>Link between drivetrain and frame</i>	Make	1 x 120,71€ = 120,71€	EN_07005
Material	Other: Aluminium, 7075 T6	10 mm thickness	1 x 14,83€ = 14,83€	367mm*180mm*10mm	
Process	Programming	Milling (CNC)	1 x 14,30€ = 14,30€	By a technician, 484 000 mm3	
Process	Other: Machining setup, install and remove	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator	
Process	Other: Machining (CNC)	Milling, phase 1	1 x 24,10€ = 24,10€	By an operator 242 000 mm3	
Process	Other: Machining setup, change	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator	
Process	Other: Machining (CNC)	Milling, phase 2	1 x 24,10€ = 24,10€	By an operator 242 000 mm3	
Process	Other: Metrology	Milling (CNC)	1 x 11,50€ = 11,50€	By a technician, 484 000 mm3	
<b>Ball bearing left</b>		<i>Ball bearing</i>	Buy	1 x 20,00€ = 20,00€	EN_07006
Material	Bought Part	n/a	1 x 20,00€ = 20,00€	provided by SKF	
<b>Ball bearing right</b>		<i>Ball bearing</i>	Buy	1 x 20,00€ = 20,00€	EN_07007
Material	Bought Part	n/a	1 x 20,00€ = 20,00€	provided by SKF	
<b>Needle roller bearing</b>		<i>Between drive shaft and differential</i>	Buy	2 x 16,00€ = 32,00€	EN_07008
Material	Bought Part	n/a	1 x 16,00€ = 16,00€	provided by SKF	
<b>Chain</b>		<i>Chain</i>	Buy	1 x 205,50€ = 205,50€	EN_07009
Material	Bought Part	n/a	1 x 205,50€ = 205,50€	With the 2 sprockets	
<b>Front sprocket</b>		<i>Link between chain and output of engine</i>	Buy	1 x 0,01€ = 0,01€	EN_07010
Material	Bought Part	n/a	1 x 0,01€ = 0,01€	bought in kit with front sprocket, chain	
<b>Rear sprocket</b>		<i>Link between chain and EN_07012</i>	Buy	1 x 0,01€ = 0,01€	EN_07011
Material	Bought Part	n/a	1 x 0,01€ = 0,01€	bought in kit with chain, rear sprocket	
<b>Rear sprocket adaptator</b>		<i>Link between rear sprocket and different</i>	Make	1 x 184,93€ = 184,93€	EN_07012
Material	Aluminum	7075 T81	1 x 0,01€ = 0,01€	Included with differential drexler	

Process	Programming	Turning + milling	1 x 27,77€ = 27,77€	By a technician, 941 000 mm3
Process	Other: Machining setup, install and remove	Turning (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Turning, phase 1	1 x 42,64€ = 42,64€	By an operator Turning 465 000 mm3
Process	Other: Machining setup, change	Turning (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Turning, phase 2	1 x 29,36€ = 29,36€	By an operator Turning 324 000 mm3
Process	Other: Machining setup, install and remove	Milling (CNC)	1 x 15,94€ = 15,94€	By an operator
Process	Other: Machining (CNC)	Milling	1 x 15,11€ = 15,11€	By an operator 152 000 mm3
Process	Other: Metrology	For turning + milling	1 x 22,22€ = 22,22€	By a technician, 941 000 mm3
<b>Chainshield</b>		<i>Protection around the chain</i>	<b>Make</b>	<b>1 x 14,79€ = 14,79€</b>
Material	Steel	S355	1 x 4,22€ = 4,22€	80°905
Process	Programming	Programming laser cut	1 x 0,89€ = 0,89€	By a technician
Process	Other: Laser cut setup, install and remove	Laser cut of the part	1 x 0,17€ = 0,17€	By an operator 0.017 m2
Process	Laser Cut	Laser cut of the part	1 x 0,76€ = 0,76€	2100 mm By an operator
Process	Other: Metrology	For laser cut operation	1 x 0,59€ = 0,59€	By a technician
Process	Bending	Bending of the part	1 x 8,16€ = 8,16€	4 bending * 2.04
<b>Driveshaft left</b>		<i>Driveshaft</i>	<b>Buy</b>	<b>1 x 192,80€ = 192,80€</b>
Material	Bought Part	n/a	1 x 192,80€ = 192,80€	Provided by RCV performance
<b>Driveshaft right</b>		<i>Driveshaft</i>	<b>Buy</b>	<b>1 x 192,80€ = 192,80€</b>
Material	Bought Part	n/a	1 x 192,80€ = 192,80€	Provided by RCV performance
<b>Tripod</b>		<i>Enable small displacement of driveshafts</i>	<b>Buy</b>	<b>4 x 77,87€ = 311,48€</b>
Material	Bought Part	n/a	1 x 77,87€ = 77,87€	Provided by RCV performance
<b>Inner tripod housing</b>		<i>Link differential and driveshaft</i>	<b>Buy</b>	<b>2 x 192,80€ = 385,60€</b>
Material	Bought Part	n/a	1 x 192,80€ = 192,80€	Provided by RCV performance
<b>Outer tripod housing</b>		<i>Link between wheel and driveshaft</i>	<b>Buy</b>	<b>2 x 192,80€ = 385,60€</b>
Material	Bought Part	n/a	1 x 192,80€ = 192,80€	Provided by RCV performance
<b>Tripod housing nut</b>		<i>Nylstop, non metric</i>	<b>Buy</b>	<b>2 x 5,80€ = 11,60€</b>
Material	Bought Part	For axial preload	1 x 5,80€ = 5,80€	Specific, Imperial unit
<b>Axle boots</b>		<i>Over driveshafts and tripod housings</i>	<b>Buy</b>	<b>4 x 8,90€ = 35,60€</b>
Material	Bought Part	n/a	1 x 8,90€ = 8,90€	Provided by RCV performance

EN (Engine & Drivetrain)		Engine		3.888,73€	EN_A0100
[Assembly Processes]		Make		1 x 162,05€ = 162,05€	55
Material	Other: Engine Sealant Paste	For clutch carter and oil pan	1 x 3,81€ = 3,81€	(70 + 60) (cm) * 0,025 (€/cm)	
Process	Other: Untighten bolts	Remove older pair plate	1 x 0,82€ = 0,82€	4 (nbr of bolts) * 0.20	
Process	Other: Assemble by hand	Put PAIR plate on the engine	1 x 0,41€ = 0,41€	0.102 * 4 (nbr of bolts)	
Process	Other: Tighten bolts	Tighten PAIR plate bolt	1 x 0,82€ = 0,82€	4 (nbr of bolts) * 0.20	
Process	Other: Untighten bolts	Remove clutch carter	1 x 2,67€ = 2,67€	13 (nbr of bolts)*0,20	
Process	Other: Untighten bolts	Remove clutch	1 x 1,23€ = 1,23€	6 (nbr of bolts)*0,20	
Process	Other: Assemble by hand	Remove older shifter axis, put new one	1 x 6,12€ = 6,12€	15 min of Operator time	
Process	Fastener install (every)	Circlip to lock the axis on engine	1 x 0,21€ = 0,21€	2 (nbr of retaining ring) * 0.105	
Process	Other: Tighten bolts	Permit to lock gear on the engine	1 x 0,21€ = 0,21€	1 (nb of bolts)*0.205	
Process	Other: Assemble by hand	Instal wet slipper clutch, clutch discs	1 x 4,08€ = 4,08€	10 min of operator time	
Process	Other: Tighten bolts	Lock the slipper clutch	1 x 1,00€ = 1,00€	5 (nbr of bolts)*0,20	
Process	Other: Assemble by hand	Clutch engine casing with sealing	1 x 6,12€ = 6,12€	15 min of operator time	
Process	Other: Tighten bolts	Engine casing screws	1 x 2,67€ = 2,67€	13 (nb of bolts)*0,2	
Process	Other: Untighten bolts	Remove older oil pressure sensor	1 x 0,20€ = 0,20€	1 (nbr of sensor) * 0.2	
Process	Other: Tighten bolts	New Adaptator oil pressure	1 x 0,20€ = 0,20€	1 (nbr of adaptater) * 0.2	
Process	Other: Welding (Aluminium)	Drain outlet to oil sump shell	1 x 12,24€ = 12,24€	12,24	
Process	Other: Welding (Aluminium)	Oil sump shell to joint plate	1 x 69,97€ = 69,97€	583,1*0,12	
Process	Other: Welding (Aluminium)	Anti planning plate and oil sump shell	1 x 10,08€ = 10,08€	84*0,12	
Process	Other: Welding (Aluminium)	Draining outlet, male fitting weld-in	1 x 1,13€ = 1,13€	9,42*0,12	
Process	Fastener install (every)	Plug to close the drain outlet	1 x 0,10€ = 0,10€	1 (nbr of plug) * 0.1	
Process	Other: Tighten bolts	Close the drain outlet	1 x 0,20€ = 0,20€	1 (nbr of plug) * 0.2	
Process	Other: Untighten bolts	Remove the older oil shell	1 x 2,60€ = 2,60€	13(nbr of bolts)*0,2	
Process	Other: Assemble by hand	Draining, modif. Oil strainer, new pan	1 x 12,24€ = 12,24€	30 min of operator time	
Process	Other: Tighten bolts	Lock the oil pan on the engine	1 x 0,20€ = 0,20€	1*0,20	
Process	Other: Fill with liquids, grease ...	Engine oil	1 x 2,04€ = 2,04€	5 min of operator time	
Process	Other: Assemble by hand	Oil filter	1 x 2,04€ = 2,04€	5 min of operator time	
Process	Other: Untighten bolts	Remove older thermostat of engine	1 x 0,40€ = 0,40€	2*0,20	
Process	Other: Assemble by hand	Put new thermostat	1 x 0,20€ = 0,20€	2*0,10	
Process	Other: Tighten bolts	Lock the thermostat on the engine	1 x 0,40€ = 0,40€	2*0,20	
Process	Other: Assemble by hand (>10kg)	Put the engine on the frame	1 x 8,16€ = 8,16€	10 min for 2 operators	
Process	Other: Tighten bolts	Engine mount	1 x 0,60€ = 0,60€	3*0,20	
Fastener	Other: Washer, steel stainless	Rear engine mount	4 x 0,09€ = 0,36€	0.089	
Fastener	Other: Washer, steel stainless	Joint plate on the engine	13 x 0,03€ = 0,39€	0.029	
Fastener	Other: Washer, steel stainless	PAIR Plate on the engine	4 x 0,03€ = 0,12€	0.029	
Fastener	Other: Retaining ring, external	To lock shifter axis inside the engine	2 x 0,02€ = 0,04€	0.022	
Fastener	Other: Bolt grade 8.8	M12, Center bolt for clutch system	1 x 0,70€ = 0,70€	0.7	
Fastener	Other: Bolt grade 8.8	M8x40, Btw shifter gear and engine	1 x 0,05€ = 0,05€	1 (nbr of bolt) * 0.05	
Fastener	Other: Fitting, Weld-in, Male, Aluminum	To drain engine, weld with oil sump	1 x 4,06€ = 4,06€	1 (nbr of fitting to weld) * 4.06	

Fastener	Other: Fitting, L.P, female plug, aluminium	Plug for draining outlet	1 x 3,16€ = 3,16€	1 (dash 6 plug) * 3.16	
<b>Honda CBR600RR Engine</b> <i>Second-hand, PC40</i> Buy 1 x 2.700,00€ = 2.700,00€ EN_01001					
Material	Bought Part	n/a	1 x 2.700,00€ = 2.700,00€	Second hand from Accimoto	
<b>Spark plugs</b> <i>Second hand</i> Buy 4 x 0,01€ = 0,04€ EN_01003					
Material	Bought Part	n/a	1 x 0,01€ = 0,01€	Sold with the engine	
<b>Wet slipper clutch</b> <i>To help with downshifting</i> Buy 1 x 667,18€ = 667,18€ EN_01004					
Material	Bought Part	n/a	1 x 667,00€ = 667,00€	Bought new, price without taxes, Maxxess	
Fastener	Other: Bolt grade 8.8	M6, To contraint the clutch mecanism	6 x 0,03€ = 0,18€	0.03	
<b>Thermostat</b> <i>From PC37, new</i> Buy 1 x 57,54€ = 57,54€ EN_01005					
Material	Bought Part	n/a	1 x 57,50€ = 57,50€	From honda, price without taxes	
Fastener	Other: Bolt grade 8.8	M6, Top of thermostat and thermostat	2 x 0,02€ = 0,04€	0.02	
<b>PAIR plate</b> <i>Permit to close the PAIR sensors</i> Make 2 x 1,61€ = 3,22€ EN_01006					
Material	Other: Aluminium 2017A	Sheet 2mm	1 x 0,41€ = 0,41€	For one pair plate : 0,00424*97,20	
Process	Other: Programming	Laser cut	1 x 0,61€ = 0,61€	Laser cut - Operator	
Process	Other: Laser cut setup, install and remove	Laser cut	1 x 0,10€ = 0,10€	For one pair plate: 0,00424*2.37	
Process	Laser Cut	Laser cut	1 x 0,08€ = 0,08€	Laser cut for one pair plate=222*0,0003	
Process	Other: Metrology	To be completed	1 x 0,41€ = 0,41€	Metrology - Operator	
<b>Adaptater oil pressure</b> <i>Permit to plug our oil pressure sensors</i> Make 1 x 31,63€ = 31,63€ EN_01007					
Material	Other: Aluminium 2017A	Raw material	1 x 0,17€ = 0,17€	9852*1,75E-5	
Process	Other: Programming	Turning (+ milling)	1 x 0,20€ = 0,20€	2.04E-5*9852	
Process	Other: Machining setup, install and remove	Turning	1 x 14,17€ = 14,17€	14,17	
Process	Other: Machining (CNC)	Turning, phase 1	1 x 0,89€ = 0,89€	9,06E-5*9852	
Process	Other: Machining setup, change	Turning	1 x 14,17€ = 14,17€	14,17	
Process	Other: Machining (CNC)	Turning, phase 2 + milling	1 x 1,87€ = 1,87€	(9.06E-5+9.94E-5)*9852	
Process	Other: Metrology	Turning	1 x 0,16€ = 0,16€	1,63E-5*9852	
<b>Oil sump shell</b> <i>Contain engine's oil</i> Make 1 x 15,65€ = 15,65€ EN_01008					
Material	Other: Aluminium 2017A	Sheet 2,5mm	1 x 6,08€ = 6,08€	0.05*121,50	
Process	Other: Programming	Laser cut	1 x 0,61€ = 0,61€	0,61	
Process	Other: Laser cut setup, install and remove	Laser cut	1 x 0,01€ = 0,01€	2.37*0,05	
Process	Laser Cut	Laser cut	1 x 0,38€ = 0,38€	1056,4*0,000362	
Process	Other: Metrology	Laser cut	1 x 0,41€ = 0,41€	0,41	
Process	Bending	x4, 1 bending for each side, 90 degrees	1 x 8,16€ = 8,16€	4 (nbr of bendings) * 2.04	



<b>Join plate</b>		<i>Weld with sump shell, attached to engine</i>	Buy	1 x 75,00€ = 75,00€	EN_01009
Material	Bought Part	n/a		1 x 75,00€ = 75,00€	<i>Subcontracting, too thick (8mm)</i>
<b>Anti-planing plate</b>		<i>Limit oil move, welded with oil sump</i>	Make	1 x 2,04€ = 2,04€	EN_01010
Material	Other: Aluminium 2017A	<i>Sheet 2,5mm</i>		1 x 0,85€ = 0,85€	<i>0,007*121,5</i>
Process	Other: Programming	<i>Laser cut</i>		1 x 0,61€ = 0,61€	<i>To be completed</i>
Process	Other: Laser cut setup, install and remove	<i>Laser cut</i>		1 x 0,02€ = 0,02€	<i>0.007*2.37</i>
Process	Laser Cut	<i>Laser cut</i>		1 x 0,15€ = 0,15€	<i>417.1*3.62E-4</i>
Process	Other: Metrology	<i>Laser cut</i>		1 x 0,41€ = 0,41€	<i>0,41</i>
<b>Smooth clutch disc</b>		<i>Discs of the clutch system, new</i>	Buy	8 x 5,00€ = 40,00€	EN_01011
Material	Bought Part	n/a		1 x 5,00€ = 5,00€	<i>Bought from Maxxes, price without taxes</i>
<b>Lining clutch disc</b>		<i>Discs of the clutch system, new</i>	Buy	7 x 8,00€ = 56,00€	EN_01012
Material	Bought Part	n/a		1 x 8,00€ = 8,00€	<i>Buy from Maxxes, price without taxes</i>
<b>Shifter axis</b>		<i>Shaft between Shifter and gear motor</i>	Make	1 x 37,52€ = 37,52€	EN_01013
Material	Other: Steel, 25CD4	<i>Round</i>		1 x 1,09€ = 1,09€	<i>73200*1,49E-5</i>
Process	Other: Programming	<i>Turning (+ milling)</i>		1 x 2,99€ = 2,99€	<i>73200*(2,04E-4+2,04E-4))</i>
Process	Other: Machining setup, install and remove	<i>Turning</i>		1 x 14,17€ = 14,17€	<i>14,17</i>
Process	Other: Machining (CNC)	<i>Turning, phase 1</i>		1 x 4,09€ = 4,09€	<i>45135*9,06E-5</i>
Process	Other: Machining setup, change	<i>Turning</i>		1 x 14,17€ = 14,17€	<i>14,17</i>
Process	Other: Machining (CNC)	<i>Turning, phase 2 + milling</i>		1 x 0,39€ = 0,39€	<i>109.3*9,06E-5+9,94E-5*37960</i>
Process	Other: Metrology	<i>Turning</i>		1 x 0,62€ = 0,62€	<i>37960*1,63E-5</i>
<b>Shifter gear</b>		<i>Assemble with shifter axis</i>	Make	1 x 40,66€ = 40,66€	EN_01014
Material	Other: Steel, 25CD4	<i>Round</i>		1 x 1,19€ = 1,19€	<i>80157*1,49E-5</i>
Process	Other: Programming	<i>Turning</i>		1 x 1,64€ = 1,64€	<i>80157*2,04E-5</i>
Process	Other: Machining setup, install and remove	<i>Turning</i>		1 x 14,17€ = 14,17€	<i>14,17</i>
Process	Other: Machining (CNC)	<i>Turning, phase 1</i>		1 x 5,71€ = 5,71€	<i>63121*9,06E-5</i>
Process	Other: Machining setup, change	<i>Turning</i>		1 x 14,17€ = 14,17€	<i>14,17</i>
Process	Other: Machining (CNC)	<i>Turning, phase 2 + milling</i>		1 x 3,28€ = 3,28€	<i>2683*9,06E-5+30630*9,94E-5</i>
Process	Other: Metrology	<i>Turning</i>		1 x 0,50€ = 0,50€	<i>30630*1,63E-5</i>
<b>Fuel injectors</b>		<i>Second hand</i>	Buy	4 x 0,05€ = 0,20€	EN_01002
Material	Bought Part	n/a		1 x 0,01€ = 0,01€	<i>Sold with the engine</i>
Material	Other: Seal, O-ring, Elastomer	<i>Ensure sealing</i>		4 x 0,01€ = 0,04€	<i>Sold with the engine</i>

EN (Engine & Drivetrain)		Exhaust System		2.006,59€	EN_A0200
[Assembly Processes]		Make		1 x 30,23€ = 30,23€	P_EN_A0200
Material	Other: Seal, O-ring, copper	Ensure the sealing with the engine	4 x 1,48€ = 5,92€	by O-ring	
Process	Other: Assemble by hand	Exhaust flange to exhaust headers	1 x 0,40€ = 0,40€	0.10 €/exhaust flange * 4	
Process	Other: Assemble by hand	Assemble O-ring seal to engine	1 x 0,40€ = 0,40€	0.10 €/O-ring seal * 4	
Process	Other: Assemble by hand	Assemble headers to engine with nuts	1 x 0,80€ = 0,80€	0.10 €/nut * 8 nuts	
Process	Other: Tighten bolts	Tighten exhaust nuts	1 x 1,60€ = 1,60€	0.20 €/nut * 8 nuts	
Process	Other: Assemble by hand	Assemble 1st tubing collector to headers	1 x 4,90€ = 4,90€	2.45 €/1st tubing collector	
Process	Other: Assemble by hand	Assemble 2nd tubing collector to 1st	1 x 2,45€ = 2,45€	2.45 €/2nd tubing collector	
Process	Other: Assemble by hand	Assemble muffler to collector	1 x 2,45€ = 2,45€	2.45 * 1	
Process	Other: Assemble by hand	Assemble the springs	1 x 0,50€ = 0,50€	0.10 €/spring	
Process	Other: Assemble by hand	Assemble muffler clamp to muffler and M3	1 x 0,10€ = 0,10€	0.10 € * 1 bolt	
Process	Other: Tighten bolts	Tighten muffler clamp bolt	1 x 0,20€ = 0,20€	0.20 € * 1 bolt	
Process	Other: Assemble by hand	Assemble the loop strap to the frame	1 x 0,10€ = 0,10€	0.10 € * 1 loop strap	
Process	Other: Tighten bolts	Tighten the loop strap bolt	1 x 0,20€ = 0,20€	0.20 € * 1 loop strap	
Process	Other: Assemble by hand	Bolt, washer into loop strap	1 x 0,10€ = 0,10€	0.10 € * 1 bolt	
Process	Other: Tighten bolts	Tighten the bolt to the loop strap	1 x 0,20€ = 0,20€	0.20 € * 1 bolt	
Fastener	Other: Steel loop Straps, Rubber-Cushioned	Link up the muffler clamp to the frame	1 x 2,08€ = 2,08€	2.08 €/loop strap	
Fastener	Other: Exhaust nuts	Bought with the engine	8 x 0,01€ = 0,08€	Included within engine price	
Fastener	Other: Bolt grade 8.8	M10	1 x 0,09€ = 0,09€	M10x30mm	
Fastener	Other: Washer, steel stainless	Steel stainless, M10	1 x 0,07€ = 0,07€	0.07 * 1 (nbr of bolt)	
Fastener	Other: Spring, exhaust system	Link up parts of the system	5 x 1,50€ = 7,50€	1.50 € by spring	
Fastener	Other: Bolt grade 8.8	For muffler, M3	1 x 0,02€ = 0,02€	M3 x 20mm	
Fastener	Other: Nut, grade 8.8	For muffler, M3	1 x 0,03€ = 0,03€	M3	
Fastener	Other: Washer, steel stainless	For muffler, M3	2 x 0,02€ = 0,04€	M3	
Exhaust header n°1		Collect gas from the 1st cylinder	Make	1 x 126,63€ = 126,63€	EN_02001
Material	Other: Tubing, Steel stainless, to weld	45°, r=55mm, l=43.2mm	1 x 3,40€ = 3,40€	0.08 €/° * 45°	
Material	Other: Tubing, Steel stainless, to weld	l=140mm	1 x 0,91€ = 0,91€	6.50 €/m * 0.14 m	
Material	Other: Tubing, Steel stainless, to weld	90°, r=55mm, l=84.4mm	1 x 6,80€ = 6,80€	0.08 €/° * 90°	
Material	Other: Tubing, Steel stainless, to weld	l=100mm	1 x 0,65€ = 0,65€	6.50 €/m * 0.10 m	
Process	Preparing	Preparing before welding	1 x 28,84€ = 28,84€	7.21 €/tube * 4 tubes	
Process	Other: Steel welding	Exhaust tip and tubes welding together	1 x 51,60€ = 51,60€	0.12 €/mm * 430 mm	
Process	Other: Steel welding	Spring hooks welding	1 x 1,92€ = 1,92€	0.12 €/mm * 16 mm	
Process	Sandblasting	Coating preparing	1 x 0,01€ = 0,01€	Outsourced	
Process	Coating	Ceramic coating	1 x 32,49€ = 32,49€	Outsourced	
Fastener	Other: Spring hooks	Hold the exhaust springs on the collecto	1 x 0,01€ = 0,01€	Bought with exhaust springs	

Exhaust header n°2			Collect gas from the 2nd cylinder	Make	1 x 229,99€ = 229,99€	EN_02002
Material	Other: Tubing, Steel stainless, to weld		<i>l=40mm</i>	1 x 0,26€ = 0,26€	6.50 €/m * 0.040 m	
Material	Other: Tubing, Steel stainless, to weld		<i>45 °, r=55mm, l=43.2mm</i>	1 x 3,40€ = 3,40€	0.08 €/° * 45 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=55mm</i>	1 x 0,36€ = 0,36€	6.50 €/m * 0.055 m	
Material	Other: Tubing, Steel stainless, to weld		<i>40 °, r=55mm, l=38.4mm</i>	1 x 3,02€ = 3,02€	0.08 €/° * 40 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=45mm</i>	1 x 0,29€ = 0,29€	6.50 €/m * 0.045 m	
Material	Other: Tubing, Steel stainless, to weld		<i>50 °, r=55mm, l=48mm</i>	1 x 3,78€ = 3,78€	0.08 €/° * 50 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=20mm</i>	1 x 0,13€ = 0,13€	6.50 €/m * 0.020 m	
Material	Other: Tubing, Steel stainless, to weld		<i>35 °, r=55mm, l=33.6mm</i>	1 x 2,64€ = 2,64€	0.08 €/° * 35 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=60mm</i>	1 x 0,39€ = 0,39€	6.50 €/m * 0.060 m	
Process	Preparing		<i>Preparing before welding</i>	1 x 64,89€ = 64,89€	7.21 €/tube * 9 tubes	
Process	Other: Steel welding		<i>Exhaust tip and tubes welding together</i>	1 x 116,40€ = 116,40€	0.12 €/mm * 970 mm	
Process	Other: Steel welding		<i>Spring hooks welding</i>	1 x 1,92€ = 1,92€	0.12 €/mm * 16 mm	
Process	Sandblasting		<i>Coating preparing</i>	1 x 0,01€ = 0,01€	Outsourced	
Process	Coating		<i>Ceramic coating</i>	1 x 32,49€ = 32,49€	Outsourced	
Fastener	Other: Spring hooks		<i>Hold the exhaust springs on the collecto</i>	1 x 0,01€ = 0,01€	Bought with exhaust springs	

  

Exhaust header n°3			Collect gas from the 3rd cylinder	Make	1 x 139,81€ = 139,81€	EN_02003
Material	Other: Tubing, Steel stainless, to weld		<i>35 °, r=55mm, l=33.6mm</i>	1 x 2,64€ = 2,64€	0.08 €/° * 35 °	
Material	Other: Tubing, Steel stainless, to weld		<i>120 °, r=55mm, l=115.2mm</i>	1 x 9,07€ = 9,07€	0.08 €/° * 120 °	
Material	Other: Tubing, Steel stainless, to weld		<i>172 °, r=55mm, l=165.1mm</i>	1 x 13,00€ = 13,00€	0.08 €/° * 172 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=35mm</i>	1 x 0,23€ = 0,23€	6.50 €/m * 0.035 m	
Process	Preparing		<i>Preparing before welding</i>	1 x 28,84€ = 28,84€	7.21 €/tube * 4 tubes	
Process	Other: Steel welding		<i>Exhaust tip and tubes welding together</i>	1 x 51,60€ = 51,60€	0.12 €/mm * 430 mm	
Process	Other: Steel welding		<i>Spring hooks welding</i>	1 x 1,92€ = 1,92€	0.12 €/mm * 16 mm	
Process	Sandblasting		<i>Coating preparing</i>	1 x 0,01€ = 0,01€	Outsourced	
Process	Coating		<i>Ceramic coating</i>	1 x 32,49€ = 32,49€	Outsourced	
Fastener	Other: Spring hooks		<i>Hold the exhaust springs on the collecto</i>	1 x 0,01€ = 0,01€	Bought with exhaust springs	

  

Exhaust header n°4			Collect gas from the 4th cylinder	Make	1 x 161,45€ = 161,45€	EN_02004
Material	Other: Tubing, Steel stainless, to weld		<i>45 °, r=55mm, l=43.2mm</i>	1 x 3,40€ = 3,40€	0.08 €/° * 45 °	
Material	Other: Tubing, Steel stainless, to weld		<i>102 °, r=55mm, l=98mm</i>	1 x 7,71€ = 7,71€	0.08 €/° * 102 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=15mm</i>	1 x 0,10€ = 0,10€	6.50 €/m * 0.015 m	
Material	Other: Tubing, Steel stainless, to weld		<i>195 °, r=55mm, l=187.2mm</i>	1 x 14,73€ = 14,73€	0.08 €/° * 195 °	
Material	Other: Tubing, Steel stainless, to weld		<i>l=35mm</i>	1 x 0,23€ = 0,23€	6.50 €/m * 0.035 m	
Process	Preparing		<i>Preparing before welding</i>	1 x 36,05€ = 36,05€	7.21 €/tube * 5 tubes	
Process	Other: Steel welding		<i>Exhaust tip and tubes welding together</i>	1 x 64,80€ = 64,80€	0.12 €/mm * 540 mm	
Process	Other: Steel welding		<i>Spring hooks welding</i>	1 x 1,92€ = 1,92€	0.12 €/mm * 16 mm	
Process	Sandblasting		<i>Coating preparing</i>	1 x 0,01€ = 0,01€	Outsourced	
Process	Coating		<i>Ceramic coating</i>	1 x 32,49€ = 32,49€	Outsourced	

Fastener	Other: Spring hooks	Hold the exhaust springs on the collector	1 x 0,01€ = 0,01€	Bought with the exhaust springs
<b>1st tubing collector n°1</b>		<i>Collect gas from exhaust header 1 and 4</i>	<b>Make</b>	<b>1 x 321,71€ = 321,71€</b>
Material	Other: Tubing, Steel stainless, to weld	<i>l=50mm</i>	1 x 0,50€ = 0,50€	10 €/m * 0.050 m
Material	Other: Tubing, Steel stainless, to weld	<i>35°, r=55mm, l=33.6mm</i>	2 x 6,22€ = 12,44€	16 €/° * 35°
Material	Other: Tubing, Steel stainless, to weld	<i>l=44mm</i>	1 x 0,44€ = 0,44€	10 €/m * 0.044 m
Material	Other: Tubing, Steel stainless, to weld	<i>To do the Y collector</i>	2 x 0,98€ = 1,96€	6,50 €/m * 0.15m
Material	Other: Tubing, Steel stainless, to weld	<i>Connection to other parts of exhaust</i>	2 x 0,24€ = 0,48€	6.50 €/m * 0.037 m
Process	Preparing	<i>Preparing before welding the Y collector</i>	1 x 129,79€ = 129,79€	129.79 €/Y
Process	Other: Steel welding	<i>Welding the two parts of the Y collector</i>	1 x 19,20€ = 19,20€	0.12 €/mm * 160 mm
Process	Preparing	<i>Preparing before welding</i>	1 x 14,42€ = 14,42€	7.21 €/tube * 2 tubes
Process	Other: Steel welding	<i>Welding the connection tube to the Y</i>	1 x 25,68€ = 25,68€	7.21 €/mm * 114 mm
Process	Preparing	<i>Preparing before welding</i>	1 x 28,84€ = 28,84€	7.21 €/tube * 4 tubes
Process	Other: Steel welding	<i>Tubes welding together</i>	1 x 51,60€ = 51,60€	0.12 €/mm * 430 mm
Process	Sandblasting	<i>Coating preparing</i>	1 x 0,01€ = 0,01€	Outsourced
Process	Coating	<i>Ceramic coating</i>	1 x 32,49€ = 32,49€	Outsourced
Process	Other: Steel welding	<i>Spring hooks welding</i>	1 x 3,84€ = 3,84€	0.12 €/mm * 32 mm
Fastener	Other: Spring hooks	<i>Hold the exhaust springs on the collector</i>	2 x 0,01€ = 0,02€	Bought with exhaust springs
<b>1st tubing collector n°2</b>		<i>Collect gas from exhaust header 2 and 3</i>	<b>Make</b>	<b>1 x 247,76€ = 247,76€</b>
Material	Other: Tubing, Steel stainless, to weld	<i>l=139mm</i>	1 x 1,39€ = 1,39€	10 €/m * 0.139 m
Material	Other: Tubing, Steel stainless, to weld	<i>To do the Y</i>	2 x 0,98€ = 1,96€	6,50 €/m * 0.15m
Material	Other: Tubing, Steel stainless, to weld	<i>Connection to other parts of exhaust</i>	2 x 0,24€ = 0,48€	6.50 €/m * 0.037
Process	Preparing	<i>Preparing before welding the Y collector</i>	1 x 129,79€ = 129,79€	129.79 €/Y
Process	Other: Steel welding	<i>Welding the two parts of the Y collector</i>	1 x 19,20€ = 19,20€	0.12 €/mm * 160 mm
Process	Preparing	<i>Preparing before welding the connection</i>	1 x 14,42€ = 14,42€	7.21 €/tube * 2 tubes
Process	Other: Steel welding	<i>Welding the connection tube to the Y</i>	1 x 25,68€ = 25,68€	0.12 €/mm * 214 mm
Process	Preparing	<i>Preparing before welding</i>	1 x 7,21€ = 7,21€	7.21 €/tube * 1 tube
Process	Other: Steel welding	<i>Tubes welding together</i>	1 x 13,20€ = 13,20€	0.12 €/mm * 110 mm
Process	Other: Steel welding	<i>Spring hooks welding</i>	1 x 1,92€ = 1,92€	0.12 €/mm * 16 mm
Process	Sandblasting	<i>Coating preparing</i>	1 x 0,01€ = 0,01€	Outsourced
Process	Coating	<i>Ceramic coating</i>	1 x 32,49€ = 32,49€	Outsourced
Fastener	Other: Spring hooks	<i>Hold the exhaust springs on the collector</i>	1 x 0,01€ = 0,01€	Bought with exhaust springs
<b>2nd tubing collector</b>		<i>Collect gas from primary collectors</i>	<b>Make</b>	<b>1 x 330,09€ = 330,09€</b>
Material	Other: Tubing, Steel stainless, to weld	<i>90°, r=75mm, l=117.8mm</i>	1 x 9,00€ = 9,00€	0.10 €/° * 90°
Material	Other: Tubing, Steel stainless, to weld	<i>50°, r=75mm, l=65.4mm</i>	1 x 5,00€ = 5,00€	0.10 €/° * 50°
Material	Other: Tubing, Steel stainless, to weld	<i>l=20mm</i>	1 x 0,26€ = 0,26€	13 €/m * 0.020 m
Material	Other: Tubing, Steel stainless, to weld	<i>To do the Y</i>	2 x 1,00€ = 2,00€	none
Material	Other: Tubing, Steel stainless, to weld	<i>Connection to other parts of exhaust</i>	2 x 0,37€ = 0,74€	10 €/m * 0.037 m

Process	Preparing	Preparing before welding the Y collector	1 x 129,79€ = 129,79€	129.79 €/Y
Process	Other: Steel welding	Welding the two parts of the Y collector	1 x 19,20€ = 19,20€	0.12 €/mm * 160 mm
Process	Preparing	Preparing before welding the connection	1 x 14,42€ = 14,42€	7.21 €/tube * 2 tubes
Process	Other: Steel welding	Welding the connection tube to the Y	1 x 32,16€ = 32,16€	0.12 €/mm * 264 mm
Process	Preparing	Preparing before welding	1 x 21,63€ = 21,63€	7.21 €/tube * 3 tubes
Process	Other: Steel welding	Tubes welding together	1 x 57,60€ = 57,60€	0.12 €/mm * 480 mm
Process	Other: Steel welding	Spring hooks welding	1 x 5,76€ = 5,76€	0.12 €/mm * 48 mm
Process	Sandblasting	Coating preparing	1 x 0,01€ = 0,01€	Outsourced
Process	Coating	Ceramic coating	1 x 32,49€ = 32,49€	Outsourced
Fastener	Other: Spring hooks	Hold the exhaust springs on the collecto	3 x 0,01€ = 0,03€	Bought with exhaust springs
<b>Exhaust flange</b>		Join the collector to the engine	Make	4 x 7,77€ = 31,08€ EN_02008
Material	Steel	S355 ep 3mm, exhaust flange materials	1 x 0,20€ = 0,20€	58.275 €/m^2 * 3400 mm^2
Process	Programming	Programming the exhaust flange machining	1 x 0,61€ = 0,61€	Operator - fixed cost
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,81€ = 0,81€	2.37 €/m^2 * 3400 mm^2
Process	Laser Cut	Cut the plate	1 x 0,13€ = 0,13€	3.63E-4 €/mm * 360 mm
Process	Other: Metrology	Metrology of the exhaust flange	1 x 0,41€ = 0,41€	Operator - fixed cost
Process	Sandblasting	Coating preparing	1 x 0,01€ = 0,01€	Outsourced
Process	Coating	Ceramic coating	1 x 5,60€ = 5,60€	Outsourced
<b>Muffler</b>		Buy with a chicane	Buy	1 x 250,00€ = 250,00€ EN_02009
Material	Bought Part	n/a	1 x 250,00€ = 250,00€	none
<b>Muffler clamp</b>		Fasten the muffler to the frame	Make	1 x 17,00€ = 17,00€ EN_02010
Material	Aluminum	2017A ep 1.5mm - Muffler clamp materials	1 x 0,90€ = 0,90€	72.90 €/m^2 * 12300 mm^2
Process	Programming	Programming exhaust clamp machining	1 x 0,61€ = 0,61€	Operator - fixed cost
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 2,93€ = 2,93€	2.37 €/m^2 * 12300 mm^2
Process	Laser Cut	Cut the plate	1 x 0,32€ = 0,32€	3.62E-4 €/mm * 880 mm
Process	Other: Metrology	Metrology of the exhaust clamp	1 x 0,41€ = 0,41€	Operator - fixed cost
Process	Bending	Change the plate shape	1 x 10,20€ = 10,20€	2.04 €/bending * 5
Process	Drilled hole	M3 and M10	1 x 1,63€ = 1,63€	0.82 €/hole * 2 holes
<b>Exhaust tip</b>		Part chich link collector to engine	Make	4 x 30,21€ = 120,84€ EN_02011
Material	Other: Steel, 25CD4	Exhaust tip material	1 x 2,23€ = 2,23€	1.49E-5 €/mm^3 * 15E4 mm^3
Process	Programming	Turning (CNC)	1 x 2,45€ = 2,45€	2.04E-5 €/mm^3 * 12E4 mm^3
Process	Other: Machining setup, install and remove	Turning (CNC)	1 x 14,17€ = 14,17€	By operator, fixed cost
Process	Other: Machining (CNC)	Turning	1 x 10,87€ = 10,87€	9.06E-5 €/mm^3 * 12E4 mm^3
Process	Other: Metrology	Turning (CNC)	1 x 0,49€ = 0,49€	1.63E-5 €/mm^3 * 3E4 mm^3

EN (Engine & Drivetrain)		Fuel Tank – NOT THE HV-Battery	282,22€		EN_A0900
[Assembly Processes]			Make	1 x 128,88€ = 128,88€	EN_A0900_P
Material	Other: Fiberglass Insulation	Thermal protection of the Fuel Tank	1 x 12,29€ = 12,29€	122.9€/m^2 * 0.1m^2	
Material	Other: Glue, High temperature resistance	To fix the thermal protection	1 x 7,75€ = 7,75€	fixed cost	
Material	Fluid	gasoline 98RON for engine checks	1 x 2,75€ = 2,75€	1.65€/L *2L	
Process	Other: Welding (Aluminium)	Fuel Tank welding	1 x 53,52€ = 53,52€	0.12€/cm * 446cm	
Process	Other: Assemble by hand	Vibration dampings sandwich on Fuel tank	1 x 0,40€ = 0,40€	0.1€ * 4 dampings	
Process	Other: Tighten bolts	Tighten vibration damping sandwich-Tank	1 x 0,80€ = 0,80€	0.2€ * 4 dampings	
Process	Other: Assemble by hand	Fuel tank on the tabs	1 x 0,40€ = 0,40€	0.1€ * 4 dampings	
Process	Other: Tighten bolts	Tighten Fuel tank on the tabs	1 x 0,80€ = 0,80€	0.2€ * 4 bolts	
Process	Drilled hole	Fuel Check Valve hole (20mm)	1 x 0,82€ = 0,82€	0.82€ * 1 hole	
Process	Other: Sealing verification	For alu welded part of the fuel tank	1 x 3,46€ = 3,46€	operator-fixed cost	
Process	Cut (scissors, knife)	Thermal protection to the Fuel Tank	1 x 4,08€ = 4,08€	0.002 €/mm * 2000mm	
Process	Liquid Applicator Gun	To fix the thermal protection	1 x 0,82€ = 0,82€	Operator-fixed cost	
Process	Other: Fill with liquids, grease ...	Gasoline in filler tube	1 x 2,04€ = 2,04€	operator-fixed cost	
Process	Other: Sealing verification	Sealng test to the fuel line	1 x 6,62€ = 6,62€	6.12€ operator-fixed cost	
Fastener	Other: Mount, vibration damping, Sandwich	Vibration-damping sandwitch fuel tank	4 x 4,80€ = 19,20€	4.80€ by vibration damping	
Fastener	Other: Nut, grade 8.8	M4 nut vibration damping	4 x 0,03€ = 0,12€	M4	
Fastener	Other: Washer, steel stainless	M4 washer for vibration damping	8 x 0,02€ = 0,16€	M4	
Fastener	Other: Bolt grade 8.8	M4 bolt vibration damping	4 x 0,02€ = 0,08€	M4	
Fastener	Other: Fitting, Weld-in, Male, Aluminum	For Dash6 connection	3 x 3,38€ = 10,14€	3.38€ by fitting	
Fastener	Other: Fitting, L.P, female plug, aluminium	Dash 6 plug for draining the Fuel Tank	1 x 2,63€ = 2,63€	2.63€ the female plug	

Fuel Tank(main1)		Under the seat (Folding-front part))	Make	1 x 25,72€ = 25,72€	EN_09001
Material	Other: Aluminium 2017A	Fuel tank plate material	1 x 19,44€ = 19,44€	97.2 €/m^2 *0.2m^2	
Process	Programming	Side plate	1 x 0,61€ = 0,61€	operator-fixed cost	
Process	Other: Laser cut setup, install and remove	Side plate	1 x 0,43€ = 0,43€	2.37 €/m^2 *0.18 m^2	
Process	Laser Cut	Side plate	1 x 0,75€ = 0,75€	3.62E-04 €/mm * 2077mm	
Process	Other: Metrology	Side plate	1 x 0,41€ = 0,41€	operator-fixed cost	
Process	Bending	Side plate	1 x 4,08€ = 4,08€	2.04€ * 2 bends	

Fuel Tank(main2)		Under the seat (Folding-top part)	Make	1 x 25,08€ = 25,08€	EN_09002
Material	Other: Aluminium 2017A	Fuel tank plate material	1 x 21,00€ = 21,00€	97.2€/m^2 * 0.216m^2	
Process	Programming	Upper plate	1 x 0,61€ = 0,61€	operator-fixed cost	
Process	Other: Laser cut setup, install and remove	Upper plate	1 x 0,53€ = 0,53€	2.37€/m^2* 0.22 m^2	
Process	Laser Cut	Upper plate	1 x 0,49€ = 0,49€	3.62E-04 €/mm* 1363mm	
Process	Other: Metrology	Upper plate	1 x 0,41€ = 0,41€	operator-fixed cost	
Process	Bending	Upper plate	1 x 2,04€ = 2,04€	2.04€ * 1 bend	

Fuel Tank(bottom)			Under the seat (Folding-bottom part)	Make	1 x 23,49€ = 23,49€	EN_09003
Material	Other: Aluminium 2017A	Fuel tank plate material		1 x 19,44€ = 19,44€	97.2€/m <sup>2</sup> * 0.2 m <sup>2</sup>	
Process	Programming	Lower plate		1 x 0,61€ = 0,61€	operator- fixed cost	
Process	Other: Laser cut setup, install and remove	Lower plate		1 x 0,48€ = 0,48€	2.37€/m <sup>2</sup> * 0.2m <sup>2</sup>	
Process	Laser Cut	Lower plate		1 x 0,51€ = 0,51€	3.6E-04€/mm * 1412mm	
Process	Other: Metrology	Lower plate		1 x 0,41€ = 0,41€	operator- fixed cost	
Process	Bending	Lower plate		1 x 2,04€ = 2,04€	2.04€ * 1 bend	
Fuel Tank(Triangle)			Under the seat (With Fuel Tank)	Make	1 x 5,40€ = 5,40€	EN_09004
Material	Other: Aluminium 2017A	Fuel tank plate material		1 x 2,14€ = 2,14€	97.2€/m <sup>2</sup> * 0.022m <sup>2</sup>	
Process	Programming	Cavity		1 x 0,61€ = 0,61€	operator-fixed cost	
Process	Other: Laser cut setup, install and remove	Cavity		1 x 0,05€ = 0,05€	2.37€/m <sup>2</sup> * 0.02m <sup>2</sup>	
Process	Laser Cut	Cavity		1 x 0,15€ = 0,15€	3.62E-04€/mm * 423mm	
Process	Other: Metrology	Cavity		1 x 0,41€ = 0,41€	operator-fixed cost	
Process	Bending	Cavity		1 x 2,04€ = 2,04€	2.04€ * 1 bend	
Filler Neck			Welded to Fuel Tank	Make	1 x 8,02€ = 8,02€	EN_09005
Material	Other: Aluminium 2017A	Neck tube material		1 x 3,94€ = 3,94€	26.25€/m * 0.15m	
Process	Other: Saw or tubing cut	Neck tube cut		1 x 4,08€ = 4,08€	2.04€ * 2 cuts	
Filler Cap			On the top of filler Tube	Buy	1 x 36,58€ = 36,58€	EN_09006
Material	Bought Part	n/a		1 x 3,25€ = 3,25€	none	
Fastener	Other: Fuel check valve, in-line, aluminium	On the filler cap		1 x 33,33€ = 33,33€	none	
Filler Tube			With Fuel Tank	Make	1 x 29,05€ = 29,05€	EN_09007
Material	Other: Aluminium 2017A	Filler neck body		1 x 7,09€ = 7,09€	26.25€/m * 0.27m	
Material	Other: Aluminium 2017A	Sight tube fitting		1 x 0,18€ = 0,18€	1.85€/m * 0.1m	
Material	Other: Hose, FEP	Sight tube		1 x 2,73€ = 2,73€	9.09€/m * 0.3m	
Material	Other: Hose, Rubber	reinforced (neck-tube),filler(tube-cap)		1 x 3,50€ = 3,50€	23.3€/m * 0.15m	
Process	Other: Saw or tubing cut	Filler neck body, and sight tube fittin		1 x 6,12€ = 6,12€	2.04€ * 3 cuts	
Process	Other: Welding (Aluminium)	Barb fittings welding on tube		1 x 5,10€ = 5,10€	0.12€/cm * 42.5cm	
Process	Cut (scissors, knife)	Hose and sight tube cut		1 x 0,83€ = 0,83€	0.002€/mm * 108mm	
Process	Assemble	Hose and sight tube mounting		1 x 0,80€ = 0,80€	0.2€ * 4 clamps	
Process	Other: Tighten bolts	Tighten sight tube clamp on Hoses		1 x 0,80€ = 0,80€	0.2€ * 4 clamps	
Fastener	Hose Clamp	Attach sight tube to filler tube		2 x 0,42€ = 0,84€	0.42€ unity, 12-18 mm diameter	
Fastener	Hose Clamp	Attach the filler tube to filler cap		1 x 0,53€ = 0,53€	0.53€ unity, 25-32mm diameter	
Fastener	Hose Clamp	Attach filler tube to hose		1 x 0,53€ = 0,53€	0.53€ unity, 25-32mm diameter	



EN (Engine & Drivetrain)		Intake System			1.717,09€	EN_A0300
[Assembly Processes]			Make		1 x 25,82€ = 25,82€	P_EN_A0300
Material	Other: Sealing paper	Ensure the sealing between parts		1 x 4,58€ = 4,58€	70.63 €/m <sup>2</sup> * 64900 mm <sup>2</sup>	
Process	Programming	Laser cut, sealing paper, flat bottomed		1 x 0,61€ = 0,61€	Operator - Fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut		1 x 0,06€ = 0,06€	2.37 €/m <sup>2</sup> * 22500 mm <sup>2</sup>	
Process	Laser Cut	Laser cut		1 x 0,41€ = 0,41€	3.62E-4 €/mm * 1140 mm	
Process	Other: Metrology	Laser cut		1 x 0,61€ = 0,61€	Operator verification	
Process	Other: Assemble by hand	Assemble together with bolts M4		1 x 1,00€ = 1,00€	0.10 € * 10 bolts	
Process	Other: Tighten bolts	Link up flat-bottomed to tubing		1 x 2,00€ = 2,00€	0.20 € * 10 bolts	
Process	Programming	Laser cut, sealing paper, air manifold		1 x 0,61€ = 0,61€	Operator - Fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut		1 x 0,11€ = 0,11€	2.37 €/m <sup>2</sup> * 42400 mm <sup>2</sup>	
Process	Laser Cut	Laser cut		1 x 0,50€ = 0,50€	3.62E-4 €/mm * 1370 mm	
Process	Other: Metrology	Laser cut verification		1 x 0,61€ = 0,61€	Operator, fixed cost	
Process	Other: Assemble by hand	Assemble together with bolts M3		1 x 1,00€ = 1,00€	0.10 € * 10 bolts	
Process	Other: Tighten bolts	Link up air manifold to assembly		1 x 2,00€ = 2,00€	0.20 € * 10 bolts	
Process	Other: Assemble by hand	Coopling sleeves, engine, bolts M6		1 x 0,60€ = 0,60€	0.10 € * 6 bolts	
Process	Other: Tighten bolts	Link up coopling sleeves to engine		1 x 1,20€ = 1,20€	0.20 € * 6 bolts	
Process	Other: Assemble by hand	Hose clamps, coopling sleeves, assembly		1 x 0,80€ = 0,80€	0.20 € * 4 clamps	
Process	Other: Tighten bolts	Tighten hose clamps		1 x 0,80€ = 0,80€	0.20 € * 4 clamps	
Process	Other: Assemble by hand	Frame mounting tubes, mounting plates M4		1 x 0,40€ = 0,40€	0.10 € * 4 bolts	
Process	Other: Tighten bolts	Link up the two parts to assembly		1 x 0,80€ = 0,80€	0.20 € * 4 bolts	
Process	Other: Assemble by hand	Engine mounting tubes, M4		1 x 0,40€ = 0,40€	0.10 € * 4 bolts	
Process	Other: Tighten bolts	Link up assembly to engine mounting tube		1 x 0,80€ = 0,80€	0.20 € * 4 bolts	
Fastener	Other: Bolt grade 8.8	M3, air manifold		10 x 0,02€ = 0,20€	Length 20mm	
Fastener	Other: Nut, grade 8.8	M3, air manifold		10 x 0,03€ = 0,30€	0.03 € by unity	
Fastener	Other: Washer, steel stainless	M3, air manifold		20 x 0,02€ = 0,40€	0.02 € by unity	
Fastener	Other: Bolt grade 8.8	M4, flat bottomed		18 x 0,02€ = 0,36€	Length 20mm	
Fastener	Other: Nut, grade 8.8	M4, flat bottomed		18 x 0,03€ = 0,54€	0.03 € by unity	
Fastener	Other: Washer, steel stainless	M4, flat bottomed		36 x 0,02€ = 0,72€	0.02 € by unity	
Process	Other: Metrology	Laser cut		1 x 0,61€ = 0,61€	Operator verification	
Fastener	Other: Bolt grade 8.8	M6, coopling sleeves		6 x 0,01€ = 0,06€	Bought with the engine	
Process	Other: Metrology	Laser cut verification		1 x 0,61€ = 0,61€	Operator, fixed cost	
Fastener	Hose Clamp	Link up to the tubing collector		4 x 0,53€ = 2,12€	0.53 € by unity	
<b>Air manifold</b>		Under the restrictor	Buy		1 x 756,00€ = 756,00€	EN_03001
Material	Bought Part	n/a		1 x 756,00€ = 756,00€	none	
<b>Flat-bottomed</b>		Under the air manifold	Make		1 x 5,70€ = 5,70€	EN_03002
Material	Other: Aluminium 2017A	ep 2mm - Flat-bottomed material		1 x 4,12€ = 4,12€	97.20 €/m <sup>2</sup> * 42400 mm <sup>2</sup>	



Process	Programming	Laser cut : flat-bottomed machining	1 x 0,61€ = 0,61€	Operator - fixed cost
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,11€ = 0,11€	2.37 €/m <sup>2</sup> * 42400 mm <sup>2</sup>
Process	Laser Cut	Laser cut	1 x 0,45€ = 0,45€	3.62E-4 €/mm * 1240 mm
Process	Other: Metrology	Metrology of the flat-bottomed	1 x 0,41€ = 0,41€	Operator - fixed cost
<b>Tubing collector</b>		Link up the flat-bottomed to the engine	Buy	1 x 888,00€ = 888,00€ EN_03003
Material	Bought Part	n/a	1 x 888,00€ = 888,00€	none
<b>Coupling sleeve</b>		Link up the air intake to the engine	Buy	2 x 0,01€ = 0,02€ EN_03004
Material	Bought Part	n/a	1 x 0,01€ = 0,01€	Buy with the engine
<b>Left frame mounting tube</b>		Fasten the air intake to the frame	Make	1 x 7,68€ = 7,68€ EN_03005
Material	Other: Aluminium 2017A	Frame mounting tube material	1 x 0,35€ = 0,35€	3.19 €/m * 0.11
Process	Other: Saw or tubing cut	Cut the tube	1 x 4,08€ = 4,08€	2.04 €/cutting * 2
Process	Other: Press operation	Create a plane surface	1 x 0,82€ = 0,82€	0.41 €/press op * 2
Process	Drilled hole	M6	1 x 1,63€ = 1,63€	0.82 €/hole * 2 holes
Process	Grinding	Remove strong angles	1 x 0,80€ = 0,80€	0.20 €/grinding * 4
<b>Right frame mounting tube</b>		Fasten the air intake to the frame	Make	1 x 7,87€ = 7,87€ EN_03006
Material	Other: Aluminium 2017A	Frame mounting tube material	1 x 0,54€ = 0,54€	3.19 €/m * 0.17 m
Process	Other: Saw or tubing cut	Cut the tube	1 x 4,08€ = 4,08€	2.04 €/cutting * 2
Process	Other: Press operation	Create a plane surface	1 x 0,82€ = 0,82€	0.41 €/press op * 2
Process	Drilled hole	M6	1 x 1,63€ = 1,63€	0.82 €/hole * 2 holes
Process	Grinding	Remove strong angles	1 x 0,80€ = 0,80€	0.20 €/grinding * 4
<b>Engine mounting tube</b>		Fasten the air intake to the engine	Make	2 x 11,79€ = 23,58€ EN_03007
Material	Other: Aluminium 2017A	Engine mounting tube material	1 x 0,80€ = 0,80€	3.19 €/m * 0.25
Process	Other: Saw or tubing cut	Cut the tube	1 x 4,08€ = 4,08€	2.04 €/cutting * 2
Process	Other: Press operation	Create a plane surface	1 x 0,40€ = 0,40€	0.41 €/press op * 2
Process	Bending	Change the tube shape	1 x 4,08€ = 4,08€	2.04 €/bending * 2
Process	Drilled hole	M6	1 x 1,63€ = 1,63€	0.82 €/hole * 2 holes
Process	Grinding	Remove strong angles	1 x 0,80€ = 0,80€	0.20 €/grinding * 4
<b>Mounting plate</b>		Fasten the restrictor to the air intake	Make	2 x 1,21€ = 2,42€ EN_03008
Material	Other: Aluminium 2017A	Thickness 1.5mm Mounting plate material	1 x 0,03€ = 0,03€	72.90 €/m <sup>2</sup> * 470 mm <sup>2</sup>
Process	Programming	Programming mounting plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,12€ = 0,12€	2.37 €/m <sup>2</sup> * 470 mm <sup>2</sup>
Process	Laser Cut	M4	1 x 0,04€ = 0,04€	3.62E-4 €/mm * 120 mm
Process	Other: Metrology	Metrology of the mounting plate	1 x 0,41€ = 0,41€	Operator - fixed cost

EN (Engine & Drivetrain)		Other: Fuel system	Fuel system parts + lines	508,79€	EN_A0500
[Assembly Processes]			Make	1 x 217,06€ = 217,06€	EN_A0500P
Process	Assemble	assembly	1 x 0,01€ = 0,01€	Assembly of the Fuel system	
Material	Other: Hose, Stainless Steel Braided Outer, L.P	Conect elements where fuel flows Dash6	1 x 48,48€ = 48,48€	30.30 €/m * 1.6m	
Process	Other: Cut metallic hoses (grinder)	For fuel lines	1 x 20,39€ = 20,39€	4.08€ *5 cuts	
Process	Other: Assemble (fittings on hoses)	All fittings assembly on stainless hoses	1 x 40,79€ = 40,79€	4.08 €*10 fittings	
Process	Other: Tighten bolts	Tighten fitting male part on female part	1 x 2,04€ = 2,04€	0.20€ *10 fittings	
Process	Assemble	Assemble Pump on Collar (by hand)	1 x 0,20€ = 0,20€	0.2€ * 1 clamp	
Process	Assemble	Assemble Pump + Collar on Pump tab	1 x 0,10€ = 0,10€	0.1€ * 1 bolt	
Process	Other: Tighten bolts	Tighten M4 bolt Pump Collar-Tab	1 x 0,20€ = 0,20€	0.2€ * 1 bolt	
Process	Assemble	Assemble Fuel pressure regulator on Tab	1 x 0,20€ = 0,20€	0.1€ * 2 bolts	
Process	Other: Tighten bolts	Tighten M6 bolt pressure regulator-Tab	1 x 0,40€ = 0,40€	0.2€ * 2 bolts	
Process	Other: Tighten bolts	Tighten Tube nut	1 x 0,20€ = 0,20€	0.2€ * 1 nut	
Process	Other: Tighten bolts	Tighten fittings + adapters	1 x 2,86€ = 2,86€	0.2 € * 14 fittings	
Process	Assemble	Assemble Injectors on Fuel rail(by hand)	1 x 0,40€ = 0,40€	0.1€* 4 injectors	
Process	Assemble	Assemble Rail on Admission pipe	1 x 0,30€ = 0,30€	0.1€ * 3 bolts	
Process	Other: Tighten bolts	Tighten M4 bolts Rail-admission pipe	1 x 0,60€ = 0,60€	0.2€* 3 bolts	
Process	Assemble	Assemble banjo on fuel rail(by hand)	1 x 0,10€ = 0,10€	0.1 € * 1 banjo	
Fastener	Other: Fitting, L.P., straight, aluminium	Return-outlet fuel tank,inlet fuelFilter	3 x 7,87€ = 23,61€	none	
Fastener	Other: Banjo fitting, straight, Aluminium	Fuel rail alimentation	1 x 25,86€ = 25,86€	none	
Fastener	Other: Adapter, L.P., Union Tee, Aluminum	Regulator in	1 x 12,69€ = 12,69€	none	
Fastener	Other: Adapter, L.P., Female Flare, Aluminum	Tee out, pump inlet	2 x 11,17€ = 22,34€	none	
Fastener	Other: Adapter, L.P., Union Reducer, Aluminum	Adaptater Pump inlet/outlet, regulator	4 x 2,92€ = 11,68€	none	
Fastener	Washer	Copper to ensure the sealing ramp-banjo	2 x 0,19€ = 0,38€	none	
Fastener	Bolt	Grade8.8 M4 bolt for Pump collar on Tab	1 x 2,06€ = 2,06€	none	
Fastener	Nut	Grade8.8M4-nut collar on collar mount	1 x 0,03€ = 0,03€	none	
Fastener	Washer	Grade8.8 M4 for collar on collar mount	2 x 0,02€ = 0,04€	none	
Fastener	Bolt	Grade8.8 M6 bolt for regulator on tab	2 x 0,02€ = 0,04€	none	
Fastener	Nut	Grade8.8 M6 nut for regulator on tab	2 x 0,45€ = 0,90€	none	
Fastener	Washer	Grade8.8 M6 washer for regulator on tab	4 x 0,04€ = 0,16€	none	
Fuel Rail		Above the Engine	Buy	1 x 1,66€ = 1,66€	EN_05001
Material	Bought Part	n/a	1 x 0,01€ = 0,01€	buy with the engine	
Fastener	Bolt	Grade8.8M6 bolt:rail on admission pipe	3 x 0,02€ = 0,06€	none	
Fastener	Nut	Grade8.8 M6 nut:rail on admission pip	3 x 0,45€ = 1,35€	none	
Fastener	Washer	Grade8.8 M6 washer:rail on admission	6 x 0,04€ = 0,24€	none	
Fuel Pump		Under the Fuel Tank	Buy	1 x 110,00€ = 110,00€	EN_05002
Material	Bought Part	n/a	1 x 110,00€ = 110,00€	none	

<b>Pressure Regulator</b>		<i>Left side of the Engine</i>	Buy	1 x 135,00€ = 135,00€	EN_05003
Material	Bought Part	n/a		1 x 135,00€ = 135,00€ 1	
<b>Fuel Filter</b>		<i>Next to the Fuel Pump</i>	Buy	1 x 8,10€ = 8,10€	EN_05004
Material	Bought Part	n/a		1 x 8,10€ = 8,10€ 1	
<b>Fuel Pump Collar</b>		<i>Around the Fuel Pump</i>	Make	1 x 19,57€ = 19,57€	EN_05005
Material	Aluminum	2017A, Collar material		1 x 0,15€ = 0,15€ 72.9 €/m <sup>2</sup> * 0.002 m <sup>2</sup>	
Process	Programming	Fuel Pump Collar		1 x 0,61€ = 0,61€ operator-fixed cost	
Process	Other: Laser cut setup, install and remove	Setup for laser cut		1 x 0,01€ = 0,01€ 2.37€/m <sup>2</sup> * 0.002 m <sup>2</sup>	
Process	Laser Cut	Fuel Pump Collar		1 x 0,04€ = 0,04€ 3.62E-04 €/mm * 100mm	
Process	Other: Metrology	Fuel Pump Collar		1 x 0,41€ = 0,41€ operator-fixed cost	
Process	Bending	Rolling at 90°		1 x 18,35€ = 18,35€ 2.04€ * 9 bendings	
<b>Pressure Sensor Adapter</b>		<i>At the end of the Fuel Rail</i>	Make	1 x 17,40€ = 17,40€	EN_05006
Material	Aluminum	2017A, 17mm external diameter		1 x 0,25€ = 0,25€ 1.75E-05 €/mm <sup>3</sup> * 14137.16 mm <sup>3</sup>	
Process	Programming	Turning + Milling		1 x 1,22€ = 1,22€ operator- fixed cost	
Process	Other: Machining setup, install and remove	Turning		1 x 7,82€ = 7,82€ operator fixed-cost	
Process	Machining	(conventionnal) Turning		1 x 0,22€ = 0,22€ 9.94E-05 €/mm <sup>3</sup> * 2474mm <sup>3</sup>	
Process	Other: Metrology	Turning		1 x 0,04€ = 0,04€ 1.63E-05 €/mm <sup>3</sup> * 2474 mm <sup>3</sup>	
Process	Other: Machining setup, install and remove	Milling		1 x 7,82€ = 7,82€ operator-fixed cost	
Process	Machining	(conventionnal) Milling		1 x 0,02€ = 0,02€ 2.08E-05 €/mm <sup>3</sup> * 100mm <sup>3</sup>	
Process	Other: Metrology	Milling		1 x 0,01€ = 0,01€ 2.36E-05 €/mm <sup>3</sup> * 100mm <sup>3</sup>	

<b>EN (Engine &amp; Drivetrain)</b>		<b>Overflow Bottles</b>		97,91€	EN_A0800
<b>[Assembly Processes]</b>			<b>Make</b>	1 x 73,91€ = 73,91€	EN_A0800_P
Material	Other: Hose, Stainless Steel Braided Outer, L.P	From Engine's top and Expansion tank	1 x 30,30€ = 30,30€	1 m * 30,30	
Material	Other: Paint	Black paint, aerosol apply	1 x 0,92€ = 0,92€	500 (cm^2) * 2 cans * 0,0009	
Process	Drilled hole	Bottles drilling for hoses	1 x 3,26€ = 3,26€	4 (nbr of holes) * 0,82	
Process	Other: Painting, aerosol apply	For cans	1 x 20,39€ = 20,39€	500 (cm^2) * 2 (cans) * 0,02	
Process	Other: Cut metallic hoses (grinder)	Hoses cut	1 x 9,16€ = 9,16€	2 (nbr of cut) * 4,08	
Process	Other: Assemble by hand	Cans on frame, Hose mounting on cans	1 x 2,04€ = 2,04€	5 min of operator time	
Process	Fastener install (every)	Install can with tie wrap to frame	1 x 0,40€ = 0,40€	4 (nbr of tie wrap) * 0,1	
Process	Fastener install (every)	Install can with tie wrap to frame	1 x 0,40€ = 0,40€	4 (nbr of tie wrap) * 0,1	
Fastener	Hose Clamp	Engine and Expansion tank clamp	2 x 0,42€ = 0,84€	5 - 10 mm (diameter)	
Fastener	Hose Clamp	Engine and Expansion tank clamp	2 x 0,42€ = 0,84€	5 - 10 mm (diameter)	
Fastener	Other: Zip tie	Attach on the frame	4 x 0,67€ = 2,68€	4 (nbr of zip tie) * 0,17	
Fastener	Other: Zip tie	Attach on the frame	4 x 0,67€ = 2,68€	4 (nbr of zip tie) * 0,17	
<b>Oil overflow</b>		<b>Contain the oil overflow</b>	<b>Buy</b>	1 x 12,00€ = 12,00€	EN_08001
Material	Bought Part	n/a	1 x 12,00€ = 12,00€	Product container of varnishes	
<b>Water overflow</b>		<b>Contain the water overflow</b>	<b>Buy</b>	1 x 12,00€ = 12,00€	EN_08002
Material	Bought Part	n/a	1 x 12,00€ = 12,00€	Product container of varnishes	

EN (Engine & Drivetrain)		Throttle Body		477,38€	EN_A0400
[Assembly Processes]		Make		1 x 20,75€ = 20,75€	P_EN_A0400
Material	Other: Sealing paper	Ensure the sealing between parts	1 x 0,35€ = 0,35€	70.63 €/m <sup>2</sup> * 5000 mm <sup>2</sup>	
Material	Other: Seal, O-ring, Elastomer	Ensure the sealing with air intake	1 x 0,56€ = 0,56€	1 (nbr of O-ring) * 0,56	
Process	Programming	Programming the sealing paper machining	1 x 1,22€ = 1,22€	0.61 €/program (Operator - Fixed cost)	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,01€ = 0,01€	2.37 €/m <sup>2</sup> * 2000 mm <sup>2</sup>	
Process	Laser Cut	Cut sealing paper	1 x 0,35€ = 0,35€	3.62E-4 €/mm * 970 mm	
Process	Assemble	All plates, sealing paper, M3	1 x 0,50€ = 0,50€	0.10 € * 5 bolts	
Process	Other: Tighten bolts	Link up all plates of the system	1 x 1,00€ = 1,00€	0.20 € * 5 bolts	
Process	Programming	Programming the sealing paper machining	1 x 0,61€ = 0,61€	0.61 €/program (Operator - Fixed cost)	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,01€ = 0,01€	2.37 €/m <sup>2</sup> * 2000 mm <sup>2</sup>	
Process	Laser Cut	Cut sealing paper	1 x 0,20€ = 0,20€	3.62E-4 €/mm * 560 mm	
Process	Assemble	Convergent, air restrictor, assembly, M3	1 x 0,40€ = 0,40€	0.10 € * 4 bolts	
Process	Other: Tighten bolts	link up the two parts to assembly	1 x 0,80€ = 0,80€	0.20 € * 4 bolts	
Process	Assemble	Air filter, hose clamp, convergent	1 x 0,20€ = 0,20€	0.20 € * 1 clamp	
Process	Other: Tighten bolts	Tighten the hose clamp	1 x 0,20€ = 0,20€	0.20 € * 1 clamp	
Process	Assemble	Assembly, O-ring seal, air intake, M6	1 x 0,20€ = 0,20€	0.10 € * 2 bolts	
Process	Other: Tighten bolts	Link up the assembly to air intake	1 x 0,40€ = 0,40€	0.20 € * 2 bolts	
Process	Assemble	Positioning bolts, nuts, washers M4	1 x 0,20€ = 0,20€	0.10 € * 2 bolts	
Process	Other: Tighten bolts	Link up the assembly to mounting plates	1 x 0,40€ = 0,40€	0.20 € * 2 bolts	
Fastener	Bolt	Grade 8.8, M3	9 x 0,02€ = 0,18€	Length 20mm	
Fastener	Nut	Grade 8.8, M3	9 x 0,03€ = 0,27€	none	
Fastener	Washer	Steel stainless, M3	18 x 0,02€ = 0,36€	none	
Fastener	Bolt	Grade 8.8, M4	2 x 0,02€ = 0,04€	Length 20mm	
Fastener	Nut	Grade 8.8, M4	2 x 0,03€ = 0,06€	none	
Fastener	Washer	Steel stainless, M4	4 x 0,02€ = 0,08€	none	
Fastener	Bolt	Grade 8.8, M6	2 x 0,02€ = 0,04€	Length 20mm	
Fastener	Nut	Grade 8.8, M6	2 x 0,02€ = 0,04€	none	
Fastener	Washer	Steel stainless, M6	4 x 0,04€ = 0,16€	none	
Fastener	Hose Clamp	Link up the air filter to convergent	1 x 0,53€ = 0,53€	none	
Fastener	Other: Spring, intake system	Counter spring for the slide throttle	2 x 5,69€ = 11,38€	none	
Inferior plate		Under the moving plate	Make	1 x 4,34€ = 4,34€	EN_04001
Material	Steel	S235 ep 1.5mm - Inferior plate material	1 x 0,06€ = 0,06€	12.82 €/m <sup>2</sup> * 4900 mm <sup>2</sup>	
Process	Programming	Programming the inferior plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,02€ = 0,02€	2.37 €/m <sup>2</sup> * 4900 mm <sup>2</sup>	
Process	Laser Cut	Cut the plate	1 x 0,21€ = 0,21€	3.62E-4 €/mm * 590 mm	
Process	Other: Metrology	Metrology of the inferior plate	1 x 0,41€ = 0,41€	Operator - fixed cost	
Process	Bending	Change the shape of the plate	1 x 2,04€ = 2,04€	2.04 €/bending * 1	
Process	Other: Burring	Inferior plate burring	1 x 0,01€ = 0,01€	Outsourced with medium plate coating[?]	

Process	Painting	Black painting	1 x 0,98€ = 0,98€	0.02 €/cm <sup>2</sup> * 48 cm <sup>2</sup>	
<b>Front stop plate</b>		Stop the translation of the moving plate	Make	1 x 4,11€ = 4,11€	EN_04002
Material	Aluminum	2017A ep2.5mm -Front stop plate material	1 x 0,70€ = 0,70€	121.50 €/m <sup>2</sup> * 5800 mm <sup>2</sup>	
Process	Programming	Programming front stop plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,02€ = 0,02€	2,37 €/m <sup>2</sup> * 5800 mm <sup>2</sup>	
Process	Laser Cut	Cut the plate	1 x 0,17€ = 0,17€	3.62E-4 €/mm * 480 mm	
Process	Other: Metrology	Metrology of the front stop plate	1 x 0,41€ = 0,41€	Operator - fixed cost	
Process	Bending	Change the chape of the plate	1 x 2,04€ = 2,04€	2.04 €/bending * 1	
Process	Painting	Black painting	1 x 0,16€ = 0,16€	0.02 €/cm <sup>2</sup> * 8 cm <sup>2</sup>	
<b>Rear stop plate</b>		Stop the translation of the moving plate	Make	1 x 1,19€ = 1,19€	EN_04003
Material	Aluminum	2017A ep2.5mm - Rear stop plate material	1 x 0,05€ = 0,05€	121.50 €/m <sup>2</sup> * 440 mm <sup>2</sup>	
Process	Programming	Programming rear stop plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,01€ = 0,01€	2.37 €/m <sup>2</sup> * 440 mm <sup>2</sup>	
Process	Laser Cut	Cut the plate	1 x 0,05€ = 0,05€	3.61E-4 €/mm * 140 mm	
Process	Other: Metrology	Metrology of the rear stop plate	1 x 0,41€ = 0,41€	Operator - fixed cost	
Process	Painting	Black painting	1 x 0,06€ = 0,06€	0.02 €/cm <sup>2</sup> * 3 cm <sup>2</sup>	
<b>Medium plate</b>		Moving plate	Make	1 x 125,61€ = 125,61€	EN_04004
Material	Steel	S355 ep 3mm - Medium plate material	1 x 0,33€ = 0,33€	58.27 €/m <sup>2</sup> * 5710 mm <sup>2</sup>	
Process	Programming	Programming the medium plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,02€ = 0,02€	2.37 €/m <sup>2</sup> * 5710 mm <sup>2</sup>	
Process	Laser Cut	Cut the plate	1 x 0,14€ = 0,14€	3.62E-4 €/mm * 380 mm	
Process	Other: Metrology	Metrology of the superior plate	1 x 0,41€ = 0,41€	Operator - fixed cost	
Process	Other: Burring	Medium plate burring	1 x 0,01€ = 0,01€	Outsourced with the coating	
Process	Bending	Change the shape of the plate	1 x 4,08€ = 4,08€	2.04 €/bending * 2	
Process	Sandblasting	Coating preparing	1 x 0,01€ = 0,01€	Outsourced with the coating[?]	
Process	Coating	Sursulf coating	1 x 120,00€ = 120,00€	Outsourced	
<b>Superior plate</b>		Above the moving plate	Make	1 x 2,11€ = 2,11€	EN_04005
Material	Steel	S235 ep 1.5 mm - Superior plate material	1 x 0,05€ = 0,05€	12.82 €/m <sup>2</sup> * 4200 mm <sup>2</sup>	
Process	Programming	Programming the superior plate machining	1 x 0,61€ = 0,61€	Operator - fixed cost	
Process	Other: Laser cut setup, install and remove	Laser cut preparing	1 x 0,01€ = 0,01€	2.37 €/m <sup>2</sup> * 4200 mm <sup>2</sup>	
Process	Laser Cut	Cut the plate	1 x 0,16€ = 0,16€	3.62E-4 €/mm * 440 mm	
Process	Other: Metrology	Metrology of the superior plate	1 x 0,41€ = 0,41€	Operator - fixed cost	
Process	Other: Burring	Superior plate burring	1 x 0,01€ = 0,01€	Outsourced with medium plate coating[?]	
Process	Painting	Black painting	1 x 0,86€ = 0,86€	0.02 €/cm <sup>2</sup> * 42 cm <sup>2</sup>	

<b>Air filter</b>		<i>Filter the air which goes to the engine</i>	Buy	1 x 73,27€ = 73,27€	EN_04006
Material	Bought Part	<i>n/a</i>		1 x 73,27€ = 73,27€	<i>Bought from Maxxes</i>
<b>Convergent</b>		<i>Link up the filter to the slide throttle</i>	Buy	1 x 94,50€ = 94,50€	EN_04007
Material	Bought Part	<i>n/a</i>		1 x 94,50€ = 94,50€	<i>none</i>
<b>Air restrictor</b>		<i>Link up the slide throttle to the intake</i>	Buy	1 x 151,50€ = 151,50€	EN_04008
Material	Bought Part	<i>n/a</i>		1 x 151,50€ = 151,50€	<i>none</i>

<b>FR (Chassis &amp; Body)</b>		<b>Brackets =&gt; Braking System</b>			<b>FR_0200_BR</b>
<b>Rear pedal bracket</b>	<i>S355, 3mm thick</i>	Make	4 x	FR_02002_BR	
<b>Pedal fluid tank bracket</b>	<i>S355, 1.5mm thick</i>	Make	1 x	FR_02003_BR	
<b>Tee breaking bracket</b>	<i>S355, 1.5mm thick</i>	Make	1 x	FR_02004_BR	
<b>Front pedal bracket</b>	<i>S355, 3mm thick</i>	Make	4 x	FR_02001_BR	



FR (Chassis & Body)		Brackets => Electrical			FR_0200_EL
Dashboard bracket 1	S235, 1.5mm thick	Make	2 x		FR_02001_EL
Dashboard bracket 2	S235, 1.5mm thick	Make	1 x		FR_02002_EL
Dashboard bracket 3	S235, 1.5mm thick	Make	1 x		FR_02003_EL
Emergency stop bracket	S355, 3mm thick	Make	2 x		FR_02004_EL
Support battery bracket 2	S235, 1.5mm thick	Make	1 x		FR_02005_EL
Power box bracket	S235, 1.5mm thick	Make	2 x		FR_02006_EL
Master switch bracket	S235, 1.5mm thick	Make	2 x		FR_02007_EL
Crash sensor bracket	S235, 1.5mm thick	Make	1 x		FR_02008_EL
Support battery bracket 1	S235, 1.5mm thick	Make	2 x		FR_02009_EL
Electrical earth bracket	S235, 1.5mm thick	Make	4 x		FR_02010_EL
Breaklight bracket	S235, 1.5mm thick	Make	1 x		FR_02011_EL
Booster bracket	S355, 3mm thick	Make	1 x		FR_02012_EL

FR (Chassis & Body)		Brackets => Engine & Powertrain			FR_0200_EN
Engine bracket	S700, 4mm thick	Make	2 x		FR_02001_EN
Up excentric carry brack1	S355, 3mm thick	Make	2 x		FR_02002_EN
Low excentric carry brack	S355, 3mm thick	Make	4 x		FR_02003_EN
Up excentric carry brack2	S355, 3mm thick	Make	2 x		FR_02004_EN
Fuel tank bracket	S235, 3mm thick	Make	4 x		FR_02005_EN
Chain shield bracket 1	S355, 3mm thick, top	Make	1 x		FR_02006_EN
Pump bracket	S235, 3mm thick	Make	1 x		FR_02007_EN
Regulator bracket	S235, 2mm thick, for pressure regulator	Make	1 x		FR_02008_EN
Shifter bracket	S355, 3mm thick	Make	1 x		FR_02009_EN
Radiator bracket 1	S355, 3mm thick, rear	Make	1 x		FR_02010_EN
Expansion tank bracket	S235, 1.5mm thick	Make	1 x		FR_02011_EN
Air admission bracket	S235, 1.5mm thick	Make	2 x		FR_02012_EN
Clutch actuation axis	S355, 1.5mm thick	Make	1 x		FR_02013_EN
Clutch actu. cable holder	S355, 1.5mm thick	Make	1 x		FR_02014_EN
Chain shield bracket 2	S355, 3mm thick, top	Make	1 x		FR_02015_EN

<b>Radiator bracket 2</b>	<i>S355, 3mm thick, front</i>	Make	1 x	FR_02016_EN
<b>Radiator bracket 3</b>	<i>S355, 3mm thick, top</i>	Make	1 x	FR_02017_EN

<b>FR (Chassis &amp; Body)</b>	<b>Brackets =&gt; Frame &amp; Body</b>				FR_0200_FR
<b>Jacking bar bracket</b>	<i>attached to excentric carriers</i>	Make	2 x		FR_02001_FR
<b>Body bracket</b>	<i>S235, 1.5mm thick</i>	Make	4 x		FR_02002_FR
<b>Floor pan bracket</b>	<i>S235, 1.5mm thick</i>	Make	8 x		FR_02003_FR

<b>FR (Chassis &amp; Body)</b>	<b>Brackets =&gt; Miscellaneous, Finish &amp; Assembly</b>			<b>FR_0200_MS</b>
<b>Upper bucket seat bracket</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02001_MS
<b>Lower bucket seat bracket</b>	<i>S355, 3mm thick</i>	Make	4 x	FR_02002_MS
<b>Harness bracket</b>	<i>S700, 4mm thick</i>	Make	2 x	FR_02003_MS
<b>Head support bracket</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02004_MS
<b>Firewall bracket</b>	<i>S235, 1.5mm thick</i>	Make	12 x	FR_02005_MS

FR (Chassis & Body)	Brackets => Steering system				FR_0200_ST
Rack brackets	S235, 1.5mm thick	Make	2 x		FR_02001_ST

FR (Chassis & Body)		Brackets => Suspension bracket			FR_0200_SU
A-arm upper fr arm fr_2	upper part, S700, 4mm thick	Make	2 x		FR_02001_SU
A-arm upper fr arm fr_1	lower part, S700, 4mm thick	Make	2 x		FR_02002_SU
A-arm upper fr arm rr_2	upper part, S700, 4mm thick	Make	2 x		FR_02003_SU
A-arm upper fr arm rr_1	lower part, S700, 4mm thick	Make	2 x		FR_02004_SU
A-arm lower fr arm fr_2	upper part, S700, 4mm thick	Make	2 x		FR_02005_SU
A-arm lower fr arm fr_1	lower part, S700, 4mm thick	Make	2 x		FR_02006_SU
A-arm upper rr arm fr_2	upper part, S700, 4mm thick	Make	2 x		FR_02007_SU
A-arm upper rr arm fr_1	lower part, S700, 4mm thick	Make	2 x		FR_02008_SU
A-arm lower rr arm fr_2	upper part, S700, 4mm thick	Make	2 x		FR_02009_SU
A-arm lower rr arm fr_1	lower part, S700, 4mm thick	Make	2 x		FR_02010_SU
A-arm lower fr arm rr_2	upper part, S700, 4mm thick	Make	2 x		FR_02011_SU
A-arm lower fr arm rr_1	lower part, S700, 4mm thick	Make	2 x		FR_02012_SU
A-arm upper rr arm rr_2	upper part, S700, 4mm thick	Make	2 x		FR_02013_SU
A-arm upper rr arm rr_1	lower part, S700, 4mm thick	Make	2 x		FR_02014_SU
A-arm lower rr arm rr_2	upper part, S700, 4mm thick	Make	2 x		FR_02015_SU

<b>A-arm lower rr arm rr_1</b>	<i>lower part, S700, 4mm thick</i>	Make	2 x	FR_02016_SU
<b>Fr anti roll bar bracket</b>	<i>S700, 4mm thick</i>	Make	2 x	FR_02017_SU
<b>Rr anti roll bar bracket</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02018_SU
<b>Front rocker bracket 1</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02019_SU
<b>Front rocker bracket 2</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02020_SU
<b>Ohlins front bracket</b>	<i>S355, 3mm thick</i>	Make	2 x	FR_02021_SU
<b>Ohlins rear bracket</b>	<i>CNC machining</i>	Make	2 x	FR_02022_SU
<b>Rear rocker bracket</b>	<i>CNC machined part</i>	Make	2 x	FR_02023_SU



<b>FR (Chassis &amp; Body)</b>		<b>Floor Pan</b>			<b>FR_A0500</b>
<b>Rear floor pan</b>	<i>Floor pan from front hoop to main hoop</i>	Buy	1 x	FR_05002	
<b>Front floor pan</b>	<i>Floor pan from front hoop to front car</i>	Buy	1 x	FR_05001	

<b>FR (Chassis &amp; Body)</b>	<b>Frame / Frame Tubes</b>				<b>FR_A0100</b>
<b>Round bent steel tubing</b>	<i>25CrMo4 ; 30*2 (mm)</i>	Make	2 x		FR_01003
<b>Steering bore</b>	<i>CNC machining</i>	Make	1 x		FR_01004
<b>Jacking bar</b>	<i>CNC machining</i>	Make	1 x		FR_01005
<b>Sleeved joint</b>	<i>S350 ; Rules-compliant sleeved joints</i>	Make	2 x		FR_01006
<b>Square steel tubing</b>	<i>25CrMo4 ; 20*20*1,5 (mm)</i>	Make	1 x		FR_01002
<b>Round steel tubing</b>	<i>25CrMo4 ; 30*1,5, 25*1,5, 20*15, 15*1,5</i>	Make	87 x		FR_01001

<b>FR (Chassis &amp; Body)</b>		<b>Impact Attenuator</b>			FR_A0300
<b>Impact attenuator</b>	<i>Approved by event</i>	Buy	1 x	FR_03001	
<b>Anti-Intrusion plate</b>	<i>Steel, (thickness 1.5mm)</i>	Make	1 x	FR_03002	

<b>FR</b> (Chassis & Body)	<b>Other: Bodywork</b>	<i>Bodywork</i>		FR_A0700
<b>Back nose</b>	<i>Part of the nose after the suspensions</i>	Buy	1 x	FR_07002
<b>Big side plate</b>	<i>Side plate from the front hoop to main</i>	Buy	2 x	FR_07003
<b>Middle side plate</b>	<i>Lower side plate with holes</i>	Buy	2 x	FR_07004
<b>Medium side plate</b>	<i>Side plate over the middle side plate</i>	Buy	2 x	FR_07005
<b>Small side plate</b>	<i>Side plate next to impact attenuator</i>	Buy	2 x	FR_07006
<b>Push clips</b>	<i>Attachement of the nose to the frame</i>	Buy	4 x	FR_07007
<b>Nose</b>	<i>Nose of the bodywork</i>	Buy	1 x	FR_07001

<b>FR</b> (Chassis & Body)	<b>Other: Clutch actuation system</b>	<i>Clutch actuation system</i>		FR_A0600
<b>Lever</b>	<i>Drilled tube</i>	Make	1 x	FR_06001
<b>Clutch cable sheath</b>	-	Buy	1 x	FR_06002
<b>Clutch cable</b>	-	Buy	1 x	FR_06003
<b>Lock plate</b>	<i>In the lever, prevent cable from removin</i>	Make	1 x	FR_06004
<b>Cable protectors</b>	<i>On the lever, prevent cable from cutting</i>	Make	2 x	FR_06005
<b>Bronze rings</b>	<i>Lubrificating rings for the lever</i>	Buy	2 x	FR_06006

<b>FR (Chassis &amp; Body)</b>	<b>Pedals</b>				<b>FR_A0400</b>
<b>Upper rail brake pedal</b>	<i>Allow easy setup</i>	Make	1 x		FR_04001
<b>Lower rail</b>	<i>Same for pedal accel and brake</i>	Make	2 x		FR_04002
<b>Accelerator pedal</b>	<i>Aluminium, machining</i>	Make	1 x		FR_04003
<b>Brake pedal</b>	<i>Aluminium, machined part</i>	Make	1 x		FR_04004
<b>Top foot support</b>	<i>Laser cutted part + bending</i>	Make	2 x		FR_04005
<b>Below foot support</b>	<i>Laser cutted part + bending</i>	Make	2 x		FR_04006
<b>Side support brake pedal</b>	<i>Lateral support</i>	Make	2 x		FR_04007
<b>Side support accelerator</b>	<i>Symmetric allow FR_04018 to slide</i>	Make	2 x		FR_04008
<b>Rod accelerator</b>	<i>Rod mounted btw pedal and cable support</i>	Make	2 x		FR_04009
<b>Brake support</b>	<i>Brake over-travel switch support</i>	Make	1 x		FR_04010
<b>Cable sheath support</b>	<i>For accel. cable sheath</i>	Make	1 x		FR_04011
<b>Inside spacer</b>	<i>Upper part of the master cylinder</i>	Make	2 x		FR_04012
<b>Outside spacer</b>	<i>Upper part of the master cylinder</i>	Make	2 x		FR_04013
<b>Upper rail accel. pedal</b>	<i>Allow easy setup</i>	Make	1 x		FR_04014
<b>Accel. cable sheath</b>	<i>Cable protection</i>	Buy	1 x		FR_04015

<b>Accel. cable</b>	<i>To open the throttle</i>	Buy	1 x	FR_04016
<b>Throttle pedal stop</b>	<i>Mechanical stop</i>	Make	1 x	FR_04017
<b>Accel pedal slide part</b>	<i>Steel, slide on FR_04008</i>	Make	1 x	FR_04018

<b>MS</b> (Misc., Fit & Finish & Assembly)	<b>Driver's Harness</b>				MS_A0300
<b>Harness</b>	<i>Seatbelt of the Pilot</i>	Buy	1 x		MS_03001



<b>MS (Misc., Fit &amp; Finish &amp; Assembly)</b>	<b>Fire Wall</b>				MS_A0100
<b>Firewall Bottom Plate</b>	<i>Behind the seat</i>	Make	1 x		MS_01001
<b>Firewall Middle Plate</b>	<i>Below harness</i>	Make	1 x		MS_01002
<b>Firewall Top Plate</b>	<i>At the back of the head foam</i>	Make	1 x		MS_01003
<b>Firewall Joints</b>	<i>Triangles for MS_01003</i>	Make	2 x		MS_01004
<b>Firewall Floor Plate</b>	<i>Join the Firewall to the Floor Pan</i>	Make	1 x		MS_01005

<b>MS (Misc., Fit &amp; Finish &amp; Assembly)</b>	<b>Headrest / Restraints</b>				MS_A0200
<b>Headrest Plate</b>	<i>Sthrengthen the Headrest</i>	Make	1 x		MS_02001
<b>Head Foam</b>	<i>Absorb chocs for Head impact</i>	Buy	1 x		MS_02002
<b>Side Head Foam</b>	<i>Absorb chocs for Head impact on the side</i>	Buy	2 x		MS_02003
<b>Top Back Foam</b>	<i>Absorb chocs for back impact</i>	Buy	1 x		MS_02004

<b>MS</b> (Misc., Fit & Finish & Assembly)		<b>Seats</b>			MS_A0400
<b>Seat</b>	<i>Allow the Pilot to seat</i>	Buy	1 x	MS_04001	
<b>Back Foam</b>	<i>Soften the seat for the back</i>	Buy	1 x	MS_04002	

ST (Steering System)		Steering Rack			ST_A0300
<b>[Assembly Processes]</b>			Make	1 x	ST_A0300P
Process	Other: Assemble by hand	ST_03002 and ST_03001 with tabs		1 x	
Process	Other: Tighten bolts	For the 4 M6 grade 12.9 bolts		1 x	
Process	Other: Assemble by hand	ST_03003 on frame tabs		1 x	
Process	Other: Tighten bolts	For the 4 M4 grade 8.8 bolts		1 x	
Fastener	Other: Bolt grade 8.8	M4, for ST_03003		4 x	
Fastener	Other: Nut, grade 8.8	M4, for ST_03003		4 x	
Fastener	Other: Bolt grade 12.9	Size M6		4 x	
Fastener	Other: k-nuts	Size M6		4 x	
Fastener	Other: Washer, steel stainless	Size M6		4 x	
<b>Steering Rack</b>		Bought at Formula Seven.	Buy	1 x	ST_03001
Material	Bought Part	n/a		1 x	
Process	Drilled hole	6mm hole in the Tie rod Braces, 2 holes		1 x	
<b>Half moon</b>		To support the steering rack.	Make	4 x	ST_03002
Material	Other: Aluminium 2017A	Raw material, 45x16x16 mm		1 x	
Process	Programming	Milling		1 x	
Process	Other: Machining setup, install and remove	Milling		1 x	
Process	Other: Machining (CNC)	Milling, For the half moon		1 x	
Process	Other: Machining setup, change	Milling		1 x	
Process	Drilled hole	Milling, 2 holes		1 x	
Process	Other: Metrology	To check the part		1 x	
<b>Steering Rack protection</b>		To protect the steering rack.	Make	1 x	ST_03003
Material	Other: Plexiglass	Sheet materials, 180x355mm		1 x	
Process	Programming	For laser cut		1 x	
Process	Other: Laser cut setup, install and remove	For laser cut		1 x	
Process	Laser Cut	Laser cut		1 x	
Process	Other: Metrology	To check the part		1 x	
Process	Bending	2 bending		1 x	

ST (Steering System)		Steering Shaft			ST_A0200
<b>[Assembly Processes]</b>			Make	1 x	ST_A0200P
Material	Other: Paint	Black color		1 x	
Process	Preparing	For the welding		1 x	
Process	Other: Welding (Steel)	Between ST_02001 and ST_02002		1 x	
Process	Preparing	For the welding		1 x	
Process	Other: Welding (Steel)	Between ST_02002 and ST_02003		1 x	
Process	Preparing	For the welding		1 x	
Process	Other: Welding (Steel)	Between ST_02003 and ST_02004		1 x	
Process	Preparing	For the welding		1 x	
Process	Other: Welding (Steel)	Between ST_02004 and ST_02005		1 x	
Process	Other: Painting, aerosol apply	On ST_02004 and ST_02005		1 x	
Process	Other: Press operation	1 x ST_02006 on ST_02002		1 x	
Process	Other: Assemble by hand	ST_02007 on ST_02003		1 x	
Process	Other: Assemble by hand	Steering shaft on rack and frame		1 x	
Process	Other: Press operation	1 x ST_02006 on ST_02002		1 x	
Process	Fastener install (every)	For the retaining ring		1 x	
Fastener	Retaining Ring	For the bearings		1 x	
<b>Quick Release Shaft</b>		Fixed part of the Quick release	Buy	1 x	ST_02001
Material	Bought Part	n/a		1 x	
<b>Steering Shaft Pivot</b>		Bearing seat for the steering pivot	Make	1 x	ST_02002
Material	Other: Steel, 25CD4	Circular section : diameter 32mm		1 x	
Process	Programming	Turning		1 x	
Process	Other: Machining setup, install and remove	Turning, First side		1 x	
Process	Other: Machining (CNC)	Turning, First side		1 x	
Process	Other: Machining setup, change	Turning, For the second side		1 x	
Process	Other: Machining (CNC)	Turning, For the second side		1 x	
Process	Other: Metrology	To Check the part		1 x	
<b>Steering U-joint</b>		U-joint for steering column and ST_02002	Buy	1 x	ST_02003
Material	Bought Part	n/a		1 x	
<b>Steering column</b>		Steering column	Make	1 x	ST_02004
Material	Other: Tubing, Steel, 25CD4S	Length of 343mm		1 x	
Process	Other: Saw or tubing cut	To cut the tube		1 x	

<b>Spline coupler</b>		<i>Connect the steering column to the rack</i>	Buy	1 x	ST_02005
Material	Bought Part	<i>n/a</i>		1 x	
Process	Other: Machining setup, install and remove	<i>Turning</i>		1 x	
Process	Other: Machining (conventionnal)	<i>Turning, hole for steering column</i>		1 x	
<b>Bearing, Ball, Radial</b>		<i>Steering pivot bearings</i>	Buy	2 x	ST_02006
Material	Bought Part	<i>n/a</i>		1 x	
<b>U-joint boot</b>		<i>Over steering u-joint</i>	Buy	1 x	ST_02007
Material	Bought Part	<i>n/a</i>		1 x	

ST (Steering System)		Steering Wheel			ST_A0100
<b>[Assembly Processes]</b>			Make	1 x	P_ST_A0100
Process	Other: Assemble by hand	ST_01003, ST_01002 and ST_01001		1 x	
Process	Other: Tighten bolts	For the 3 bolts		1 x	
Fastener	Other: Bolt grade 8.8	To attach the steering wheel		3 x	
Fastener	Other: Nut, grade 8.8	To attach the steering wheel		3 x	
Fastener	Other: Washer, steel stainless	To attach the steering wheel		3 x	
<b>Steering wheel</b>		Bought at Formula Seven.	Buy	1 x	ST_01001
Material	Bought Part	n/a		1 x	
Process	Drilled hole	4 holes		1 x	
<b>Spacer</b>		Between steering wheel and Quick release	Make	1 x	ST_01002
Material	Other: Aluminium 2017A	Raw material, 55x55x28 mm (Alu 2017A)		1 x	
Process	Programming	Milling		1 x	
Process	Other: Machining setup, install and remove	Milling		1 x	
Process	Other: Machining (CNC)	Milling, First face		1 x	
Process	Other: Machining setup, change	Milling		1 x	
Process	Other: Machining (CNC)	Milling, For the second face		1 x	
Process	Other: Metrology	Milling		1 x	
<b>Quick Release mobil part</b>		Removing part of the Quick release	Buy	1 x	ST_01003
Material	Bought Part	n/a		1 x	

ST (Steering System)		Tie Rods		ST_A0400
<b>[Assembly Processes]</b>		Make	1 x	ST_A0400P
Material	Other: Glue, Structural Epoxy Adhesive	To glue ST_04001 and ST_04003	2 x	
Process	Hand Finish	Surface of ST_04001	1 x	
Process	Other: Surface cleaning, by hand	Surface of ST_04001	1 x	
Process	Liquid Applicator Gun	To apply the glue	1 x	
Process	Other: Assemble by hand	ST_04001 and ST_04003	1 x	
Process	Other: Assemble by hand	ST_04001 and ST_04005 with the nut	1 x	
Process	Other: Assemble by hand	Assemble on fixture for dry time	1 x	
Process	Other: Tighten bolts	for fixture, same as on the car	1 x	
Process	Hand Finish	Surface of ST_04002	1 x	
Process	Other: Surface cleaning, by hand	Surface of ST_04002	1 x	
Process	Liquid Applicator Gun	To apply the glue	1 x	
Process	Other: Assemble by hand	ST_04002 and ST_04003	1 x	
Process	Other: Assemble by hand	ST_04002 and ST_04004 with the nut	1 x	
Process	Other: Assemble by hand	Assemble on fixture for dry time	1 x	
Process	Other: Tighten bolts	for fixture, same as on the car	1 x	
Process	Other: Untighten bolts	Remove from the fixture	1 x	
Process	Other: Assemble by hand	ST_04005 and ST_04007	1 x	
Process	Other: Assemble by hand	ST_04004 and ST_04006	1 x	
Process	Other: Tighten bolts	same as on the fixture	1 x	
Fastener	Other: Nut, Low hex. Nut	Right hand	1 x	
Fastener	Other: Nut, Low hex. Nut	left hand	1 x	
Fastener	Other: Bolt grade 12.9	M6	2 x	
Fastener	Other: k-nuts	M6	2 x	
Fastener	Other: Washer, steel stainless	M6	2 x	
Tooling	Other: Fixture	During dry time	1 x	
<b>Tapped insert, right hand</b>		Right-hand thread, glued to carbon tube	Make	2 x
Material	Other: Aluminium, 7075 T6	Raw material, D=18 mm and L=35mm	1 x	ST_04001
Process	Programming	Turning+ flat spot	1 x	
Process	Other: Machining setup, install and remove	Turning	1 x	
Process	Other: Machining (CNC)	Turning + flat spot	1 x	
Process	Other: Metrology	Turning	1 x	
<b>Tapped insert, left hand</b>		Left-hand thread, glued to carbon tube	Make	2 x
Material	Other: Aluminium, 7075 T6	Raw material, D=18 mm and L=35mm	1 x	ST_04002
Process	Programming	Turning+ flat spot	1 x	
Process	Other: Machining setup, install and remove	Turning	1 x	



Process	Other: Machining (CNC)	Turning+ flat spot	1 x		
Process	Other: Metrology	Turning	1 x		
<b>Carbon tube</b>	<i>carbon tubes for tie rod</i>	Buy	2 x		ST_04003
Material	Bought Part	n/a	1 x		
<b>Rod ends bearing, male r</b>	<i>2 with a left-hand thread</i>	Buy	2 x		ST_04004
Material	Bought Part	n/a	1 x		
<b>Rod ends bearing, male l</b>	<i>2 with a right-hand thread</i>	Buy	2 x		ST_04005
Material	Bought Part	n/a	1 x		
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	4 x		ST_04006
Material	Other: Steel, 30NCD8	Raw material, D=18 mm and L=16mm	1 x		
Process	Other: Machining setup, install and remove	Turning	1 x		
Process	Other: Machining (conventionnal)	Turning	1 x		
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x		ST_04007
Material	Other: Steel, 30NCD8	Raw material, D=10 mm and L=25mm	1 x		
Process	Other: Machining setup, install and remove	Turning	1 x		
Process	Other: Machining (conventionnal)	Turning	1 x		

<b>SU (Suspension System)</b>	<b>A-Arms front lower</b>				<b>SU_A0200</b>
<b>Lower fr. bearing support</b>	<i>Wheel side</i>	Make	2 x		SU_02001
<b>Inner bearing support</b>	<i>Frame side</i>	Make	4 x		SU_02002
<b>Front carbon fiber tube</b>	<i>Carbon tube at the front</i>	Buy	2 x		SU_02003
<b>Back Carbon fiber tube</b>	<i>Carbon tube at the rear</i>	Buy	2 x		SU_02004
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	8 x		SU_02005
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x		SU_02006
<b>Spherical bearing</b>	<i>M6, steel/steel contact</i>	Buy	6 x		SU_02007

<b>SU (Suspension System)</b>	<b>A-Arms front upper</b>				<b>SU_A0100</b>
<b>Upper fr. bearing support</b>	<i>Wheel side</i>	Make	2 x		SU_01001
<b>Inner bearing support</b>	<i>Frame side</i>	Make	4 x		SU_01002
<b>Front carbon fiber tube</b>	<i>Carbon tube at the front</i>	Buy	2 x		SU_01003
<b>Back Carbon fiber tube</b>	<i>Carbon tube at the rear</i>	Buy	2 x		SU_01004
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	8 x		SU_01005
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x		SU_01006
<b>Cylinder aluminium</b>	<i>Glued junction carbon/bearing support</i>	Make	4 x		SU_01007
<b>Spherical bearing</b>	<i>M6, steel/steel contact</i>	Buy	6 x		SU_01008

<b>SU (Suspension System)</b>	<b>A-Arms rear lower</b>				<b>SU_A0400</b>
<b>Lower rr. bearing support</b>	<i>Wheel side</i>	Make	2 x		SU_04001
<b>Inner bearing support</b>	<i>Frame side</i>	Make	4 x		SU_04002
<b>Front carbon fiber tube</b>	<i>Carbon tube at the front</i>	Buy	2 x		SU_04003
<b>Back Carbon fiber tube</b>	<i>Carbon tube at the rear</i>	Buy	2 x		SU_04004
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	8 x		SU_04005
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x		SU_04006
<b>Spherical bearing</b>	<i>M6, steel/steel contact</i>	Buy	6 x		SU_04007

<b>SU (Suspension System)</b>	<b>A-Arms rear upper</b>				<b>SU_A0300</b>
<b>Upper rr. bearing support</b>	<i>Wheel side (1 + symmetric)</i>	Make	2 x		SU_03001
<b>Inner bearing support</b>	<i>Frame side</i>	Make	4 x		SU_03002
<b>Front carbon fiber tube</b>	<i>Carbon tube at the front</i>	Buy	2 x		SU_03003
<b>Back Carbon fiber tube</b>	<i>Carbon tube at the rear</i>	Buy	2 x		SU_03004
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	8 x		SU_03005
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x		SU_03006
<b>Cylinder aluminium</b>	<i>Glued junction carbon/bearing support</i>	Make	4 x		SU_03007
<b>Spherical bearing</b>	<i>M6, steel/steel contact</i>	Buy	6 x		SU_03008

<b>SU (Suspension System)</b>	<b>Anti Roll Bar Front</b>			<b>SU_A1400</b>
<b>Torsion bar</b>	<i>Tube used for the anti roll bar, 25CrMo4</i>	Buy	1 x	SU_14001
<b>Right bearing support</b>	<i>Outside diameter of the SU_14007</i>	Make	1 x	SU_14002
<b>Left bearing support</b>	<i>Outside diameter of the SU_14007</i>	Make	1 x	SU_14003
<b>End plate</b>	<i>Laser cutted, S355, 3mm thick</i>	Make	4 x	SU_14004
<b>Rod ends bearing, male r</b>	<i>2 male thread, ARB rod, right hand</i>	Buy	2 x	SU_14005
<b>Rod ends bearing female r</b>	<i>2 female thread, ARB rod, right hand</i>	Buy	2 x	SU_14006
<b>Spherical plain bearings</b>	<i>Used in the bearing supports, M12</i>	Buy	2 x	SU_14007
<b>Spacer</b>	<i>M6 type 16 mm spacer</i>	Make	4 x	SU_14008

<b>SU (Suspension System)</b>	<b>Anti Roll Bar Rear</b>			<b>SU_A1500</b>
<b>Torsion bar</b>	<i>Tube used for the anti roll bar, 25CrMo4</i>	Buy	1 x	SU_15001
<b>Right bearing support</b>	<i>Outside diameter of the SU_15007</i>	Make	1 x	SU_15002
<b>Left bearing support</b>	<i>Outside diameter of the SU_15007</i>	Make	1 x	SU_15003
<b>End plate</b>	<i>Laser cutted, S355, 3mm thick</i>	Make	4 x	SU_15004
<b>Rod ends bearing, male r</b>	<i>2 with a right-hand thread, ARB rod</i>	Buy	2 x	SU_15005
<b>Rod ends bearing, male l</b>	<i>2 with a left-hand thread, ARB rod</i>	Buy	2 x	SU_15006
<b>Spherical plain bearings</b>	<i>Used in the bearing support, M12</i>	Buy	2 x	SU_15007
<b>Spacer</b>	<i>M6 type 16 mm spacer</i>	Make	4 x	SU_15008
<b>Aluminium tapped tube</b>	<i>Aluminium tube for the ARB rod</i>	Make	2 x	SU_15009

<b>SU (Suspension System)</b>	<b>Bell Cranks Front</b>				<b>SU_A0600</b>
<b>Front rocker</b>	<i>Sheet of metal for the rocker</i>	Make	4 x		SU_06001
<b>Front rocker spacer 1</b>	<i>for the pivot</i>	Make	2 x		SU_06002
<b>Front rocker spacer 2</b>	<i>M6 type 20 mm spacer</i>	Make	8 x		SU_06003



<b>SU (Suspension System)</b>	<b>Bell Cranks Rear</b>				<b>SU_A0800</b>
<b>Rear Rocker</b>	<i>Sheet of metal for the rocker</i>	Make	4 x		SU_08001
<b>Rear rocker spacer 1</b>	<i>for the pivot</i>	Make	2 x		SU_08002
<b>Rear rocker spacer 2</b>	<i>M6 type 20 mm spacer</i>	Make	8 x		SU_08003

<b>SU (Suspension System)</b>	<b>Front Uprights</b>			<b>SU_A1000</b>
<b>Front Left Upright</b>	<i>Right's drawing, left is symmetric.</i>	Make	2 x	SU_10001
<b>Upper Arm Bracket</b>		Make	2 x	SU_10002
<b>Upper Arm Wedge Shim</b>	<i>2mm, 3mm, 1mm for camber adjustments</i>	Make	6 x	SU_10003
<b>Speed Sensor Washer</b>	<i>external sensor washer</i>	Make	2 x	SU_10004
<b>Upper Arm Wedge Base</b>		Make	2 x	SU_10005

<b>SU (Suspension System)</b>	<b>Push/Pullrod Front</b>			<b>SU_A1200</b>
<b>Tapped insert, right hand</b>	<i>Right-hand thread, glued to carbon tube</i>	Make	2 x	SU_12001
<b>Tapped insert, left hand</b>	<i>Left-hand thread, glued to carbon tube</i>	Make	2 x	SU_12002
<b>Carbon tube</b>	<i>carbon tubes for tie rod</i>	Buy	2 x	SU_12003
<b>Rod ends bearing, male r</b>	<i>2 with a right-hand thread</i>	Buy	2 x	SU_12004
<b>Rod ends bearing, male l</b>	<i>2 with a left-hand thread</i>	Buy	2 x	SU_12005
<b>Spacer</b>	<i>M6 type 16 mm spacer, A-arm side</i>	Make	4 x	SU_12006

<b>SU (Suspension System)</b>	<b>Push/Pullrod Rear</b>			<b>SU_A1300</b>
<b>Tapped insert, right hand</b>	<i>Right-hand thread, glued to carbon tube</i>	Make	2 x	SU_13001
<b>Tapped insert, left hand</b>	<i>Left-hand thread, glued to carbon tube</i>	Make	2 x	SU_13002
<b>Carbon tube</b>	<i>carbon tubes for tie rod</i>	Buy	2 x	SU_13003
<b>Rod ends bearing, male r</b>	<i>2 with a right-hand thread</i>	Buy	2 x	SU_13004
<b>Rod ends bearing, male l</b>	<i>2 with a left-hand thread</i>	Buy	2 x	SU_12005
<b>Spacer</b>	<i>M6 type 16 mm spacer, A-arm side</i>	Make	4 x	SU_13006

<b>SU (Suspension System)</b>	<b>Rear Uprights</b>			<b>SU_A1100</b>
<b>Rear Left Upright</b>	<i>Right's drawing, left is symmetric.</i>	Make	2 x	SU_11001
<b>Upper Arm Bracket</b>	<i>same part as in Front Assembly</i>	Make	2 x	SU_11002
<b>Upper Arm Wedge Shim</b>	<i>2mm,3mm, 1mm for camber adjustments</i>	Make	6 x	SU_11003
<b>Speed Sensor Washer</b>	<i>external sensor washer, same as front</i>	Make	2 x	SU_11004

<b>SU (Suspension System)</b>	<b>Shocks Front</b>				<b>SU_A0500</b>
<b>Dampers</b>	<i>Ohlins TTX 25</i>	Buy	2 x		SU_05001
<b>Springs</b>	<i>Springs mounted on the dampers</i>	Buy	2 x		SU_05002
<b>Damper Spacers</b>	<i>M8 type 20 mm spacer</i>	Make	8 x		SU_05003

<b>SU (Suspension System)</b>	<b>Shocks Rear</b>				<b>SU_A0700</b>
<b>Dampers</b>	<i>Ohlins TTX 25</i>	Buy	2 x		SU_07001
<b>Springs</b>	<i>Springs mounted on the dampers</i>	Buy	2 x		SU_07002
<b>Damper spacers</b>	<i>M8 type 20 mm spacer</i>	Make	8 x		SU_07003

<b>SU (Suspension System)</b>	<b>Tie Rod - Rear</b>			<b>SU_A0900</b>
<b>Tapped insert, right hand</b>	<i>Right-hand thread, glued to carbon tube</i>	Make	2 x	SU_09001
<b>Tapped insert, left hand</b>	<i>Left-hand thread, glued to carbon tube</i>	Make	2 x	SU_09002
<b>Carbon tube</b>	<i>carbon tubes for tie rod</i>	Buy	2 x	SU_09003
<b>Rod ends bearing, male r</b>	<i>2 with a left-hand thread</i>	Buy	2 x	SU_09004
<b>Rod ends bearing, male l</b>	<i>2 with a right-hand thread</i>	Buy	2 x	SU_09005
<b>Spacer 1</b>	<i>M6 type 16 mm spacer, frame side</i>	Make	4 x	SU_09006
<b>Spacer 2</b>	<i>M6 type 25 mm spacer, wheel side</i>	Make	4 x	SU_09007



<b>WT (Wheels, Wheel Bearings &amp; Tires) Front Hubs</b>					WT_A0200
<b>Front Hub</b>	<i>Aluminium</i>	Make	2 x		WT_02001
<b>Brake Bell</b>	<i>Aluminium, junction between disc and hub</i>	Make	2 x		WT_02002
<b>Front Bearing Washer</b>	<i>outer side of the external bearing</i>	Make	2 x		WT_02003
<b>Speed disc spacer 1</b>	<i>to position WT_02005 (1mm thick)</i>	Make	6 x		WT_02004
<b>Speed sensor disc</b>	<i>iron teeth shape like</i>	Make	2 x		WT_02005
<b>Speed disc spacer 2</b>	<i>to position WT_02005 (2mm thick)</i>	Make	4 x		WT_02006
<b>Front Bearing</b>	<i>Wheel Bearing, Ball, Angular Contact</i>	Buy	4 x		WT_02007
<b>Front Hub Lock</b>	<i>SKF lock nut KM10</i>	Buy	2 x		WT_02008
<b>Front Hub Locknut Washer</b>	<i>SKF locknut washer MB10</i>	Buy	2 x		WT_02009
<b>Rim Dowel</b>	<i>hand trimmed</i>	Buy	8 x		WT_02010
<b>Rim Nut</b>		Buy	8 x		WT_02011

<b>WT (Wheels, Wheel Bearings &amp; Tires) Rear Hubs</b>					WT_A0300
<b>Rear Hub</b>	<i>Aluminium, flutting for tripod housing</i>	Make	2 x		WT_03001
<b>Brake Bell</b>	<i>Sold attached with the rear breake rotor</i>	Buy	2 x		WT_03002
<b>Rear Bearing Washer</b>	<i>outer side of the external bearing</i>	Make	2 x		WT_03003
<b>Tripod Housing Spacer</b>	<i>rear upright vehicle inner side</i>	Make	2 x		WT_03004
<b>Speed disc spacer 1</b>	<i>to position WT_03006 (1mm thick)</i>	Make	6 x		WT_03005
<b>Speed sensor disc</b>	<i>iron teeth shape like</i>	Make	2 x		WT_03006
<b>Speed disc spacer 2</b>	<i>to position WT_03006 (2mm thick)</i>	Make	4 x		WT_03007
<b>Rear Bearing</b>	<i>Wheel Bearing, Ball, Angular Contact</i>	Buy	4 x		WT_03008
<b>Rim Dowel</b>	<i>hand trimmed</i>	Buy	8 x		WT_03009
<b>Rim Nut</b>		Buy	8 x		WT_03010

<b>WT (Wheels, Wheel Bearings &amp; Tires)    Wheels</b>				WT_A0100
<b>Oz Magnesium Rim</b>	Buy	4 x		WT_01001
<b>Hoosier 13", Dry</b>	Buy	4 x		WT_01002

Overview Costed System: EN				
Engine & Drivetrain	Cooling System		655,08 €	EN_A0600
Engine & Drivetrain	Drivetrain Assembly		4.105,32 €	EN_A0700
Engine & Drivetrain	Engine		3.888,73 €	EN_A0100
Engine & Drivetrain	Exhaust System		2.006,59 €	EN_A0200
Engine & Drivetrain	Fuel Tank – NOT THE HV-Battery		282,22 €	EN_A0900
Engine & Drivetrain	Intake System		1.717,09 €	EN_A0300
Engine & Drivetrain	Other: Fuel system	Fuel system parts + lines	508,79 €	EN_A0500
Engine & Drivetrain	Overflow Bottles		97,91 €	EN_A0800
Engine & Drivetrain	Throttle Body		477,38 €	EN_A0400
SUM			13.739,11 €	