

LOCK MEMO

ERES Trilogy Volume Definitions, Pre-Qualification Model, and Trust Placement

Pre-Pass-B Architectural Lock for the Infomediary Book

Document ID: ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.0 **Author:** Joseph Allen Sprute (ERES Maestro) **Affiliation:** ERES Institute for New Age Cybernetics, Bella Vista, Arkansas, USA **ORCID:** 0000-0001-9946-3221 **Date:** May 9, 2026 **License:** CARE Commons Attribution License v2.1 (CCAL v2.1) **Document Class:** Architectural Lock (Definitive INTENT) — pre-Pass-B **Companion to:** ERES-INFOMEDIARY-BOOK-2026-001-v1.0 (Pass A draft, May 9, 2026) **Supersedes:** Pass A's working synthesis of Data-Integrity ("need-to-witness") and the single-frame Security-Clearance reading. Both are folded away in favor of the canonical formulations recorded below.

Purpose. This memo records architectural locks established during Pass A review, prior to opening Pass B. It functions as the validated-stable upstream that Pass B composes on. Any subsequent Pass A patches produced during the Pass D integration sweep will reference this memo as the canonical lock authority. The pattern mirrors the discipline applied to the slot 431-433 v1.x revisions before composing slot 434 v2.0.

§1. The Three Trilogy Volume Definitions (Locked)

The ERES Trilogy proper consists of three volumes operating downstream of the Infomediary (Volume Zero). Each volume now has a canonical formulation expressed across three equivalence tiers — operational frame, structural equivalence, and identity-level definition — separated by $\boxed{=}$, $\boxed{==}$, and $\boxed{===}$ respectively.

§1.1 One-Good

One-Good = need RT lookup for Adaptive-Fixed QuestionAnswer == HowWay MyWay \$IT
=== UBIMIA Need-to-know for Common Core Sustenance

The operational frame is **real-time lookup for Adaptive-Fixed Question/Answer**. The Instrument provides RT-tier responsiveness for queries whose answers are partially adaptive (responsive to context) and partially fixed (anchored to canonical material). The structural equivalence is **HowWay MyWay \$IT** — the long-running ERES query-answer pattern that surfaced in the early ResearchGate work. The identity-level definition is **UBIMIA Need-to-know for Common Core Sustenance** — One-Good is the volume through which the architecture's commitment to common-core sustenance (the UBIMIA layer) is operationalized.

A User-GROUP selecting One-Good cells in the matrix is committing to RT-tier sustenance support across the selected Pillars.

§1.2 Security-Clearance (Doubled — Operational + Governance)

Security-Clearance carries **two equally canonical formulations**, expressing the same volume from operational and governance perspectives. Both are required; the doubling parallels the slot 431-434 cluster's logical-precedence + foundational dual-reading pattern.

Operational frame:

Security-Clearance = need-to-know == Defense-in-Depth (DID) === FAVORS Def-Rel (Hand vs Head) for S3C SLA Underwriting (Infomediary underwritten / Infomediator underwrites)

The operational frame governs **how** Security-Clearance functions: need-to-know access, Defense-in-Depth tiering, FAVORS Def-Rel allocation between Hand-tier (manual/physical authorization) and Head-tier (cognitive/cryptographic authorization), and SLA underwriting at S3C (Solid-State Smart-City) scale. The Wielder/Instrument financial doublet is canonical at this layer: the Infomediary is the underwritten asset; the Infomediator is the underwriting agent. Risk allocation follows the doublet directly.

Governance frame:

Security-Clearance = CBGMODD == CyberRAVE Def-Rel === FAVORS Commit to SROC (or similar EarnedPath)

The governance frame governs **why** Security-Clearance functions: the CBGMODD seven-seat council provides the governance structure (Citizen, Business, Government, Military, Ombudsman, Dignitary, Diplomat); CyberRAVE's Def-Rel substrate provides the rating discipline that makes Def-Rel allocation honest; FAVORS commits to SROC (Smart-Resonant Offset Contracts) or other EarnedPath instruments as the operational expression of the governance commitment. The Pass-A note that the EarnedPath instrument family is open ("or similar EarnedPath") preserves architectural flexibility — SROC is canonical but not exclusive.

A User-GROUP selecting Security-Clearance cells is committing to **both** the operational frame (DID/FAVORS/S3C SLA) **and** the governance frame (CBGMODD/CyberRAVE/SROC) for the selected Pillars. Selection of either alone is not coherent.

§1.3 Data-Integrity (Five-Layer Chiasmic Verification)

Data-Integrity = SEPLTA == H2C2H / C2H2C (Human-to-Computer/Computer-to-Human over Computer-to-HowWay/HowWay-to-Computer) === ERES App-Parent 111000111 / 000111000 IPIDITIS / IDIPITIS

Data-Integrity is the volume that ensures **involutive symmetry across five layers** of the round-trip. Integrity holds when all five layers preserve their chiasmic-palindromic structure; integrity

fails when any one layer breaks symmetry. The five layers:

1. **Admissibility — SEPLTA.** Social, Ecological, Political, Legal, Technical, Aesthetic. The six-domain frame at qualify-stage. Symmetry preserved when the query's domain coverage at intake matches the answer's domain coverage at return.
2. **Round-trip direction — H2C2H / C2H2C.** Human-to-Computer-to-Human (human-initiated round-trip) over Computer-to-Human-to-Computer (computer-initiated round-trip). Symmetry preserved when both direction classes produce equivalent DETAIL under bit-complement.
3. **Architecture — ERES App-Parent.** The parent-app pattern under which child apps inherit structural commitments. Symmetry preserved when child-app behavior matches parent-app specification across the round-trip.
4. **Binary representation — 111000111 / 000111000.** The bit-complement palindromic pair. Both 9-bit sequences are individually palindromic; together they form a bit-complement involution. Symmetry preserved when the binary encoding of the round-trip's payload admits the bit-complement involution without payload corruption.
5. **Character representation — IPIDITIS / IDIPITIS.** The (2,4) character transposition pair on the canonical 8-character sequence. IDIPITIS $\leftrightarrow$ IPIDITIS swap positions 2 and 4 (D $\leftrightarrow$ P), producing involutive equivalence under double-application. Symmetry preserved when the character-level encoding admits the (2,4) transposition without semantic corruption.

A User-GROUP selecting Data-Integrity cells is committing to **all five layers of involutive symmetry** for the selected Pillars. The five layers are not optional; they are the volume's definition.

This formulation supersedes the Pass-A working synthesis ("need-to-witness == BERA RATE $\times$ EAAP attestation == IDIPITIS stride for Public-Record extraction"), which compressed the volume to a single layer and missed the chiasmic-palindromic structure.

§2. The Pre-Qualification Model

§2.1 The 3 $\times$ 4 Selection Matrix

The Trilogy's three volumes intersect with the GAIA canopy's four Constitutional Pillars to produce a $3 \times 4 = 12$ -cell selection matrix:

	HELP	USE	ENERGY	LAW
One-Good	sustenance care	adaptive Q&A	resource sufficiency	covenant of provision
Security-Clearance	DID for vulnerable	Hand/Head purchase tier	grid access tier	underwriting authority
Data-Integrity	five-layer witness	audit-trail of action	RATE composite	public-record attestation

Cell labels are operational shorthand; full operational specifications belong to Pass B Part III.

§2.2 User-GROUP Self-Positioning

A User-GROUP **pre-qualifies** for the Infomediary round-trip by selecting one or more cells from the matrix. The selection profile is the User-GROUP's commitment surface. The Instrument honors the commitment; the Instrument does not auto-route.


This is the architectural inversion from Pass A. Pass A had the rationalize stage routing queries to volumes based on query content. The locked model has the User-GROUP selecting cells *first*, with the rationalize stage **honoring** the selection rather than performing the selection. The Instrument's role is consequence-execution, not consequence-determination.

The inversion preserves honesty in two ways:

- 1. **The Instrument cannot route a User-GROUP into a volume the User-GROUP did not select.** Architectural constraint, not operational policy.
- 2. **The User-GROUP cannot receive an answer from a volume they did not commit to.** The selection is binding upward as well as downward.

§2.3 Trust Placement

The Infomediary's institutional home is now canonical:



Five-tier chain. Each layer underwrites the layer beneath. No orphaned commitments. The final tier (BEST/SOUND/GOOD) is **produced by** the User-GROUP's selection rather than imposed by the Instrument. Honesty preserved end-to-end.

§3. Additional Architectural Benefits of Pre-Qualification

The pre-qualification model unlocks the following downstream benefits, listed in approximate order of load-bearing weight:

1. **Liability allocation becomes locatable.** User-GROUP positions; User-GROUP bears responsibility. The Instrument cannot be held liable for routing it did not perform.
 2. **Institutional and Investor diligence becomes tractable.** A fund evaluates an institution's 12-cell selection profile and immediately reads risk posture, transparency commitment, and operational depth.
 3. **EAAP-POL policy expression simplifies.** Policy becomes constraints on the matrix (e.g., "Class B Welders may not select Security-Clearance $\times$ LAW without uplift to Class A") rather than free-form rules.
 4. **CBGMODD seven-seat defaults align cleanly.** Each seat receives a default selection profile; per-seat operational rules collapse into seat-default $\times$ User-GROUP-override pattern.
 5. **EarnedPath becomes the architecture-entry ladder.** A Civigen new to the architecture starts with one cell selected and progressively expands. Maturation is measurable.
 6. **SLA underwriting becomes priceable per cell.** Each cell admits underwriting; the User-GROUP's selection profile becomes the underwriting object — directly aligned with Security-Clearance's operational frame.
 7. **Selection drift becomes an auditable signal.** Profile shifts over time = maturation or corruption; either way, the change is discrete and measurable under EAAP audit.
 8. **Multi-jurisdictional operability.** Politics map existing legal frameworks onto the matrix without architectural change. The matrix is jurisdiction-neutral by structure.
 9. **Federation pattern stabilization.** VERTECA mirrors inherit selection profiles; reconciliation between mirrors is profile-comparison rather than re-derivation.
 10. **Honesty preservation through the trust chain.** No layer can claim more authority than the User-GROUP delegated. The chain is upward-only — each layer constrained by the layer above.
 11. **Educational pathway specification.** Onboarding curricula map directly to cell-by-cell capability acquisition. Civigen training becomes legible to course designers.
 12. **AD_ON-AI composition simplification.** The downstream composer receives DETAIL pre-tagged by selected cells, eliminating composition-time routing logic.
-

§4. Pass A Patch Points

The following sections of ERES-INFOMEDIARY-BOOK-2026-001-v1.0 require revision in the Pass D integration sweep to align with this Memo:

- **Front Matter** — Add the GAIA → DOFA → Infomediary → User-GROUP → BSG trust-placement diagram (§2.3 of this Memo).
 - **Notation and Conventions** — Add the three-tier equivalence convention ($\boxed{=}$, $\boxed{==}$, $\boxed{===}$) used in volume definitions.
 - **§0.4 (Trilogy as Noise-Filter and Intelligence-Shaper)** — Rewire from auto-routing to User-GROUP pre-qualification; add the 3×4 matrix; add the "selection produces BSG" framing.
 - **§0.5 (DATABANK)** — Note that DATABANK queries inherit the selection profile and respect cell-bounded access.
 - **§0.7 (Wielder/Instrument Distinction)** — Add the underwriting frame: Infomediary is underwritten; Infomediator underwrites. Cite this Memo §1.2 operational frame.
 - **New §0.9 (Trust Placement)** — Insert the GAIA/DOFA placement formally.
 - **New §0.10 (Three Volume Canonical Formulations)** — Insert the locked definitions from §1 of this Memo.
 - **§1.4 (Rationalize Stage)** — Split into "User-GROUP self-positioning (occurs before round-trip opens)" and "Instrument honors the positioning (occurs at rationalize stage)."
 - **§1.6 (Trilogy Noise-Filter Pass)** — Constrain to the cells the User-GROUP committed to. Filter passes do not run on un-selected cells.
 - **§1.7 (BEST/SOUND/GOOD)** — Reframe as "tier produced by the selection profile" rather than "tier assigned by the Instrument."
-

§5. Pass B Targets (Revised)

With the locks recorded, Pass B opens on validated-stable upstream and targets:

- **Part II — The Three Volumes in Depth.** Three chapters:
 - **Chapter 4 — One-Good.** RT lookup architecture; HowWay/MyWay/\$IT lineage; UBIMIA Common Core Sustenance specification; failure modes when RT-tier responsiveness cannot be sustained.
 - **Chapter 5 — Security-Clearance.** Operational frame (DID/FAVORS Hand-vs-Head/S3C SLA underwriting) AND governance frame (CBGMODD/CyberRAVE Def-Rel/FAVORS Commit to SROC); the Wielder/Instrument financial doublet; failure modes for both frames.

- **Chapter 6 — Data-Integrity.** Five-layer chiasmic verification (SEPLTA, H2C2H/C2H2C, App-Parent, 111000111/000111000, IPIDITIS/IDIPITIS); involution semantics; integrity-failure diagnostics per layer.
- **Part III — The Matrix Walk.** Each of the 12 cells given operational treatment, with worked examples for the three primary entry surfaces (Civigen, Institution, Investor). Approximately 12 short sections plus a synthesis chapter on cross-cell composition.
- **Part IV — DATABANK Architecture under DOFA Governance.** The DATABANK's structural specification, with DOFA's seven-seat council as the governance interface; UBIMIA-Manual as the constitutional spine; Other-Ref as the named-but-undefined extension point; the App-Parent pattern as the architectural lock.

Estimated Pass B length: ~50–55 pages.

§6. License and Attribution

Released under CARE Commons Attribution License v2.1 (CCAL v2.1). Attribution required; derivatives must propagate the license. Citation:

Sprute, J. A. (2026). *Lock Memo: ERES Trilogy Volume Definitions, Pre-Qualification Model, and Trust Placement*. ERES-INFOMEDIARY-LOCK-MEMO-2026-001-v1.0. ERES Institute for New Age Cybernetics.

Don't hurt yourself. Don't hurt others. Build for generations to come.

— Joseph A. Sprute, ERES Institute for New Age Cybernetics

— *End of Lock Memo* —