

# ERGA Assembly Report

v24.10.15

Tags: ERGA-BGE

TxID	3116505
ToLID	<b>icCedAzor3.2</b>
Species	Cedrorum azoricus
Class	Insecta
Order	Coleoptera

Genome Traits	Expected	Observed
Haploid size (bp)	729,929,118	567,877,672
Haploid Number	19 (source: ancestor)	16
Ploidy	2 (source: ancestor)	2
Sample Sex	Unknown	Unknown

## EBP metrics summary and curation notes

Obtained EBP quality metric for collapsed: 7.7.Q65

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Observed Haploid size (bp) has >20% difference with Expected
- . Observed Haploid Number is different from Expected
- . Kmer completeness value is less than 90 for collapsed
- . Not 90% of assembly in chromosomes for collapsed

### Curator notes

- . Interventions/Gb: 292
- . Contamination notes: ""
- . Other observations: "The assembly of CEDRORUM AZORICUS (icCedAzor3) is based on 43X PacBio data and 189X Arima Hi-C data generated as part of the European Reference Genome Atlas (ERGA, <https://www.erga-biodiversity.eu/>) via the Biodiversity Genomics Europe project (BGE, <https://biodiversitygenomics.eu/>). The assembly process included the following steps: initial PacBio assembly generation with Hifiiasm, removal of contaminant sequences using Context, removal of haplotypic duplications using purge\_dups, and Hi-C-based scaffolding with YaHS (and no contig correction). In total, 9 contigs were identified as contaminants (bacterial, archaeal, or viral), totaling 11 Mb (with the largest being 2 Mb). Additionally, 730 regions totaling 427 Mb were identified as haplotypic duplications and removed. The mitochondrial genome was assembled using OATK. Finally, the primary assembly was analyzed and manually improved using Pretext. Manual curation was performed using the normal resolution map, and the genome was reviewed on the BGE GitHub with a normal resolution q0 map (find in this EAR.pdf). Every effort was made to improve this genome, but full

confidence has not been reached. During manual curation, 4 haplotypic regions were removed, totaling 416,211 pb (with the largest being 156,079 pb). Chromosome-scale scaffolds confirmed by Hi-C data were named in order of size. "

## Quality metrics table


Metrics	Pre-curation collapsed	Curated collapsed
Total bp	568,266,305	567,877,672
GC %	28.76	28.75
Gaps/Gbp	17.6	105.66
Total gap bp	1,000	11,100
Scaffolds	348	302
Scaffold N50	16,796,384	28,853,378
Scaffold L50	14	8
Scaffold L90	56	23
Contigs	358	362
Contig N50	10,971,072	10,971,072
Contig L50	16	16
Contig L90	66	69
QV	65.7836	65.6817
Kmer compl.	84.2012	84.1826
BUSCO sing.	98.4%	95.5%
BUSCO dupl.	0.5%	0.3%
BUSCO frag.	0.4%	2.9%
BUSCO miss.	0.7%	1.3%

Warning! BUSCO versions or lineage datasets are not the same across results:

BUSCO: 5.4.3 (euk\_genome\_met, metaeuk) / Lineage: endopterygota\_odb10 (genomes:56, BUSCOs:2124)


BUSCO: 5.8.2 (euk\_genome\_met, metaeuk) / Lineage: endopterygota\_odb12 (genomes:76, BUSCOs:3754)

# HiC contact map of curated assembly




collapsed [\[LINK\]](#)

# K-mer spectra of curated assembly




Distribution of k-mer counts per copy numbers found in asm





Distribution of k-mer counts coloured by their presence in reads/assemblies

# Post-curation contamination screening



TAPAs summary Graph



## Longest sequences (bp)

- icCedAzor3\_1 - 47528909 (Eukaryota)
- ▲ icCedAzor3\_2 - 40092192 (Eukaryota)
- icCedAzor3\_3 - 38938577 (Eukaryota)
- + icCedAzor3\_4 - 34401919 (Eukaryota)
- ▣ icCedAzor3\_5 - 34005811 (Eukaryota)

## Length (bp)

- 1e+07
- 2e+07
- 3e+07
- 4e+07

## superkingdom

- Eukaryota
- N/A

**collapsed.** Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

## Data profile

Data	PACBIO Hifi	Arima
Coverage	43	189

## Assembly pipeline

- **Hifiasm**
  - |\_ *ver*: 0.19.5-r593
  - |\_ *key param*: NA
- **purge\_dups**
  - |\_ *ver*: 1.2.5
  - |\_ *key param*: NA
- **YaHS**
  - |\_ *ver*: 1.2
  - |\_ *key param*: NA

## Curation pipeline

- **PretextMap**
  - |\_ *ver*: 0.1.9
  - |\_ *key param*: NA
- **PretextView**
  - |\_ *ver*: 0.2.5
  - |\_ *key param*: NA

Submitter: Lola Demirdjian

Affiliation: Genoscope

Date and time: 2025-05-19 13:06:07 CEST