

# ERGA Assembly Report

v24.10.15

Tags: ERGA-Pilot

TxID	30301
ToLID	<b>kaBotSchl1</b>
Species	Botryllus schlosseri
Class	Ascidacea
Order	Stolidobranchia

Genome Traits	Expected	Observed
Haploid size (bp)	536,801,721	520,049,112
Haploid Number	16 (source: ancestor)	16
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

## EBP metrics summary and curation notes

Obtained EBP quality metric for pri: 6.7.Q41

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Kmer completeness value is less than 90 for pri
- . BUSCO single copy value is less than 90% for pri
- . Assembly length loss > 3% for pri
- . More than 1000 gaps/Gbp for pri

### Curator notes


- . Interventions/Gb: 298
- . Contamination notes: "No presence of contaminants."
- . Other observations: "The assembly of species Botryllus schlosseri (kaBotSchl) is based on 135X long read ONT data and 141X Dovetail OmniC data generated as part of the European Reference Genome Atlas (ERGA, <https://www.erga-biodiversity.eu/>) via the Pilot project. The assembly process included the following steps: ONT reads shorter than 3 kb were filtered out, thus the remaining reads for a total of ~81 Gb were assembled using Necat with polishing performed using NextPolish. Contigs were subsequently filtered with purge\_dups to remove haplotigs and obtain a more accurate, non-redundant assembly. Scaffolding was performed by aligning Omni-C reads to the purged contigs using the Omni-C mapping pipeline, followed by YaHS for scaffold construction. Contamination was checked using BlobTools. The scaffolds were processed through sanger\_tol/curationpretext pipeline to generate the contact map, which was manually improved using PretextView. The presence of a mitochondrial genome contig/scaffold was not assessed. Chromosome-scale scaffolds confirmed by Omni-C data were named in order of size."

# Quality metrics table

Metrics	Pre-curation pri	Curated pri
Total bp	669,506,172	520,049,112
GC %	40.46	40.47
Gaps/Gbp	648.24	1,011.44
Total gap bp	86,800	72,200
Scaffolds	560	399
Scaffold N50	29,857,706	28,754,081
Scaffold L50	10	8
Scaffold L90	49	16
Contigs	994	925
Contig N50	1,847,095	1,678,088
Contig L50	112	97
Contig L90	373	334
QV	42.6514	41.8357
Kmer compl.	75.4032	62.4053
BUSCO sing.	84.5%	89.8%
BUSCO dupl.	7.8%	0.8%
BUSCO frag.	1.5%	1.3%
BUSCO miss.	6.3%	8.1%


BUSCO: 5.8.2 (euk\_genome\_aug, augustus) / Lineage: metazoa\_odb10 (genomes:65, BUSCOs:954)

# HiC contact map of curated assembly




pri [\[LINK\]](#)

# K-mer spectra of curated assembly




Distribution of k-mer counts per copy numbers found in asm



Distribution of k-mer counts coloured by their presence in reads/assemblies

# Post-curation contamination screening

filename.blobDB.json.bestsum.phylum.p8.span.100.blobplot.bam0



**pri.** Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

# Data profile

Data	ONT	OmniC
Coverage	135x	141x

## Assembly pipeline

- **Necat**
  - |\_ *ver*: 0.0.1
  - |\_ *key param*: NA
- **purge\_dups**
  - |\_ *ver*: 1.2.5
  - |\_ *key param*: NA
- **YaHS**
  - |\_ *ver*: 1.2.2
  - |\_ *key param*: NA

## Curation pipeline

- **sanger-tol/curationpretext**
  - |\_ *ver*: 1.5.0
  - |\_ *key param*: NA
- **PretextView**
  - |\_ *ver*: 1.0.5
  - |\_ *key param*: NA

Submitter: Ilenia Urso

Affiliation: UNIBA

Date and time: 2026-01-20 15:07:16 CET