ERGA Assembly Report

v24.10.15

Tags: ERGA-BGE

TxID	2707950
ToLID	**qmNipGamm6**
Species	Niphargus gammariformis
Class	Malacostraca
Order	Amphipoda

Genome Traits	Expected	Observed
Haploid size (bp)	4,398,769,668	5,516,277,530
Haploid Number	13 (source: ancestor)	25
Ploidy	2 (source: ancestor)	2
Sample Sex	unknown	unknown

EBP metrics summary and curation notes

Obtained EBP quality metric for pri: 6.8.Q63

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

. Observed Haploid size (bp) has >20% difference with Expected
. Observed Haploid Number is different from Expected

. Kmer completeness value is less than 90 for pri

Curator notes

. Interventions/Gb: 150
. Contamination notes: "No presence of contaminants."
. Other observations: "After second round of reviews. Additional curation fixes. Lots of interventions, this one took me a while to finish. Thanks Emilie Teodori for the review."

Quality metrics table

Metrics	Pre-curation pri	Curated pri
Total bp	5,584,042,361	5,516,277,530
GC %	44.02	44.03
Gaps/Gbp	634.49	729.11
Total gap bp	708,600	804,400
Scaffolds	2,739	2,171
Scaffold N50	45,827,757	241,154,867
Scaffold L50	35	10
Scaffold L90	221	23
Contigs	6,282	6,193
Contig N50	2,052,718	2,074,702
Contig L50	829	816
Contig L90	2,867	2,808
QV	22.9	63.0
Kmer compl.	97.23	76.81
BUSCO sing.	91.3%	95.7%
BUSCO dupl.	1.6%	0.7%
BUSCO frag.	1.0%	1.7%
BUSCO miss.	6.1%	1.9%

Warning! BUSCO versions or lineage datasets are not the same across results:
BUSCO: 5.8.2 (euk_genome_min, miniprot) / Lineage: metazoa_odb10 (genomes:65, BUSCOs:954)
BUSCO: 6.0.0 (euk_genome_min, miniprot) / Lineage: crustacea_odb12 (genomes:25, BUSCOs:1536)

HiC contact map of curated assembly



pri [LINK]

K-mer spectra of curated assembly



Distribution of k-mer counts coloured by their presence in reads/assemblies



Distribution of k-mer counts per copy numbers found in **primary** (hapl.)



Distribution of k-mer counts per copy numbers found in asm (dipl.)



Distribution of k-mer counts per copy numbers found in **additional_haplotigs** (hapl.)

Post-curation contamination screening



pri. Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

Data profile

Data	HiFi	OmniC
Coverage	40x	76x

Assembly pipeline

- **Hifiasm**
    |_ *ver:* 0.20.0-r639
    |_ *key param:* NA
- **purge_dups**
    |_ *ver:* 1.2.5
    |_ *key param:* NA
- **YaHS**
    |_ *ver:* 1.2.2
    |_ *key param:* NA

Curation pipeline

- **sanger-tol/curationpretext**
    |_ *ver:* v1.5.0-g5fd8e6e
    |_ *key param:* NA
- **Nextflow**
    |_ *ver:* 25.04.2
    |_ *key param:* NA
- **pretextmap**
    |_ *ver:* 0.1.9
    |_ *key param:* NA
- **HiGlass**
    |_ *ver:* 0.10.4
    |_ *key param:* NA
- **PretextViewAI**
    |_ *ver:* 1.0.5
    |_ *key param:* NA

Submitter: André E. R. Soares
Affiliation: SciLifeLab

Date and time: 2026-03-10 16:15:47 CET