CMIP6 Model Documentation

Institute: CNRM-CERFACS Model: CNRM-ESM2-1

Topic: Top Level

Doc. Generated: 2018-02-15

Doc. Seeded From: N/A

Specialization Version: 0.5.0

Further Info: https://es-doc.org/cmip6

https://specializations.es-doc.org/cmip6

Documentation Contents

| 1 | \mathbf{Key} | Properties | 1 |
|----------|----------------|------------------------|----|
| | 1.1 | Key Properties | 1 |
| | 1.2 | Flux Correction | 1 |
| | 1.3 | Genealogy | 1 |
| | 1.4 | Software Properties | 2 |
| | 1.5 | Coupling | 3 |
| | 1.6 | Tuning Applied | 4 |
| | 1.7 | Heat | 5 |
| | 1.8 | Fresh Water | 6 |
| | 1.9 | Salt | 8 |
| | 1.10 | Momentum | 8 |
| | | | |
| 2 | Rad | iative Forcings | 9 |
| | 2.1 | Radiative Forcings | 9 |
| | 2.2 | CO2 | 9 |
| | 2.3 | CH4 | 10 |
| | 2.4 | N2O | 10 |
| | 2.5 | Tropospheric O3 | 11 |
| | 2.6 | Stratospheric O3 | 12 |
| | 2.7 | CFC | 12 |
| | 2.8 | SO4 | 13 |
| | 2.9 | Black Carbon | 14 |
| | 2.10 | Organic Carbon | 15 |
| | | Nitrate | 15 |
| | | Cloud Albedo Effect | 16 |
| | | Cloud Lifetime Effect | 17 |
| | 2.14 | Dust | 18 |
| | | Tropospheric Volcanic | 19 |
| | | Stratospheric Volcanic | 20 |
| | 2.17 | Sea Salt | 22 |
| | 2.18 | Land Use | 22 |
| | 2.10 | Solar | 23 |

1 Key Properties

Key properties of the model

1.1 Key Properties

Key properties of the model

1.1.1 Model Overview

Top level overview of coupled model

Spec. ID: cmip6.toplevel.key_properties.model_overview

Is Required ? TRUE

Enter TEXT value:

1.1.2 Model Name

Name of coupled model.

Spec. ID: cmip6.toplevel.key_properties.model_name

Is Required ? TRUE

Enter TEXT value:

1.2 Flux Correction

Flux correction properties of the model

1.2.1 Details

 $Describe\ if/how\ flux\ corrections\ are\ applied\ in\ the\ model$

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. flux_correction. details$

Is Required? TRUE

Enter TEXT value:

1.3 Genealogy

Genealogy and history of the model

1.3.1 Year Released

Year the model was released

Spec. ID: cmip6.toplevel.key_properties.genealogy.year_released

Is Required ? TRUE

1.3.2 CMIP3 Parent

```
CMIP3\ parent\ if\ any
```

 ${\bf Spec.~ID:}~cmip 6. toplevel. key_properties. genealogy.cmip 3_parent$

Is Required ? FALSE

Enter TEXT value:

1.3.3 CMIP5 Parent

CMIP5 parent if any

Spec. ID: cmip6.toplevel.key_properties.genealogy.cmip5_parent

Is Required ? FALSE

Enter TEXT value:

1.3.4 Previous Name

Previously known as

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. key_properties. genealogy. previous_name$

Is Required ? FALSE

Enter TEXT value:

1.4 Software Properties

Software properties of model

1.4.1 Repository

Location of code for this component.

Spec. ID: cmip6.toplevel.key_properties.software_properties.repository

Is Required ? FALSE

Enter TEXT value:

1.4.2 Code Version

Code version identifier.

 ${\bf Spec.}\ {\bf ID:}\ cmip 6. top level. key_properties. software_properties. code_version$

Is Required ? ${\tt FALSE}$

Enter TEXT value:

1.4.3 Code Languages

 $Code\ language(s).$

 ${\bf Spec.~ID:}~cmip 6. toplevel. key_properties. software_properties. code_languages$

Is Required ? FALSE

Enter TEXT value(s):

1.4.4 Components Structure

 $Describe\ how\ model\ realms\ are\ structured\ into\ independent\ software\ components\ (coupled\ via\ a\ coupler)\ and\ internal\ software\ components.$

 ${\bf Spec.~ID:}~cmip 6. toplevel. key_properties. software_properties. components_structure$

Is Required ? FALSE

Enter TEXT value:

1.4.5 Coupler

Overarching coupling framework for model.

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. software_properties. coupler$

Is Required ? FALSE

Select value:

| Defect | value. |
|--------|---|
| | OASIS - The OASIS coupler - prior to OASIS-MCT |
| | OASIS3-MCT - The MCT variant of the OASIS coupler |
| | ESMF - Vanilla Earth System Modelling Framework |
| | NUOPC - National Unified Operational Prediction Capability variant of ESMF |
| | Bespoke - Customised coupler developed for this model |
| | Unknown - It is not known what/if-a coupler is used |
| | None - No coupler is used |
| | Other - please specify: |

1.5 Coupling

1.5.1 Overview

 $Overview\ of\ coupling\ in\ the\ model$

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. key_properties. coupling. overview$

Is Required ? TRUE

Enter TEXT value:

1.5.2 Atmosphere Double Flux

 ${\it Is the atmosphere passing a double flux to the ocean and sea ice (as opposed to a single one) xxx?}$

Spec. ID: cmip6.toplevel.key_properties.coupling.atmosphere_double_flux

| Is Required ? TRUE |
|--|
| Select value: |
| ☐ True ☐ False |
| 1.5.3 Atmosphere Fluxes Calculation Grid |
| Where are the air-sea fluxes calculated |
| ${\bf Spec.~ID:}~cmip 6. top level. key_properties. coupling. atmosphere_fluxes_calculation_grid$ |
| Is Required ? FALSE |
| Select value: |
| Atmosphere grid |
| Ocean grid |
| Specific coupler grid |
| Other - please specify: |
| 1.5.4 Atmosphere Relative Winds Are relative or absolute winds used to compute the fluxxxx? I.e. do ocean surface currents enter the wind stress calculationxxx? Spec. ID: cmip6.toplevel.key_properties.coupling.atmosphere_relative_winds |
| Is Required ? TRUE |
| Select value: |
| ☐ True ☐ False |
| 1.6 Tuning Applied Tuning methodology for model |
| 1.6.1 Description |
| General overview description of tuning: explain and motivate the main targets and metrics/diagnostics retained. Document the relative weight given to climate performance metrics/diagnostics versus process oriented metrics/diagnostics, and on the possible conflicts with parameterization level tuning. In particular describe any struggle with a parameter value that required pushing it to its limits to solve a particular model deficiency. |
| Spec. ID: cmip6.toplevel.key_properties.tuning_applied.description |
| Is Required ? TRUE |
| Enter TEXT value |

1.6.2 Global Mean Metrics Used

List set of metrics/diagnostics of the global mean state used in tuning model

```
Spec. ID: cmip6.toplevel.key_properties.tuning_applied.global_mean_metrics_used

Is Required ? FALSE

Enter TEXT value(s):
```

1.6.3 Regional Metrics Used

List of regional metrics/diagnostics of mean state (e.g THC, AABW, regional means etc) used in tuning model/component

```
Spec. ID: cmip6.toplevel.key_properties.tuning_applied.regional_metrics_used

Is Required ? FALSE

Enter TEXT value(s):
```

1.6.4 Trend Metrics Used

List observed trend metrics/diagnostics used in tuning model/component (such as 20th century)

```
Spec. ID: cmip6.toplevel.key_properties.tuning_applied.trend_metrics_used

Is Required ? FALSE

Enter TEXT value(s):
```

1.6.5 Energy Balance

Describe how energy balance was obtained in the full system: in the various components independently or at the components coupling stagexxx?

```
Spec. ID: cmip6.toplevel.key_properties.tuning_applied.energy_balance
Is Required ? TRUE
Enter TEXT value:
```

1.6.6 Fresh Water Balance

Describe how fresh_water balance was obtained in the full system: in the various components independently or at the components coupling stagexxx?

```
Spec. ID: cmip6.toplevel.key_properties.tuning_applied.fresh_water_balance

Is Required ? TRUE

Enter TEXT value:
```

1.7 Heat

Global heat convervation properties of the model

1.7.1 Global

Describe if/how heat is conserved globally

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. key_properties. conservation. heat. global$

Is Required ? TRUE

Enter TEXT value:

1.7.2 Atmos Ocean Interface

Describe if/how heat is conserved at the atmosphere/ocean coupling interface

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. heat. atmos_ocean_interface$

Is Required ? FALSE

Enter TEXT value:

1.7.3 Atmos Land Interface

 $Describe\ if/how\ heat\ is\ conserved\ at\ the\ atmosphere/land\ coupling\ interface$

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. heat. atmos_land_interface$

Is Required? TRUE

Enter TEXT value:

1.7.4 Atmos Sea-ice Interface

Describe if/how heat is conserved at the atmosphere/sea-ice coupling interface

Spec. ID: cmip6.toplevel.key_properties.conservation.heat.atmos_sea-ice_interface

Is Required ? FALSE

Enter TEXT value:

1.7.5 Ocean Seaice Interface

 $Describe\ if/how\ heat\ is\ conserved\ at\ the\ ocean/sea-ice\ coupling\ interface$

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. heat.ocean_seaice_interface$

Is Required ? FALSE

Enter TEXT value:

1.7.6 Land Ocean Interface

Describe if/how heat is conserved at the land/ocean coupling interface

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. key_properties. conservation. heat. land_ocean_interface$

Is Required ? FALSE

Enter TEXT value:

1.8 Fresh Water

Global fresh water convervation properties of the model

1.8.1 Global

 $Describe\ if/how\ fresh_water\ is\ conserved\ globally$

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. fresh_water. global$

Is Required ? TRUE

Enter TEXT value:

1.8.2 Atmos Ocean Interface

Describe if/how fresh_water is conserved at the atmosphere/ocean coupling interface

 ${\bf Spec.~ID:}~cmip 6. toplevel. key_properties. conservation. fresh_water. atmos_ocean_interface$

Is Required ? FALSE

Enter TEXT value:

1.8.3 Atmos Land Interface

Describe if/how fresh water is conserved at the atmosphere/land coupling interface

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. fresh_water. atmos_land_interface$

Is Required ? TRUE

Enter TEXT value:

1.8.4 Atmos Sea-ice Interface

 $Describe\ if/how\ fresh\ water\ is\ conserved\ at\ the\ atmosphere/sea-ice\ coupling\ interface$

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. fresh_water. atmos_sea-ice_interface$

Is Required ? FALSE

Enter TEXT value:

1.8.5 Ocean Seaice Interface

 $Describe\ if/how\ fresh\ water\ is\ conserved\ at\ the\ ocean/sea-ice\ coupling\ interface$

 $\textbf{Spec. ID:} \ cmip 6. top level. key_properties. conservation. fresh_water.ocean_seaice_interface$

Is Required ? FALSE

Enter TEXT value:

1.8.6 Runoff

Describe how runoff is distributed and conserved

 ${\bf Spec.\ ID:}\ cmip 6. top level. key_properties. conservation. fresh_water. run of fine the properties of the proper$

Is Required ? FALSE

1.8.7 Iceberg Calving

Describe if/how iceberg calving is modeled and conserved

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. fresh_water. ice berg_calving$

Is Required ? FALSE

Enter TEXT value:

1.8.8 Endoreic Basins

Describe if/how endoreic basins (no ocean access) are treated

Spec. ID: cmip6.toplevel.key_properties.conservation.fresh_water.endoreic_basins

Is Required ? FALSE

Enter TEXT value:

1.8.9 Snow Accumulation

Describe how snow accumulation over land and over sea-ice is treated

Spec. ID: cmip6.toplevel.key_properties.conservation.fresh_water.snow_accumulation

Is Required ? FALSE

Enter TEXT value:

1.9 Salt

Global salt convervation properties of the model

1.9.1 Ocean Seaice Interface

Describe if/how salt is conserved at the ocean/sea-ice coupling interface

 ${\bf Spec.~ID:}~cmip 6. top level. key_properties. conservation. salt. ocean_seaice_interface$

Is Required ? FALSE

Enter TEXT value:

1.10 Momentum

Global momentum convervation properties of the model

1.10.1 Details

 $Describe\ if/how\ momentum\ is\ conserved\ in\ the\ model$

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. key_properties. conservation. momentum. details$

Is Required ? FALSE

2 Radiative Forcings

Radiative forcings of the model for historical and scenario (aka Table 12.1 IPCC AR5)

2.1 Radiative Forcings

Radiative forcings of the model for historical and scenario (aka Table 12.1 IPCC AR5)

2.1.1 Overview

Overview of radiative forcings (GHG and aerosols) implementation in model

Spec. ID: cmip6.toplevel.radiative_forcings.greenhouse_gases.co2.provision

Spec. ID: cmip6.toplevel.radiative_forcings.overview

Is Required ? TRUE

Enter TEXT value:

2.2 CO2

Carbon dioxide forcing

2.2.1 Provision

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)

Is Required? TRUE

Select value(s):

N/A - Not applicable - forcing agent is not included

M - Emissions and concentrations determined by the model state rather than externally prescribed

Y - Prescribed concentrations, distributions or time series data

E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions

ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the

C - Fixed prescribed climatology of concentrations with no year-to-year variability Other - please specify:

prescribed surface concentration

2.2.2 Additional Information

 $Additional\ information\ relating\ to\ the\ provision\ and\ implementation\ of\ this\ forcing\ agent\ (e.g.\ citations,\ use\ of\ non-standard\ datasets,\ explaining\ how\ multiple\ provisions\ are\ used,\ etc.).$

 ${\bf Spec.\ ID:}\ cmip 6. top level. radiative_forcings. greenhouse_gases. co 2. additional_information$

Is Required ? ${\tt FALSE}$

2.3 CH4

 $Methane\ forcing$

2.3.1 Provision

| | 1 10 (1010) | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|
| How this | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) | | | | | | | |
| Spec | Spec. ID: cmip6.toplevel.radiative_forcings.greenhouse_gases.ch4.provision | | | | | | | |
| Is Re | equired ? TRUE | | | | | | | |
| Selec | et value(s): | | | | | | | |
| | N/A - Not applicable - forcing agent is not included | | | | | | | |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed | | | | | | | |
| | Y - Prescribed concentrations, distributions or time series data | | | | | | | |
| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions | | | | | | | |
| prescribe | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration | | | | | | | |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability | | | | | | | |
| | Other - please specify: | | | | | | | |
| non-stane | al information relating to the provision and implementation of this forcing agent (e.g. citations, use of dard datasets, explaining how multiple provisions are used, etc.). ID: cmip6.toplevel.radiative_forcings.greenhouse_gases.ch4.additional_information equired ? FALSE | | | | | | | |
| Ente | r TEXT value: | | | | | | | |
| 2.4 $^{\circ}$ | N2O | | | | | | | |
| | oxide forcing | | | | | | | |
| 2.4.1 | Provision | | | | | | | |
| How this | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) | | | | | | | |
| \mathbf{Spec} | $\textbf{ID:} \ cmip 6. top level. radiative_forcings. greenhouse_gases. n 2o. provision$ | | | | | | | |
| Is Re | equired ? TRUE | | | | | | | |
| Selec | et value(s): | | | | | | | |
| | $\mathrm{N/A}$ - Not applicable - forcing agent is not included | | | | | | | |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed | | | | | | | |
| | Y - Prescribed concentrations, distributions or time series data | | | | | | | |

| E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions | |
|--|-------|
| ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from prescribed surface concentration | ı the |
| C - Fixed prescribed climatology of concentrations with no year-to-year variability | |
| Other - please specify: | |
| 2.4.2 Additional Information | |
| Additional information relating to the provision and implementation of this forcing agent (e.g. citations, u non-standard datasets, explaining how multiple provisions are used, etc.). | se of |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. greenhouse_gases. n 2o. additional_information$ | |
| Is Required ? FALSE | |
| Enter TEXT value: | |
| 2.5 Tropospheric O3 | |
| Troposheric ozone forcing | |
| 2.5.1 Provision | |
| How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc. | .) |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. greenhouse_gases. tropospheric_o 3. provision$ | |
| Is Required ? TRUE | |
| Select value(s): | |
| \square N/A - Not applicable - forcing agent is not included | |
| M - Emissions and concentrations determined by the model state rather than externally prescrib | ed |
| Y - Prescribed concentrations, distributions or time series data | |
| \square E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions | |
| ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from prescribed surface concentration | ı the |
| C - Fixed prescribed climatology of concentrations with no year-to-year variability | |
| Other - please specify: | |
| 2.5.2 Additional Information | |
| Additional information relating to the provision and implementation of this forcing agent (e.g. citations, u non-standard datasets, explaining how multiple provisions are used, etc.). | se of |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. greenhouse_gases. tropospheric_o 3. additional_information and the contraction of the contr$ | l |

Is Required ? FALSE
Enter TEXT value:

2.6 Stratospheric O3

Stratospheric ozone forcing

2.6.1 Provision

| How this forcing | How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) | | | | | | | |
|------------------|--|--|--|--|--|--|--|--|
| Spec. ID: | ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. greenhouse_gases. stratospheric_o 3. provision$ | | | | | | | |
| Is Require | ed ? TRUE | | | | | | | |
| Select value | ue(s): | | | | | | | |
| □ N/A | N/A - Not applicable - forcing agent is not included | | | | | | | |
| ☐ M - | Emissions and concentrations determined by the model state rather than externally prescribed | | | | | | | |
| Y - 1 | Prescribed concentrations, distributions or time series data | | | | | | | |
| E - 0 | Concentrations calculated interactively driven by prescribed emissions or precursor emissions | | | | | | | |
| | Surface emissions (and 3-D concentrations away from the surface) derived via the model from the ace concentration | | | | | | | |
| C - 1 | Fixed prescribed climatology of concentrations with no year-to-year variability | | | | | | | |
| Othe | er - please specify: | | | | | | | |
| Additional info | itional Information rmation relating to the provision and implementation of this forcing agent (e.g. citations, use of latasets, explaining how multiple provisions are used, etc.). | | | | | | | |
| | cmip6.toplevel.radiative_forcings.greenhouse_gases.stratospheric_o3.additional_information | | | | | | | |
| Is Require | ed ? FALSE | | | | | | | |
| Enter TE | XT value: | | | | | | | |
| 2.7 CFC | 9 | | | | | | | |
| Ozone-deplet | ing and non-ozone-depleting fluorinated gases forcing | | | | | | | |
| 2.7.1 Prov | vision | | | | | | | |
| How this forcing | ng agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) | | | | | | | |
| Spec. ID: | $cmip 6. top level. radiative_forcings. greenhouse_gases. cfc. provision$ | | | | | | | |
| Is Require | ed ? TRUE | | | | | | | |
| Select val | Select value(s): | | | | | | | |
| □ N/A | a - Not applicable - forcing agent is not included | | | | | | | |
| ☐ M - | Emissions and concentrations determined by the model state rather than externally prescribed | | | | | | | |
| | Procesilized concentrations, distributions or time series data | | | | | | | |

| \square E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
|---|
| ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration |
| C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| Other - please specify: |
| 2.7.2 Equivalence Concentration |
| Details of any equivalence concentrations used |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. greenhouse_gases. cfc. equivalence_concentration$ |
| Is Required ? TRUE |
| Select value: |
| N/A - Not applicabale (CFCs not included or emissions and concentrations determined by the mode state) |
| Option 1 - CFCs, including CFC-12, are provided as actual concentrations |
| Option 2 - CFC-12 is provided as actual concentrations and any other gases are provided as an equivalence concentration of CFC-11 |
| Option 3 - Ozone depleting gases, including CFC-12, are provided as an equivalence concentration of CFC-12 and all other fluorinated gases are provided as an equivalence concentration of HFC-134a |
| Other - please specify: |
| 2.7.3 Additional Information |
| Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use on non-standard datasets, explaining how multiple provisions are used, etc.). |
| ${\bf Spec.\ ID:}\ cmip 6. top level. radiative_forcings. greenhouse_gases. cfc. additional_information$ |
| Is Required ? FALSE |
| Enter TEXT value: |
| $2.8 \mathrm{SO4}$ |
| SO4 aerosol forcing |
| 2.8.1 Provision |
| How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Spec. ID: cmip6.toplevel.radiative_forcings.aerosols.so4.provision |
| Is Required ? TRUE |
| Select value(s): |
| N/A - Not applicable - forcing agent is not included |
| |

| | M - Emissions and concentrations determined by the model state rather than externally prescribed |
|------------|---|
| | Y - Prescribed concentrations, distributions or time series data |
| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
| prescribed | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| | Other - please specify: |
| 2.8.2 | Additional Information |
| | l information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.). |
| Spec | . ID: $cmip 6. top level. radiative_forcings. aerosols. so 4. additional_information$ |
| Is Re | equired ? FALSE |
| Ente | r TEXT value: |
| 2.9 E | Black Carbon |
| Black ca | erbon aerosol forcing |
| 2.9.1 | Provision |
| How this | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Spec | . ID: $cmip6.toplevel.radiative_forcings.aerosols.black_carbon.provision$ |
| Is Re | equired ? TRUE |
| Selec | t value(s): |
| | $\mathrm{N/A}$ - Not applicable - forcing agent is not included |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed |
| | Y - Prescribed concentrations, distributions or time series data |
| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
| prescribed | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| | Other - please specify: |

2.9.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

 $\mathbf{Spec.}\ \mathbf{ID:}\ cmip 6. top level. radiative_forcings. aerosols. black_carbon. additional_information$

Is Required ? FALSE

Enter TEXT value:

2.10 Organic Carbon

Organic carbon aerosol forcing

2.10.1 Provision

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)

Spec. ID: cmip6.toplevel.radiative_forcings.aerosols.organic_carbon.provision

Is Required? TRUE

| Select | 179 | امدا | (0) | ١. |
|--------|-----|------|-----|----|
| Select | va. | ıue | S | , |

| ı | 1 | | | | | | | | | | |
|---|----------|------|------|---------|--------|---------|-------|----|-----|----------|------|
| ı | I NI | / A | NTak | a 1: | . 1. 1 | forcing | | :~ | | in alm d | الما |
| ı | 1 1 1 1 | /A - | TNOL | abblica | abre - | TOLCIUE | agent | IS | поь | merue | ıea |

Y - Prescribed concentrations, distributions or time series data

| E Componium | المغامية المعام | intono oticole. | Juineau le | | | | |
|--------------------|-----------------|-----------------|------------|--------------|--------------|-----------|-----------|
| E - Concentrations | caiculated | interactively | ariven b | v prescribea | emissions or | precursor | emissions |

LS - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration

C - Fixed prescribed climatology of concentrations with no year-to-year variability

Other - please specify:

2.10.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

 ${\bf Spec.\ ID:}\ cmip 6. top level. radiative_forcings. aerosols. organic_carbon. additional_information$

Is Required ? FALSE

Enter TEXT value:

2.11 Nitrate

Nitrate forcing

2.11.1 Provision

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)

 $\mathbf{Spec.} \ \mathbf{ID:} \ cmip 6. top level. radiative_forcings. aerosols. nitrate. provision$

Is Required ? TRUE

| Selec | |
|------------|---|
| | t value(s): |
| | N/A - Not applicable - forcing agent is not included |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed |
| | Y - Prescribed concentrations, distributions or time series data |
| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
| prescribed | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| | Other - please specify: |
| 2.11.2 | Additional Information |
| | l information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.). |
| Spec | . ID: $cmip 6. top level. radiative_forcings. aerosols. nitrate. additional_information$ |
| Is Re | equired ? FALSE |
| Ente | r TEXT value: |
| 2.12 | Cloud Albedo Effect |
| Cloud at | bedo effect forcing (RFaci) |
| 2.12.1 | D |
| How this | Provision |
| | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Spec | |
| _ | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) . ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE t value(s): |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE t value(s): N/A - Not applicable - forcing agent is not included |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE t value(s): N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE t value(s): N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed Y - Prescribed concentrations, distributions or time series data |
| Is Re | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) ID: cmip6.toplevel.radiative_forcings.aerosols.cloud_albedo_effect.provision equired ? TRUE t value(s): N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed Y - Prescribed concentrations, distributions or time series data E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the |

| n | .12. | 2 | Aerosol | T-ffoot | Ω_{n} | Taa | α | ~da |
|----|--------|-----|---------|---------|--------------|------|----------|------|
| Z. | . I Z. | . 4 | Aerosor | ranect | w | rce. | v | ouas |

 $Radiative\ effects\ of\ aerosols\ on\ ice\ clouds\ are\ represented xxx?$

| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. aerosols. cloud_albedo_effect. aerosol_effect_on_ice_clouds$ |
|--|
| Is Required ? TRUE |
| Select value: |
| ☐ True ☐ False |
| 2.12.3 Additional Information |
| $Additional\ information\ relating\ to\ the\ provision\ and\ implementation\ of\ this\ forcing\ agent\ (e.g.\ citations,\ use\ of\ non-standard\ datasets,\ explaining\ how\ multiple\ provisions\ are\ used,\ etc.).$ |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. aerosols. cloud_albedo_effect. additional_information$ |
| Is Required ? FALSE |
| Enter TEXT value: |
| 2.13 Cloud Lifetime Effect |
| Cloud lifetime effect forcing (ERFaci) |
| Coolida officionic effect for cong (E101 act) |
| 2.13.1 Provision |
| How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. aerosols. cloud_lifetime_effect. provision$ |
| Is Required ? TRUE |
| Select value(s): |
| N/A - Not applicable - forcing agent is not included |
| M - Emissions and concentrations determined by the model state rather than externally prescribed |
| Y - Prescribed concentrations, distributions or time series data |
| E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
| \square ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration |
| C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| Other - please specify: |
| 2.13.2 Aerosol Effect On Ice Clouds |
| |

2.

 $Radiative\ effects\ of\ aerosols\ on\ ice\ clouds\ are\ represented xxx?$

 $\textbf{Spec. ID:} \ cmip 6. top level. radiative_forcings. aerosols. cloud_lifetime_effect. aerosol_effect_on_ice_clouds$

| Is Requi | red ? TRUE | |
|------------------|--|--|
| Select va | llue: | |
| ☐ Tru | e False | |
| 2.13.3 R | Faci From Sulfate Only | |
| Radiative for | ing from aerosol cloud interactions from | ı sulfate aerosol onlyxxx? |
| Spec. II | cmip6.toplevel.radiative_forcings.aero | sols.cloud_lifetime_effect.rfaci_from_sulfate_only |
| Is Requi | red ? TRUE | |
| Select va | llue: | |
| ☐ Tru | False | |
| 2.13.4 A | dditional Information | |
| | formation relating to the provision and a datasets, explaining how multiple provision. | implementation of this forcing agent (e.g. citations, use of ions are used, etc.). |
| Spec. II | cmip6.toplevel.radiative_forcings.aero | $sols.cloud_lifetime_effect.additional_information$ |
| Is Requi | red ? FALSE | |
| Enter T | EXT value: | |
| 2.14 D | ıst | |
| Dust forcin | 7 | |
| 2.14.1 P | rovision | |
| How this force | ing agent is provided (e.g. via concentre | tions, emission precursors, prognostically derived, etc.) |
| Spec. II | cmip6.toplevel.radiative_forcings.aero | sols.dust.provision |
| Is Requi | red ? TRUE | |
| Select va | ılue(s): | |
| □ N ₁ | A - Not applicable - forcing agent is not | included |
| М | - Emissions and concentrations determine | ned by the model state rather than externally prescribed |
| | - Prescribed concentrations, distribution | s or time series data |
| □ E | Concentrations calculated interactively | driven by prescribed emissions or precursor emissions |
| | - Surface emissions (and 3-D concentrate face concentration | ions away from the surface) derived via the model from the |
| \Box C | Fixed prescribed climatology of concen | trations with no year-to-year variability |
| Ot | her - please specify: | |

2.14.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of $non\text{-}standard\ datasets,\ explaining\ how\ multiple\ provisions\ are\ used,\ etc.).$

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. radiative_forcings. aerosols. dust. additional_information$

Is Required ? FALSE

Enter TEXT value:

Tropospheric Volcanic

Tropospheric volcanic forcing

2

| 2.15.1 | Provision |
|------------|---|
| How this | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Spec | $\textbf{ID:} \ cmip 6. top level. radiative_forcings. aerosols. tropospheric_volcanic. provision$ |
| Is Re | equired ? TRUE |
| Selec | t value(s): |
| | N/A - Not applicable - forcing agent is not included |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed |
| | Y - Prescribed concentrations, distributions or time series data |
| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
| prescribed | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| | Other - please specify: |
| 2.15.2 | Historical Explosive Volcanic Aerosol Implementation |
| How explo | osive volcanic aerosol is implemented in historical simulations |
| - | $\textbf{ID:} \ cmip 6. top level. radiative_forcings. aerosols. tropospheric_volcanic. historical_explosive_volcanic\n plementation$ |
| Is Re | equired ? TRUE |
| Selec | t value: |
| | Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background. |
| | Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano) |
| backgroun | $ \label{thm:constant} \text{Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) \\ \text{ad.} $ |
| | Type D - Explosive volcanic aerosol set to zero |

| | Type E - Explosive volcanic aerosol set to constant (average volcano) background |
|------------------|--|
| | Other - please specify: |
| | |
| 2.15.3 | Future Explosive Volcanic Aerosol Implementation |
| How expl | osive volcanic aerosol is implemented in future simulations |
| Spec implemen | . $\textbf{ID:} \ cmip 6. top level. radiative_forcings. aerosols. tropospheric_volcanic. future_explosive_volcanic_aerosol_tation$ |
| Is Re | equired ? TRUE |
| Selec | et value: |
| | Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background. |
| | |
| | Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano) |
| backgrou | $\label{eq:constant} \mbox{Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano)} \mbox{ad}.$ |
| | Type D - Explosive volcanic aerosol set to zero |
| | Type E - Explosive volcanic aerosol set to constant (average volcano) background |
| | Other - please specify: |
| | |
| 2.15.4 | Additional Information |
| | Il information relating to the provision and implementation of this forcing agent (e.g. citations, use of lard datasets, explaining how multiple provisions are used, etc.). |
| \mathbf{Spec} | . $\textbf{ID:} \ cmip 6. top level. radiative_forcings. aerosols. tropospheric_volcanic. additional_information$ |
| Is Re | equired ? FALSE |
| Ente | r TEXT value: |
| | |
| 2.16 | Stratospheric Volcanic |
| Stratosp | heric volcanic forcing |
| 2 16 1 | Provision |
| | |
| | forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) |
| Spec | . ID: $cmip 6. top level. radiative_forcings. aerosols. stratospheric_volcanic. provision$ |
| Is Re | equired ? TRUE |
| Selec | t value(s): |
| | N/A - Not applicable - forcing agent is not included |
| | 1/A - Not applicable - forcing agent is not included |
| | M - Emissions and concentrations determined by the model state rather than externally prescribed |

| | E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions |
|---------------|---|
| prescribed | ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the surface concentration |
| | C - Fixed prescribed climatology of concentrations with no year-to-year variability |
| | Other - please specify: |
| 2.16.2 | Historical Explosive Volcanic Aerosol Implementation |
| How explo | sive volcanic aerosol is implemented in historical simulations |
| _ | $\textbf{ID:} cmip 6. top level. radiative_forcings. aerosols. stratospheric_volcanic. historical_explosive_volcanic\nplementation$ |
| Is Re | quired ? TRUE |
| Selec | t value: |
| | Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background. |
| | Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano) |
| backgroun | Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) d. |
| | Type D - Explosive volcanic aerosol set to zero |
| | Type E - Explosive volcanic aerosol set to constant (average volcano) background |
| | Other - please specify: |
| 2.16.3 | Future Explosive Volcanic Aerosol Implementation |
| How explo | sive volcanic aerosol is implemented in future simulations |
| Spec. | $\textbf{ID:} cmip 6. top level. radiative_forcings. aerosols. stratospheric_volcanic. future_explosive_volcanic_aerosol_eation$ |
| Is Re | quired ? TRUE |
| Selec | t value: |
| | Type A - Explosive volcanic aerosol returns rapidly to zero (or near-zero) background. |
| | Type B - Explosive volcanic aerosol returns rapidly to constant (average volcano) |
| backgroun | Type C - Explosive volcanic aerosol returns slowly (over several decades) to constant (average volcano) d . |
| | Type D - Explosive volcanic aerosol set to zero |
| | Type E - Explosive volcanic aerosol set to constant (average volcano) background |
| | Other - please specify: |

2.16.4 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

Spec. ID: cmip6.toplevel.radiative_forcings.aerosols.stratospheric_volcanic.additional_information

Is Required ? FALSE

Enter TEXT value:

2.17 Sea Salt

Sea salt forcing

2.17.1 Provision

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.)

 ${\bf Spec.~ID: cmip6.toplevel.radiative_forcings.aerosols.sea_salt.provision}$ ${\bf Is~Required~?~TRUE}$

Select value(s):

| | \sqcup | N/A - Not | applicable - | forcing | agent | is | not | incl | uc | lec |
|--|----------|-----------|--------------|---------|-------|----|-----|------|----|-----|
|--|----------|-----------|--------------|---------|-------|----|-----|------|----|-----|

M - Emissions and concentrations determined by the model state rather than externally prescribed

Y - Prescribed concentrations, distributions or time series data

E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions

LS - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration

C - Fixed prescribed climatology of concentrations with no year-to-year variability

Other - please specify:

2.17.2 Additional Information

Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.).

 ${\bf Spec.}\ \ {\bf ID:}\ cmip 6. top level. radiative_forcings. aerosols. sea_salt. additional_information$

Is Required ? FALSE

Enter TEXT value:

2.18 Land Use

Land use forcing

2.18.1 Provision

How this forcing agent is provided (e.g. via concentrations, emission precursors, prognostically derived, etc.) Spec. ID: cmip6.toplevel.radiative_forcings.other.land_use.provision Is Required ? TRUE Select value(s): N/A - Not applicable - forcing agent is not included M - Emissions and concentrations determined by the model state rather than externally prescribed Y - Prescribed concentrations, distributions or time series data E - Concentrations calculated interactively driven by prescribed emissions or precursor emissions ES - Surface emissions (and 3-D concentrations away from the surface) derived via the model from the prescribed surface concentration C - Fixed prescribed climatology of concentrations with no year-to-year variability Other - please specify: 2.18.2**Crop Change Only** Land use change represented via crop change onlyxxx? ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. other. land_use. crop_change_only$ Is Required ? TRUE Select value: True False 2.18.3Additional Information Additional information relating to the provision and implementation of this forcing agent (e.g. citations, use of non-standard datasets, explaining how multiple provisions are used, etc.). ${\bf Spec.~ID:}~cmip 6. top level. radiative_forcings. other. land_use. additional_information$ Is Required ? FALSE Enter TEXT value: Solar

2.19

Solar forcing

2.19.1 Provision

How solar forcing is provided

Spec. ID: cmip6.toplevel.radiative_forcings.other.solar.provision

| Is Rec | quired ? TRUE |
|--------|--|
| Select | value(s): |
| | N/A - Not applicable - solar forcing is not included |
| | Irradiance - Solar irradiance forcing |
| | Proton - Proton pathway to solar forcing |
| | Electron - Electron pathway to solar forcing |
| | Cosmic ray - Cosmic ray pathway to solar forcing |
| | Other - please specify: |
| 2.19.2 | Additional Information |
| | information relating to the provision and implementation of this forcing agent (e.g. citations, use of ard datasets, explaining how multiple provisions are used, etc.). |
| Spec. | $\textbf{ID:} \ cmip 6. top level. radiative_forcings. other. solar. additional_information$ |
| Is Rec | quired ? FALSE |
| Enter | TEXT value: |