CMIP6 Model Documentation

Institute: MOHC

Model: UKESM1-0-MMH

Topic: Atmosphere

Doc. Generated: 2018-12-16

Doc. Seeded From: N/A

Specialization Version: 1.1.0

Further Info: https://es-doc.org/cmip6

Note: * indicates a required property

Documentation Contents

| 1 | Key Properties | 3 |
|----|----------------------------|----|
| 2 | Grid | 7 |
| 3 | Dynamical Core | 10 |
| 4 | Radiation | 16 |
| 5 | Turbulence Convection | 29 |
| 6 | Microphysics Precipitation | 34 |
| 7 | Cloud Scheme | 36 |
| 8 | Observation Simulation | 40 |
| 9 | Gravity Waves | 43 |
| 10 | Natural Forcing | 47 |

1 Key Properties

Atmosphere key properties

| 1 | .1.1 | Top | level | pro | perties |
|---|------|-----|-------|-----|---------|
| | | | | | |

| Allicospilete neu propertie | Atmospi | here | key | propertie. |
|-----------------------------|---------|------|-----|------------|
|-----------------------------|---------|------|-----|------------|

1.1.1.1 Name *

 $Name\ of\ atmos\ model\ code$

Enter TEXT:

1.1.1.2 Keywords *

 $Keywords\ associated\ with\ atmos\ model\ code$

Enter COMMA SEPERATED list:

1.1.1.3 Overview *

Overview of atmos model.

Enter TEXT:

1.1.1.4 Model Family *

 $Type\ of\ atmospheric\ model.$

| Select | SINGLE | option: |
|--------|--------|---------|
| | | |

| AGCM - Atmospheric General Circulation Model |
|--|
| ARCM - Atmospheric Regional Climate Model |
| Other - please specify: |

1.1.1.5 Basic Approximations *

 $Basic\ approximations\ made\ in\ the\ atmosphere.$

Select MULTIPLE options:

| Ш | Primitive equations |
|---|-------------------------|
| | Non-hydrostatic |
| | Anelastic |
| | Boussinesq |
| | Hydrostatic |
| | Quasi-hydrostatic |
| П | Other - please specify: |

1.2.1 Resolution

Characteristics of the model resolution

1.2.1.1 Horizontal Resolution Name *

This is a string usually used by the modelling group to describe the resolution of the model grid, e.g. T42, N48.

Enter TEXT:

1.2.1.2 Canonical Horizontal Resolution *

Expression quoted for gross comparisons of resolution, e.g. 2.5 x 3.75 degrees lat-lon.

Enter TEXT:

1.2.1.3 Range Horizontal Resolution *

Range of horizontal resolution with spatial details, eg. 1 deg (Equator) - 0.5 deg

Enter TEXT:

1.2.1.4 Number Of Vertical Levels *

Number of vertical levels resolved on the computational grid.

Enter INTEGER value:

1.2.1.5 High Top *

Does the atmosphere have a high-top? High-Top atmospheres have a fully resolved stratosphere with a model top above the stratopause.

| Sele | ct either | TRUE or | FALSE: |
|------|-----------|---------|--------|
| | True | | False |

1.3.1 Timestepping

Characteristics of the atmosphere model time stepping

1.3.1.1 Timestep Dynamics *

Timestep for the dynamics in seconds

Enter INTEGER value:

1.3.1.2 Timestep Shortwave Radiative Transfer

Timestep for the shortwave radiative transfer in seconds.

Enter INTEGER value:

1.3.1.3 Timestep Longwave Radiative Transfer

Timestep for the longwave radiative transfer in seconds.

Enter INTEGER value:

1.4.1 Orography

Characteristics of the model orography

| 1 1 1 1 | True * | | |
|--|---|--|--|
| 1.4.1.1 | Type * | | |
| Type of o | rographic representation. | | |
| Selec | t SINGLE option: | | |
| | Fixed: present day | | |
| | Fixed: modified - Provide details of modification below | | |
| | Other - please specify: | | |
| | | | |
| 1.4.1.2 | Modified | | |
| If the orography type is modified describe the adaptation. | | | |
| Selec | t MULTIPLE options: | | |
| | Related to ice sheets | | |
| | Related to tectonics | | |
| | Modified mean | | |
| | Modified variance if taken into account in model (cf gravity waves) | | |
| | Other - please specify: | | |
| | | | |

1.4.1.3 Time-varying

 $Describe\ any\ time\ varying\ orographic\ change$

Enter TEXT:

1.5.1 Tuning Applied

 $Tuning\ methodology\ for\ atmospheric\ component$

1.5.1.1 Description *

General overview description of tuning: explain and motivate the main targets and metrics retained. and Document the relative weight given to climate performance metrics versus process oriented metrics, and and on the possible conflicts with parameterization level tuning. In particular describe any struggle and with a parameter value that required pushing it to its limits to solve a particular model deficiency.

Enter TEXT:

1.5.1.2 Global Mean Metrics Used

 $List\ set\ of\ metrics\ of\ the\ global\ mean\ state\ used\ in\ tuning\ model/component$

Enter COMMA SEPERATED list:

1.5.1.3 Regional Metrics Used

 $List\ of\ regional\ metrics\ of\ mean\ state\ used\ in\ tuning\ model/component$

Enter COMMA SEPERATED list:

1.5.1.4 Trend Metrics Used

List observed trend metrics used in tuning model/component

Enter COMMA SEPERATED list:

2 Grid

 $Atmosphere\ grid$

2.1.1 Top level properties

 $Atmosphere\ grid$

2.1.1.1 Name

 $Name\ of\ grid\ in\ atmos\ model.$

Enter TEXT:

2.1.1.2 Overview

Overview of grid in atmos model.

Enter TEXT:

2.1.2 Horizontal

Atmosphere discretisation in the horizontal

2.1.2.1 Scheme Type *

 $Horizontal\ discretisation\ type$

| Spectral |
|-------------------------|
| Fixed grid |
| Other - please specify: |

Select SINGLE option:

2.1.2.2 Scheme Method *

 $Horizontal\ discretisation\ method$

Select SINGLE option:

Finite elements

Finite volumes

Finite difference

Centered finite difference

2.1.2.3 Scheme Order *

 $Horizontal\ discretisation\ function\ order$

Select SINGLE option:

| | Second | | | | | |
|------------------------------------|--|--|--|--|--|--|
| | Third | | | | | |
| | Fourth | | | | | |
| | Other - please specify: | | | | | |
| | | | | | | |
| 2.1.2.4 | Horizontal Pole | | | | | |
| Horizonta | l discretisation pole singularity treatment | | | | | |
| Select | t SINGLE option: | | | | | |
| | Filter | | | | | |
| | Pole rotation | | | | | |
| | Artificial island | | | | | |
| | Other - please specify: | | | | | |
| 2125 | Grid Type * | | | | | |
| | · - | | | | | |
| | Horizontal grid type Select SINGLE option: | | | | | |
| Selec | | | | | | |
| | Gaussian | | | | | |
| | Latitude-Longitude | | | | | |
| | Cubed-Sphere | | | | | |
| | Icosahedral | | | | | |
| | Other - please specify: | | | | | |
| 2.1.3 V | Vertical | | | | | |
| | there discretisation in the vertical | | | | | |
| 21011103p11 | and discretisations in the vertical | | | | | |
| 2.1.3.1 | Coordinate Type * | | | | | |
| Type of vertical coordinate system | | | | | | |
| Select MULTIPLE options: | | | | | | |
| | Isobaric - Vertical coordinate on pressure levels | | | | | |
| | Sigma - Allows vertical coordinate to follow model terrain | | | | | |
| | Hybrid sigma-pressure - Sigma system near terrain and isobaric above | | | | | |
| | Hybrid pressure | | | | | |
| | Vertically lagrangian | | | | | |

Other - please specify:

Dynamical Core 3

Characteristics of the dynamical core

| 3. | 1 | .1 | Top | level | pro | perties |
|----|---|----|-----|-------|-----|---------|
| | | | | | | |

 $Characteristics\ of\ the\ dynamical\ core$

3.1.1.1 Name

 $Commonly\ used\ name\ for\ the\ dynamical\ core\ in\ atmos\ model.$

3.1.1.2 Overview

Overview of characteristics of the dynamical core in atmos model.

Enter TEXT:

3.1.1.3 Timestepping Type *

Divergence/curl

Tim

| Timestepping framework type | | | | |
|--|-------------------------|--|--|--|
| Select SINGLE option: | | | | |
| | Adams-Bashforth | | | |
| | Explicit | | | |
| | Implicit | | | |
| | Semi-implicit | | | |
| | Leap frog | | | |
| | Multi-step | | | |
| | Runge Kutta fifth order | | | |
| Runge Kutta second order | | | | |
| Runge Kutta third order | | | | |
| | Other - please specify: | | | |
| | | | | |
| 3.1.1.4 Prognostic Variables * | | | | |
| List of the model prognostic variables | | | | |
| Select | t MULTIPLE options: | | | |
| | Surface pressure | | | |
| | Wind components | | | |

| | Temperature |
|-----------|---|
| | Potential temperature |
| | Total water |
| | Water vapour |
| | Water liquid |
| | Water ice |
| | Total water moments |
| | Clouds |
| | Radiation |
| | Other - please specify: |
| 3.2.1 | Top Boundary |
| | boundary layer at the top of the model |
| 2 2 1 1 | Top Boundary Condition * |
| | dary condition |
| | |
| Sele | ct SINGLE option: |
| | Sponge layer |
| | Radiation boundary condition |
| | Other - please specify: |
| 3.2.1.2 | Top Heat * |
| Top bour | ndary heat treatment |
| Ente | er TEXT: |
| 3.2.1.3 | Top Wind * |
| Top bour | ndary wind treatment |
| Ente | er TEXT: |
| 3.3.1 | Lateral Boundary |
| Type of | lateral boundary condition (if the model is a regional model) |
| 3.3.1.1 | Condition |
| Type of l | ateral boundary condition |
| Sele | ct SINGLE option: |

| | Sponge layer Radiation boundary condition Other - please specify: |
|-------------------------|---|
| | Diffusion Horizontal |
| Horizonta | Scheme Name diffusion scheme name TEXT: |
| Horizonta | Scheme Method * diffusion scheme method E SINGLE option: Iterated Laplacian Bi-harmonic Other - please specify: |
| 3.4.2 T Tracer a | racers dvection scheme |
| Tracer adv | Scheme Name vection scheme name s SINGLE option: Heun Roe and VanLeer Roe and Superbee Prather UTOPIA Other - please specify: |
| Tracer adv | Scheme Characteristics * vection scheme characteristics the MULTIPLE options: |

| | Eulerian |
|--|--|
| | Modified Euler |
| | Lagrangian |
| | Semi-Lagrangian |
| | Cubic semi-Lagrangian |
| | Quintic semi-Lagrangian |
| | Mass-conserving |
| | Finite volume |
| | Flux-corrected |
| | Linear |
| | Quadratic |
| | Quartic |
| | Other - please specify: |
| | |
| | Conserved Quantities * vection scheme conserved quantities |
| Tracer ad | Conserved Quantities * vection scheme conserved quantities t MULTIPLE options: |
| Tracer ad | vection scheme conserved quantities |
| Tracer ad | vection scheme conserved quantities t MULTIPLE options: |
| Tracer ad | vection scheme conserved quantities t MULTIPLE options: Dry mass |
| Selection | vection scheme conserved quantities t MULTIPLE options: Dry mass Tracer mass Other - please specify: |
| Selection Select | t MULTIPLE options: Dry mass Tracer mass |
| Selection Select | t MULTIPLE options: Dry mass Tracer mass Other - please specify: Conservation Method * |
| Selection Select | t MULTIPLE options: Dry mass Tracer mass Other - please specify: Conservation Method * vection scheme conservation method |
| Selection Select | t MULTIPLE options: Dry mass Tracer mass Other - please specify: Conservation Method * vection scheme conservation method t SINGLE option: |
| Selection Select | t MULTIPLE options: Dry mass Tracer mass Other - please specify: Conservation Method * vection scheme conservation method t SINGLE option: Conservation fixer |

 $Momentum\ advection\ scheme$

3.4.3.1 Scheme Name Momentum advection schemes name Select SINGLE option: VanLeer Janjic SUPG (Streamline Upwind Petrov-Galerkin) Other - please specify: 3.4.3.2 Scheme Characteristics * $Momentum\ advection\ scheme\ characteristics$ Select MULTIPLE options: 2nd order 4th order Cell-centred Staggered grid Semi-staggered grid Other - please specify: 3.4.3.3 Scheme Staggering Type * Momentum advection scheme staggering type Select SINGLE option: Arakawa B-grid Arakawa C-grid Arakawa D-grid Arakawa E-grid Other - please specify: 3.4.3.4 Conserved Quantities * Momentum advection scheme conserved quantities Select MULTIPLE options: Angular momentum

Horizontal momentum

| Ш | Enstrophy |
|---------|--|
| | Mass |
| | Total energy |
| | Vorticity |
| | Other - please specify: |
| | |
| 3.4.3.5 | Conservation Method * |
| Momentu | $m\ advection\ scheme\ conservation\ method$ |
| Selec | et SINGLE option: |
| | Conservation fixer |
| | Other - please specify: |

4 Radiation

Characteristics of the atmosphere radiation process

4.1.1 Top level properties

Characteristics of the atmosphere radiation process

4.1.1.1 Name

 $Commonly\ used\ name\ for\ the\ radiation\ in\ atmos\ model.$

Enter TEXT:

4.1.1.2 Overview

 $Overview\ of\ characteristics\ of\ the\ atmosphere\ radiation\ process\ in\ atmos\ model.$

Enter TEXT:

4.1.1.3 Aerosols *

Aerosols whose radiative effect is taken into account in the atmosphere model

| Select MULTIPLE options: | | |
|--------------------------|---|--|
| | Sulphate | |
| | Nitrate | |
| | Sea salt | |
| | Dust | |
| | Ice | |
| | Organic | |
| | BC - Black carbon / soot | |
| | SOA - Secondary organic aerosols | |
| | POM - Particulate organic matter | |
| | Polar stratospheric ice | |
| | NAT - Nitric acid trihydrate | |
| | NAD - Nitric acid dihydrate | |
| | STS - Supercooled ternary solution aerosol particle | |
| П | Other - please specify: | |

4.2.1 Shortwave Radiation

 $Properties \ of \ the \ shortwave \ radiation \ scheme$

| Commonly used name for the shortwave radiation scheme | | |
|---|--|--|
| Enter | TEXT: | |
| 4.2.1.2 | Spectral Integration * | |
| Shortwave | radiation scheme spectral integration | |
| Selec | t SINGLE option: | |
| | Wide-band model | |
| | Correlated-k | |
| | Exponential sum fitting | |
| | Other - please specify: | |
| | | |
| 4.2.1.3 | Transport Calculation * | |
| Shortwave | e radiation transport calculation methods | |
| Selec | t MULTIPLE options: | |
| | Two-stream | |
| | Layer interaction | |
| | Bulk - Highly parameterised methods that use bulk expressions | |
| | Adaptive - Exploits spatial and temporal correlations in optical characteristics | |
| | Multi-stream | |
| | Other - please specify: | |
| | | |
| 4.2.1.4 | Spectral Intervals * | |
| Shortwave | radiation scheme number of spectral intervals | |
| Enter | NTEGER value: | |
| | | |
| 4.2.1.5 | General Interactions * | |
| General re | adiative interactions e.g. with aerosols, cloud ice and cloud water | |
| Selec | t MULTIPLE options: | |
| | Emission/absorption, | |
| | Scattering | |
| | Other - please specify: | |

4.2.1.1 Name

4.3.1 Shortwave GHG

 $Representation\ of\ greenhouse\ gases\ in\ the\ shortwave\ radiation\ scheme$

4.3.1.1 Greenhouse Gas Complexity *

 $Complexity\ of\ greenhouse\ gases\ whose\ shortwave\ radiative\ effects\ are\ taken\ into\ account\ in\ the\ atmosphere\ model$

| Selec | t MULTIPLE options: | |
|---|--|--|
| | CO2 - Carbon Dioxide | |
| | CH4 - Methane | |
| | N2O - Nitrous Oxide | |
| concentrat | CFC-11 eq - Summarize the effect of non CO2, CH4, N2O and CFC-12 gases with an equivalence tion of CFC-11 | |
| equivalenc | CFC-12 eq - Summarize the radiative effect of the Ozone Depleating Substances, ODSs, with a $CFC-12$ ee concentration | |
| concentrat | ${ m HFC}	ext{-}134a~{ m eq}$ - Summarize the radiative effect of other fluorinated gases with a ${ m HFC}	ext{-}134a~{ m equivalence}$ tion | |
| | Explicit ODSs - Explicit representation of Ozone Depleting Substances e.g. CFCs, HCFCs and Halons | |
| | $ Explicit \ other \ fluorinated \ gases \ - \ Explicit \ representation \ of \ other \ fluorinated \ gases \ e.g. \ HFCs \ and \ PFCs $ | |
| | O3 | |
| | H2O | |
| | Other - please specify: | |
| | | |
| 4.3.1.2 ODS Ozone depleting substances whose shortwave radiative effects are explicitly taken into account in the atmosphere model | | |
| Selec | | |
| | t MULTIPLE options: | |
| | t MULTIPLE options: CFC-12 - CFC | |
| | | |
| | CFC-12 - CFC | |
| | CFC-12 - CFC CFC-11 - CFC | |
| | CFC-12 - CFC CFC-11 - CFC CFC-113 - CFC | |
| | CFC-12 - CFC CFC-11 - CFC CFC-113 - CFC CFC-114 - CFC | |
| | CFC-12 - CFC CFC-11 - CFC CFC-113 - CFC CFC-114 - CFC CFC-115 - CFC | |
| | CFC-12 - CFC CFC-11 - CFC CFC-113 - CFC CFC-114 - CFC CFC-115 - CFC HCFC-22 - HCFC | |

| | Halon-1301 - Halon |
|-------|---|
| | Halon-2402 - Halon |
| | Methyl chloroform - CH3CCl3 |
| | Carbon tetrachloride - CCl4 |
| | Methyl chloride - CH3Cl |
| | Methylene chloride - CH2Cl2 |
| | Chloroform - CHCl3 |
| | Methyl bromide - Ch3Br |
| | Other - please specify: |
| | |
| | Other Flourinated Gases |
| | rinated gases whose shortwave radiative effects are explicitly taken into account in the atmosphere model |
| Selec | t MULTIPLE options: |
| | HFC-134a - HFC |
| | HFC-23 - HFC |
| | HFC-32 - HFC |
| | HFC-125 - HFC |
| | HFC-143a - HFC |
| | HFC-152a - HFC |
| | HFC-227ea - HFC |
| | HFC-236fa - HFC |
| | HFC-245fa - HFC |
| | HFC-365mfc - HFC |
| | HFC-43-10mee - HFC |
| | CF4 - PFC |
| | C2F6 - PFC |
| | C3F8 - PFC |
| | C4F10 - PFC |
| | C5F12 - PFC |
| | C6F14 - PFC |
| | C7F16 - PFC |

| | C8F18 - PFC |
|-------------|---|
| | C-C4F8 - PFC |
| | NF3 |
| | SF6 |
| | SO2F2 |
| | Other - please specify: |
| | |
| 4.4.1 \$ | Shortwave Cloud Ice |
| Shortwa | ve radiative properties of ice crystals in clouds |
| 4.4.1.1 | Physical Representation * |
| Physical 1 | representation of cloud ice crystals in the shortwave radiation scheme |
| Selec | t MULTIPLE options: |
| typically l | Bi-modal size distribution - Small mode diameters: a few tens of microns, large mode diameters: hundreds of microns |
| | Ensemble of ice crystals - Complex shapes represented with an ensemble of symmetric shapes |
| than sphe | Mean projected area - Randomly oriented irregular ice crystals present a greater mean projected area res |
| | Ice water path - Integrated ice water path through the cloud kg m-2 $$ |
| | Crystal asymmetry |
| | Crystal aspect ratio |
| | Effective crystal radius |
| | Other - please specify: |
| | |
| | Optical Methods * |
| - | ethods applicable to cloud ice crystals in the shortwave radiation scheme |
| Selec | t MULTIPLE options: |
| | T-matrix - For non-spherical particles |
| | Geometric optics - For non-spherical particles |
| | Finite difference time domain (FDTD) - For non-spherical particles |
| | Mie theory - For spherical particles |
| | Anomalous diffraction approximation |
| | Other - please specify: |

4.5.1 Shortwave Cloud Liquid

 $Shortwave\ radiative\ properties\ of\ liquid\ droplets\ in\ clouds$

| 4.5.1.1 | Physical Representation * |
|------------|--|
| Physical 1 | representation of cloud liquid droplets in the shortwave radiation scheme |
| Selec | t MULTIPLE options: |
| | Cloud droplet number concentration - CDNC |
| | Effective cloud droplet radii |
| | Droplet size distribution |
| | Liquid water path - Integrated liquid water path through the cloud kg m-2 $$ |
| | Other - please specify: |
| 4.5.1.2 | Optical Methods * |
| Optical m | sethods applicable to cloud liquid droplets in the shortwave radiation scheme |
| Selec | t MULTIPLE options: |
| | Geometric optics - For non-spherical particles |
| | Mie theory - For spherical particles |
| | Other - please specify: |
| 4.6.1 \$ | Shortwave Cloud Inhomogeneity |
| Cloud in | phomogeneity in the shortwave radiation scheme |
| 4.6.1.1 | Cloud Inhomogeneity * |
| Method fo | or taking into account horizontal cloud inhomogeneity |
| Selec | t SINGLE option: |
| | Monte Carlo Independent Column Approximation - McICA |
| | Triplecloud - Regions of clear sky, optically thin cloud and optically thick cloud, Shonk et al 2010 |
| | Analytic |
| | Other - please specify: |
| | |

4.7.1 Shortwave Aerosols

 $Shortwave\ radiative\ properties\ of\ aerosols$

| 4.7.1.1 Physical Representation * | | |
|---|--|--|
| Physical representation of aerosols in the shortwave radiation scheme | | |
| Selec | t MULTIPLE options: | |
| | Number concentration | |
| | Effective radii | |
| | Size distribution | |
| | Asymmetry | |
| | Aspect ratio | |
| | Mixing state - For shortwave radiative interaction | |
| | Other - please specify: | |
| | | |
| 4.7.1.2 | Optical Methods * | |
| Optical m | ethods applicable to aerosols in the shortwave radiation scheme | |
| Selec | t MULTIPLE options: | |
| | T-matrix - For non-spherical particles | |
| | Geometric optics - For non-spherical particles | |
| | Finite difference time domain (FDTD) - For non-spherical particles $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) =\frac{1}{2}\left$ | |
| | Mie theory - For spherical particles | |
| | Anomalous diffraction approximation | |
| | Other - please specify: | |
| 40 T | D. 11. (1 | |
| | Longwave Radiation | |
| Properti | es of the longwave radiation scheme | |
| 4.8.1.1 | Name | |
| Commonly used name for the longwave radiation scheme. | | |
| Enter TEXT: | | |
| 4.8.1.2 Spectral Integration * | | |
| Longwave radiation scheme spectral integration | | |
| Select SINGLE option: | | |
| | Wide-band model | |

Correlated-k

| | Exponential sum fitting |
|-----------|--|
| | Other - please specify: |
| | |
| | Transport Calculation * |
| Longwave | radiation transport calculation methods |
| Selec | t MULTIPLE options: |
| | Two-stream |
| | Layer interaction |
| | Bulk - Highly parameterised methods that use bulk expressions |
| | Adaptive - Exploits spatial and temporal correlations in optical characteristics |
| | Multi-stream |
| | Other - please specify: |
| | |
| | Spectral Intervals * |
| Longwave | radiation scheme number of spectral intervals |
| Ente | r INTEGER value: |
| | |
| 4.8.1.5 | General Interactions * |
| General r | adiative interactions e.g. with aerosols, cloud ice and cloud water |
| Selec | t MULTIPLE options: |
| | Emission/absorption, |
| | Scattering |
| | Other - please specify: |
| | |
| 4.9.1 I | Longwave GHG |
| Represer | ntation of greenhouse gases in the longwave radiation scheme |
| 4.9.1.1 | Greenhouse Gas Complexity * |
| Complexis | ty of greenhouse gases whose longwave radiative effects are taken into account in the atmosphere model |
| Selec | t MULTIPLE options: |
| | CO2 - Carbon Dioxide |
| | CH4 - Methane |
| | N2O - Nitrous Oxide |

| concentra | CFC-11 eq - Summarize the effect of non CO2, CH4, N2O and CFC-12 gases with an equivalence ation of CFC-11 |
|------------------------|--|
| equivalen | ${ m CFC}$ -12 eq - Summarize the radiative effect of the Ozone Depleating Substances, ODSs, with a CFC-12 ce concentration |
| concentra | ${ m HFC}	ext{-}134a~{ m eq}$ - Summarize the radiative effect of other fluorinated gases with a ${ m HFC}	ext{-}134a~{ m eq}$ equivalence ation |
| | Explicit ODSs - Explicit representation of Ozone Depleting Substances e.g. CFCs, HCFCs and Halons |
| | $ Explicit \ other \ fluorinated \ gases \ - \ Explicit \ representation \ of \ other \ fluorinated \ gases \ e.g. \ HFCs \ and \ PFCs $ |
| | O3 |
| | H2O |
| | Other - please specify: |
| 4019 | ODS |
| 4.9.1.2 Ozone de model | epleting substances whose longwave radiative effects are explicitly taken into account in the atmosphere |
| Selec | et MULTIPLE options: |
| | CFC-12 - CFC |
| | CFC-11 - CFC |
| | CFC-113 - CFC |
| | CFC-114 - CFC |
| | CFC-115 - CFC |
| | HCFC-22 - HCFC |
| | HCFC-141b - HCFC |
| | HCFC-142b - HCFC |
| | Halon-1211 - Halon |
| | Halon-1301 - Halon |
| | Halon-2402 - Halon |
| | Methyl chloroform - CH3CCl3 |
| | Carbon tetrachloride - CCl4 |
| | Methyl chloride - CH3Cl |
| | Methylene chloride - CH2Cl2 |
| | Chloroform - CHCl3 |
| | Methyl bromide - Ch3Br |

| | Other - please specify: |
|------|---|
| 1013 | Other Flourinated Gases |
| | urinated gases whose longwave radiative effects are explicitly taken into account in the atmosphere model |
| | t MULTIPLE options: |
| | HFC-134a - HFC |
| | HFC-23 - HFC |
| | HFC-32 - HFC |
| | HFC-125 - HFC |
| | HFC-143a - HFC |
| | HFC-152a - HFC |
| | HFC-227ea - HFC |
| | HFC-236fa - HFC |
| | HFC-245fa - HFC |
| | HFC-365mfc - HFC |
| | HFC-43-10mee - HFC |
| | CF4 - PFC |
| | C2F6 - PFC |
| | C3F8 - PFC |
| | C4F10 - PFC |
| | C5F12 - PFC |
| | C6F14 - PFC |
| | C7F16 - PFC |
| | C8F18 - PFC |
| | C-C4F8 - PFC |
| | NF3 |
| | SF6 |
| | SO2F2 |
| | Other - please specify: |

4.10.1 Longwave Cloud Ice

Longwave radiative properties of ice crystals in clouds

4.10.1.1 Physical Reprenstation *

 $Physical\ representation\ of\ cloud\ ice\ crystals\ in\ the\ longwave\ radiation\ scheme$

| Selec | et MULTIPLE options: |
|-----------|---|
| typically | Bi-modal size distribution - Small mode diameters: a few tens of microns, large mode diameters: hundreds of microns |
| | Ensemble of ice crystals - Complex shapes represented with an ensemble of symmetric shapes |
| than sphe | Mean projected area - Randomly oriented irregular ice crystals present a greater mean projected area eres |
| | Ice water path - Integrated ice water path through the cloud kg m-2 |
| | Crystal asymmetry |
| | Crystal aspect ratio |
| | Effective crystal radius |
| | Other - please specify: |
| 4.10.1. | 2 Optical Methods * |
| Optical n | nethods applicable to cloud ice crystals in the longwave radiation scheme |
| Selec | et MULTIPLE options: |
| | T-matrix - For non-spherical particles |
| | Geometric optics - For non-spherical particles |
| | Finite difference time domain (FDTD) - For non-spherical particles |
| | Mie theory - For spherical particles |
| | Anomalous diffraction approximation |
| | Other - please specify: |
| 4.11.1 | Longwave Cloud Liquid |
| Longwa | ve radiative properties of liquid droplets in clouds |
| 4.11.1. | 1 Physical Representation * |
| Physical | representation of cloud liquid droplets in the longwave radiation scheme |
| Selec | et MULTIPLE options: |
| | Cloud droplet number concentration - CDNC |
| | Effective cloud droplet radii |
| | Droplet size distribution |

| | Liquid water path - Integrated liquid water path through the cloud kg m-2 |
|-----------|--|
| | Other - please specify: |
| 4.11.1.2 | 2 Optical Methods * |
| Optical m | nethods applicable to cloud liquid droplets in the longwave radiation scheme |
| Selec | et MULTIPLE options: |
| | Geometric optics - For non-spherical particles |
| | Mie theory - For spherical particles |
| | Other - please specify: |
| 4.12.1 | Longwave Cloud Inhomogeneity |
| | phomogeneity in the longwave radiation scheme |
| 4 10 1 1 | Claud Juliana annita * |
| | Cloud Inhomogeneity * or taking into account horizontal cloud inhomogeneity |
| | et SINGLE option: |
| Selec | • |
| | Monte Carlo Independent Column Approximation - McICA |
| | Triplecloud - Regions of clear sky, optically thin cloud and optically thick cloud, Shonk et al 2010 |
| | Analytic |
| Ш | Other - please specify: |
| 4.13.1 | Longwave Aerosols |
| | ve radiative properties of aerosols |
| 4 10 1 1 | |
| | 1 Physical Representation * representation of aerosols in the longwave radiation scheme |
| | |
| Selec | et MULTIPLE options: |
| | Number concentration |
| _ | Effective radii |
| | Size distribution |
| | Asymmetry |
| | Aspect ratio |
| 11 | Mixing state - For shortwave radiative interaction |

| | Other - please specify: |
|-------|--|
| | Optical Methods * |
| • | ethods applicable to aerosols in the longwave radiation scheme t MULTIPLE options: |
| Selec | • |
| Ш | T-matrix - For non-spherical particles |
| | Geometric optics - For non-spherical particles |
| | Finite difference time domain (FDTD) - For non-spherical particles $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right) =\frac{1}{2}\left$ |
| | Mie theory - For spherical particles |
| | Anomalous diffraction approximation |
| | Other - please specify: |

5 Turbulence Convection

Atmosphere Convective Turbulence and Clouds

5.1.1 Top level properties

 $Atmosphere\ Convective\ Turbulence\ and\ Clouds$

5.1.1.1 Name

 $Commonly\ used\ name\ for\ the\ turbulence\ convection\ in\ atmos\ model.$

Enter TEXT:

5.1.1.2 Overview

 $Overview\ of\ atmosphere\ convective\ turbulence\ and\ clouds\ in\ atmos\ model.$

Enter TEXT:

5.2.1 Boundary Layer Turbulence

Properties of the boundary layer turbulence scheme

5.2.1.1 Scheme Name

Select SINGLE option:

Boundary layer turbulence scheme name

| | Mellor-Yamada |
|----------|---|
| | Holtslag-Boville |
| | EDMF - Combined Eddy Diffusivity Mass-Flux |
| | Other - please specify: |
| | |
| 5.2.1.2 | Scheme Type * |
| Boundary | layer turbulence scheme type |
| Selec | t MULTIPLE options: |
| | TKE prognostic |
| | TKE diagnostic |
| | TKE coupled with water |
| | Vertical profile of Kz |
| | Non-local diffusion |
| | Monin-Obukhov similarity |
| | Coastal Buddy Scheme - Separate components for coastal near surface winds over ocean and land |

| | Coupled with convection |
|-----------|---|
| | Coupled with gravity waves |
| | Depth capped at cloud base - Boundary layer capped at cloud base when convection is diagnosed |
| | Other - please specify: |
| 5.2.1.3 | Closure Order * |
| Boundary | y layer turbulence scheme closure order |
| Ente | r INTEGER value: |
| 5.2.1.4 | Counter Gradient * |
| Uses bour | ndary layer turbulence scheme counter gradient |
| Selec | et either TRUE or FALSE: |
| | True |
| 5.3.1 | Deep Convection |
| Propert | ies of the deep convection scheme |
| 5.3.1.1 | Scheme Name |
| Deep con | vection scheme name |
| Ente | r TEXT: |
| 5.3.1.2 | Scheme Type * |
| Deep con | vection scheme type |
| Selec | et MULTIPLE options: |
| | Mass-flux |
| | Adjustment |
| | Plume ensemble - Zhang-McFarlane |
| | Other - please specify: |
| 5.3.1.3 | Scheme Method * |
| Deep con | vection scheme method |
| Selec | et MULTIPLE options: |
| | CAPE - Mass flux determined by CAPE, convectively available potential energy. |
| | Rulk - A hulk mass flux scheme is used |

| | Ensemble - Summation over an ensemble of convective clouds with differing characteristics | |
|---|---|--|
| sphere | CAPE/WFN based - CAPE-Cloud Work Function: Based on the quasi-equilibrium of the free tropo- | |
| | $\label{thm:thm:mass} \mbox{TKE/CIN based - TKE-Convective Inhibition: Based on the quasi-equilibrium of the boundary layer}$ | |
| | Other - please specify: | |
| 5.3.1.4 | Processes * | |
| Physical p | processes taken into account in the parameterisation of deep convection | |
| Selec | t MULTIPLE options: | |
| | Vertical momentum transport | |
| | Convective momentum transport | |
| | Entrainment | |
| | Detrainment | |
| | Penetrative convection | |
| | Updrafts | |
| | Downdrafts | |
| | Radiative effect of anvils | |
| | Re-evaporation of convective precipitation | |
| | Other - please specify: | |
| | Microphysics | |
| | sics scheme for deep convection. Microphysical processes directly control the amount of detrainment of rometeor and water vapor from updrafts | |
| Selec | t MULTIPLE options: | |
| | Tuning parameter based | |
| | Single moment | |
| | Two moment | |
| | Other - please specify: | |
| 5.4.1 \$ | Shallow Convection | |
| Properties of the shallow convection scheme | | |
| 5.4.1.1 | Scheme Name | |

Shallow convection scheme name

| Ent | er TEXT: |
|----------|---|
| 5.4.1.2 | Scheme Type * |
| Shallow | convection scheme type |
| Sele | ect MULTIPLE options: |
| | Mass-flux |
| | Cumulus-capped boundary layer |
| | Other - please specify: |
| | S Scheme Method * convection scheme method |
| | ect SINGLE option: |
| | Same as deep (unified) |
| | Included in boundary layer turbulence |
| | Separate diagnosis - Deep and Shallow convection schemes use different thermodynamic closure criteria |
| | Other - please specify: |
| Physical | Processes * processes taken into account in the parameterisation of shallow convection ect MULTIPLE options: Convective momentum transport |
| | Entrainment |
| | Detrainment |
| | Penetrative convection |
| | Re-evaporation of convective precipitation |
| | Other - please specify: |
| | Microphysics ysics scheme for shallow convection |
| Sele | ect MULTIPLE options: |
| | Tuning parameter based |
| | Single moment |
| | Two moment |

Other - please specify:

6 Microphysics Precipitation

Large Scale Cloud Microphysics and Precipitation

6.1.1 Top level properties

Large Scale Cloud Microphysics and Precipitation

6.1.1.1 Name

Commonly used name for the microphysics precipitation in atmos model.

Enter TEXT:

6.1.1.2 Overview

 $Overview\ of\ large\ scale\ cloud\ microphysics\ and\ precipitation\ in\ atmos\ model.$

Enter TEXT:

6.2.1 Large Scale Precipitation

Properties of the large scale precipitation scheme

6.2.1.1 Scheme Name

Commonly used name of the large scale precipitation parameterisation scheme

Enter TEXT:

6.2.1.2 Hydrometeors *

Precipitating hydrometeors taken into account in the large scale precipitation scheme

| Selec | elect MULTIPLE options: | | | |
|-------|-------------------------|--|--|--|
| | Liquid rain | | | |
| | Snow | | | |
| | Hail | | | |
| | Graupel | | | |
| | Other - please specify: | | | |

6.3.1 Large Scale Cloud Microphysics

Properties of the large scale cloud microphysics scheme

6.3.1.1 Scheme Name

Commonly used name of the microphysics parameterisation scheme used for large scale clouds.

Enter TEXT:

| Large scal | ge scale cloud microphysics processes | | |
|------------|---------------------------------------|--|--|
| Selec | t MULTIPLE options: | | |
| | Mixed phase | | |
| | Cloud droplets | | |
| | Cloud ice | | |
| | Ice nucleation | | |
| | Water vapour deposition | | |
| | Effect of raindrops | | |
| | Effect of snow | | |
| | Effect of graupel | | |

Other - please specify:

6.3.1.2 Processes *

7 Cloud Scheme

Characteristics of the cloud scheme

| | 7. | 7. | 1.1 | Top | level | pro | pertie |
|--|----|----|-----|-----|-------|-----|--------|
|--|----|----|-----|-----|-------|-----|--------|

Characteristics of the cloud scheme

7.1.1.1 Name

 $Commonly\ used\ name\ for\ the\ cloud\ scheme\ in\ atmos\ model.$

Enter TEXT:

7.1.1.2 Overview

Overview of characteristics of the cloud scheme in atmos model.

Enter TEXT:

7.1.1.3 Scheme Type *

Describes the type(s) of cloud scheme: prognostic, diagnostic, other.

| Select MULTIPLE options: | | |
|--------------------------|-------------------------|--|
| | Prognostic | |
| | Diagnostic | |
| | Other - please specify: | |

7.1.1.4 Uses Separate Treatment *

Description for when different cloud schemes are used for different types of clouds e.g. convective, stratiform and boundary layer)

Enter TEXT:

7.1.1.5 Processes *

Processes included in the cloud scheme

| Select MULTIPLE options: | | |
|--------------------------|-------------------------|--|
| | Entrainment | |
| | Detrainment | |
| | Bulk cloud | |
| | Other - please specify: | |

7.1.1.6 Prognostic Variables

List the prognostic variables used by the cloud scheme, if applicable.

| Selec | t MULTIPLE options: |
|--------------|---|
| | Cloud amount |
| | Liquid |
| | Ice |
| | Rain |
| | Snow |
| | Cloud droplet number concentration - To document the use of two-moment cloud microphysics schemes |
| | Ice crystal number concentration - To document the use of two-moment cloud microphysics schemes |
| | Other - please specify: |
| | |
| 7.1.1.7 | Atmos Coupling |
| Atmosphe | re components that are linked to the cloud scheme |
| Selec | t MULTIPLE options: |
| | Atmosphere_radiation |
| | $Atmosphere_microphysics_precipitation$ |
| | Atmosphere_turbulence_convection |
| | Atmosphere_gravity_waves |
| | Atmosphere_natural_forcing |
| | Atmosphere_observation_simulation |
| | |
| 7.2.1 | Optical Cloud Properties |
| Optical o | cloud properties |
| 7.2.1.1 | Cloud Overlap Method |
| $Method\ fo$ | r taking into account overlapping of cloud layers |
| Selec | t SINGLE option: |
| | Random |
| | Maximum |
| | Maximum-random - Combination of maximum and random overlap between clouds |
| | Exponential |
| П | Other - please specify: |

| 7.2.1.2 Cloud | Inhomogeneity |
|-----------------------|---------------------------------------|
| $Method\ for\ taking$ | $into\ account\ cloud\ inhomogeneity$ |

Enter TEXT:

7.3.1 Sub Grid Scale Water Distribution

| 7.3.1.1 Type * Sub-grid scale water distribution type Select SINGLE option: Prognostic Diagnostic | | |
|---|--|--|
| 7.3.1.2 Function Name * | | |
| Sub-grid scale water distribution function name | | |
| Enter TEXT: | | |
| 7.3.1.3 Function Order * | | |
| Sub-grid scale water distribution function type Enter INTEGER value: | | |
| 7.3.1.4 Convection Coupling * Sub-grid scale water distribution coupling with convection | | |
| Select MULTIPLE options: | | |
| Coupled with deep | | |
| Coupled with shallow | | |
| ☐ Not coupled with convection | | |
| 7.4.1 Sub Grid Scale Ice Distribution Sub-grid scale ice distribution | | |
| 7.4.1.1 Type * | | |
| Sub-grid scale ice distribution type | | |
| Select SINGLE option: | | |
| Prognostic | | |

| Diagnostic | | |
|---|--|--|
| 7.4.1.2 Function Name * Sub-grid scale ice distribution function name | | |
| Enter TEXT: | | |
| 7.4.1.3 Function Order * | | |
| Sub-grid scale ice distribution function type | | |
| Enter INTEGER value: | | |
| | | |
| 7.4.1.4 Convection Coupling * | | |
| $Sub\mbox{-}grid\ scale\ ice\ distribution\ coupling\ with\ convection$ | | |
| Select MULTIPLE options: | | |
| Coupled with deep | | |
| Coupled with shallow | | |
| Not coupled with convection | | |

8 Observation Simulation

Characteristics of observation simulation

8.1.1 Top level properties

 $Characteristics\ of\ observation\ simulation$

8.1.1.1 Name

 $Commonly\ used\ name\ for\ the\ observation\ simulation\ in\ atmos\ model.$

 ${f Enter\ TEXT}:$

8.1.1.2 Overview

 $Overview\ of\ characteristics\ of\ observation\ simulation\ in\ atmos\ model.$

Enter TEXT:

8.2.1 Isscp Attributes

ISSCP Characteristics

8.2.1.1 Top Height Estimation Method

 $Cloud\ simulator\ ISSCP\ top\ height\ estimation\ method\ Uo$

| Select MULTIPLE options: | |
|--------------------------|-------------------------|
| | No adjustment |
| | IR brightness |
| | Visible optical depth |
| | Other - please specify: |
| | |

8.2.1.2 Top Height Direction

 $Cloud\ simulator\ ISSCP\ top\ height\ direction$

| Select SINGLE option: | | |
|-----------------------|-------------------------|--|
| | Lowest altitude level | |
| | Highest altitude level | |
| | Other - please specify: | |

8.3.1 Cosp Attributes

 $CFMIP\ Observational\ Simulator\ Package\ attributes$

| 8.3.1.1 Run Configuration | | |
|---|--|--|
| Cloud simulator COSP run configuration | | |
| Select SINGLE option: | | |
| ☐ Inline | | |
| Offline | | |
| Other - please specify: | | |
| 8.3.1.2 Number Of Grid Points | | |
| Cloud simulator COSP number of grid points | | |
| Enter INTEGER value: | | |
| 8.3.1.3 Number Of Sub Columns Cloud simulator COSP number of sub-cloumns used to simulate sub-grid variability | | |
| Enter INTEGER value: | | |
| | | |
| 8.3.1.4 Number Of Levels | | |
| Cloud simulator COSP number of levels | | |
| Enter INTEGER value: | | |
| | | |
| 8.4.1 Radar Inputs | | |
| Characteristics of the cloud radar simulator | | |
| 8.4.1.1 Frequency | | |
| Cloud simulator radar frequency (Hz) | | |
| Enter FLOAT value: | | |
| | | |
| 8.4.1.2 Type | | |
| Cloud simulator radar type | | |
| Select SINGLE option: | | |
| Surface | | |
| Space borne | | |
| Other - please specify: | | |

| 8.4.1.3 | Gas Ab | sorptio | n |
|-----------|----------------------------|-------------|--------------------|
| Cloud sin | nulator rad | ar uses g | $as\ absorption$ |
| Selec | t either I | TRUE or | FALSE: |
| | True | | False |
| | Effective | | |
| | nulator raa et either T | | ffective radius |
| | True | | False |
| 8.5.1 l | Lidar I | nputs | |
| Charact | eristics o | f the clo | ud lidar simulator |
| 8.5.1.1 | Ice Typ | es | |
| Cloud sin | nulator lide | ır ice type | 2 |
| Selec | t SINGL | E option | : |
| | Ice sphere | es | |
| | Ice non-s | pherical | |
| | Other - p | lease spec | cify: |
| 8.5.1.2 | Overlap | 1 | |
| Cloud sin | nulator lide | ır overlap | |
| Selec | t MULTI | PLE opt | tions: |
| | Max | | |
| | Random | | |
| | Other - n | lesse sne | rify: |

9 Gravity Waves

Characteristics of the parameterised gravity waves in the atmosphere, whether from orography or other sources

9.1.1 Top level properties

 $Characteristics\ of\ the\ parameterised\ gravity\ waves\ in\ the\ atmosphere,\ whether\ from\ orography\ or\ other\ sources$

9.1.1.1 Name

Commonly used name for the gravity waves in atmos model.

Enter TEXT:

9.1.1.2 Overview

Overview of characteristics of the parameterised gravity waves in the atmosphere, whether from orography or other sources in atmos model.

Enter TEXT:

| 9.1.1.3 Sponge Layer * | | |
|------------------------|---|--|
| Sponge la | yer in the upper levels in order to avoid gravity wave reflection at the top. | |
| Selec | t SINGLE option: | |
| | Rayleigh friction | |
| | Diffusive sponge layer | |
| | Other - please specify: | |
| | | |

9.1.1.4 Background *

Background wave distribution

| Select SINGLE option: | | |
|-----------------------|-------------------------|--|
| | Continuous spectrum | |
| | Discrete spectrum | |
| | Other - please specify: | |

9.1.1.5 Subgrid Scale Orography *

 $Subgrid\ scale\ orography\ effects\ taken\ into\ account.$

| Select MULTIPLE options: | | |
|--------------------------|-------------------|--|
| | Effect on drag | |
| | Effect on lifting | |

| | Enhanced topography - To enhance the generation of long waves in the atmosphere |
|----------|---|
| | Other - please specify: |
| | Orographic Gravity Waves waves generated due to the presence of orography |
| Gravity | waves generated due to the presence of orography |
| 9.2.1.1 | Name |
| Common | ly used name for the orographic gravity wave scheme |
| Ente | r TEXT: |
| 9.2.1.2 | Source Mechanisms * |
| Orograph | ic gravity wave source mechanisms |
| Selec | t MULTIPLE options: |
| | Linear mountain waves |
| | Hydraulic jump |
| | Envelope orography |
| | Low level flow blocking |
| | Statistical sub-grid scale variance |
| | Other - please specify: |
| 9.2.1.3 | Calculation Method * |
| Orograph | ic gravity wave calculation method |
| Selec | t MULTIPLE options: |
| | Non-linear calculation |
| | More than two cardinal directions |
| | Other - please specify: |
| 9.2.1.4 | Propagation Scheme * |
| Orograph | ic gravity wave propogation scheme |
| Selec | t SINGLE option: |
| | Linear theory |
| | Non-linear theory |
| | Includes boundary layer ducting |
| | Other - please specify: |

| 9.2. | 1.5 Dissipation Scheme * |
|------|--|
| Orog | raphic gravity wave dissipation scheme |
| S | Select SINGLE option: |
| | Total wave |
| | Single wave |
| | Spectral |
| | Linear |
| | Wave saturation vs Richardson number |
| | Other - please specify: |
| 9.3 | 1 Non Orographic Gravity Waves |
| Grav | vity waves generated by non-orographic processes. |
| 9.3. | 1.1 Name |
| Com | monly used name for the non-orographic gravity wave scheme |
| F | Enter TEXT: |
| 9.3. | 1.2 Source Mechanisms * |
| Non- | orographic gravity wave source mechanisms |
| S | Select MULTIPLE options: |
| | Convection |
| | Precipitation |
| | Background spectrum |
| [| Other - please specify: |
| 9.3. | 1.3 Calculation Method * |
| Non- | orographic gravity wave calculation method |
| S | select MULTIPLE options: |
| | Spatially dependent |
| [| Temporally dependent |
| 9.3. | 1.4 Propagation Scheme * |
| Non- | orographic gravity wave propogation scheme |
| S | Select SINGLE option: |

| | Linear theory |
|-----------|--|
| | Non-linear theory |
| | Other - please specify: |
| | |
| 9.3.1.5 | Dissipation Scheme * |
| Non-orogr | raphic gravity wave dissipation scheme |
| Selec | t SINGLE option: |
| | Total wave |
| | Single wave |
| | Spectral |
| | Linear |
| | Wave saturation vs Richardson number |
| | Other - please specify: |

| 10 Natural Forcing |
|--------------------|
| |

| Natural | forcing: | solar | and | volcanic. |
|---------|----------|-------|-----|-----------|
| | | | | |

10.1.1 Top level properties

Natural forcing: solar and volcanic.

10.1.1.1 Name

Commonly used name for the natural forcing in atmos model.

Enter TEXT:

10.1.1.2 Overview

Overview of natural forcing: solar and volcanic. in atmos model.

Enter TEXT:

10.2.1 Solar Pathways

Pathways for solar forcing of the atmosphere

10.2.1.1 Pathways *

Pathways for the solar forcing of the atmosphere model domain

| Ш | SW radiation - Shortwave solar spectral irradiance. |
|-----------|---|
| , | Precipitating energetic particles - Precipitating energetic particles from the sun (predominantly prothe magnetosphere (predominantly electrons) affect the ionization levels in the polar middle and upper |
| atmospher | e, leading to significant changes of the chemical composition |
| | Cosmic rays - Cosmic rays are the main source of ionization in the troposphere and lower stratosphere. |

10.3.1 Solar Constant

Other - please specify:

Solar constant and top of atmosphere insolation characteristics

10.3.1.1 Type \ast

Time adaptation of the solar constant.

| Select | SINGLE | option |
|--------|--------|--------|
|--------|--------|--------|

| Fixed |
|-------|
| |

Transient

| If the solar constant is fixed, enter the value of the solar constant (W m-2). | | |
|--|--|--|
| Enter FLOAT value: | | |
| | | |
| 10.3.1.3 Transient Characteristics | | |
| Solar constant transient characteristics (W m-2) | | |
| Enter TEXT: | | |
| 10.4.1 Orbital Parameters | | |
| $Orbital\ parameters\ and\ top\ of\ atmosphere\ insolation\ characteristics$ | | |
| 10.4.1.1 Type * | | |
| Type of orbital parameter | | |
| Select SINGLE option: | | |
| Fixed | | |
| Transient | | |
| 10.4.1.2 Fixed Reference Date | | |
| Reference date for fixed orbital parameters (yyyy) | | |
| Enter INTEGER value: | | |
| | | |
| 10.4.1.3 Transient Method | | |
| Description of transient orbital parameters | | |
| Enter TEXT: | | |
| 10.4.1.4 Computation Method | | |
| Method used for computing orbital parameters. | | |
| Select SINGLE option: | | |
| | | |
| Berger 1978 | | |
| ☐ Berger 1978 ☐ Laskar 2004 | | |

10.5.1 Insolation Ozone

10.3.1.2 Fixed Value

Impact of solar insolation on stratospheric ozone

| 10.5.1.1 | Solar Ozone Impact |
|------------|---|
| Does top | of atmosphere insolation impact on stratospheric ozone? |
| Select | t either TRUE or FALSE: |
| | True |
| 10.6.1 | Volcanoes Treatment |
| Characte | eristics and treatment of volcanic forcing in the atmosphere |
| 10.6.1.1 | Volcanoes Characteristics * |
| Descriptio | on of how the volcanic forcing is taken into account in the atmosphere. |
| Enter | TEXT: |
| 10.6.1.2 | Volcanoes Implementation * |
| How volca | nic effects are modeled in the atmosphere. |
| Select | t SINGLE option: |
| | High frequency solar constant anomaly |
| | Stratospheric aerosols optical thickness |
| | Other - please specify: |