Summary of models


2022-07-08

Data base from beefun: plant individuals per sites (13 sites) for five years (2015-2019). Data base has 400 observation, only matching individuals, some with no pollinator frequency (16 observations). Fruit proportions, seed numbers and seed weight are calculated for each plant individual per plant species in site and year. Richness, visitation rate and frequency of pollinators are also calculated for plant individual per plant species. 16 plant species but 4 are removed because they are present only one site.

Correlation


| species | rows | $fruit_proportion$ | Seeds | ${\bf Seed_weight}$ | richness | ${\bf visitatio_rate}$ | Frequency |
|-----------------------|---------------------|---------------------|---------|----------------------|----------|-------------------------|-----------|
| Asphodelus fistulosus | fruit_proportion | 1.0000 | -0.7023 | 0.6058 | -0.7293 | 0.1819 | 0.0830 |
| | Seeds | -0.7023 | 1.0000 | -0.1075 | 0.4812 | -0.4977 | -0.5475 |
| | Seed_weight | 0.6058 | -0.1075 | 1.0000 | -0.6025 | -0.2888 | -0.4000 |
| | richness | -0.7293 | 0.4812 | -0.6025 | 1.0000 | 0.0647 | 0.1593 |
| | visitatio_rate | 0.1819 | -0.4977 | -0.2888 | 0.0647 | 1.0000 | 0.9421 |
| | Frequency | 0.0830 | -0.5475 | -0.4000 | 0.1593 | 0.9421 | 1.0000 |
| Cistus crispus | $fruit_proportion$ | 1.0000 | 0.4161 | 0.4117 | -0.0105 | 0.1052 | -0.0307 |
| | Seeds | 0.4161 | 1.0000 | 0.8757 | -0.2753 | -0.0277 | -0.1797 |
| | $Seed_weight$ | 0.4117 | 0.8757 | 1.0000 | -0.1787 | -0.0046 | -0.0970 |
| | richness | -0.0105 | -0.2753 | -0.1787 | 1.0000 | 0.5627 | 0.6782 |
| | visitatio_rate | 0.1052 | -0.0277 | -0.0046 | 0.5627 | 1.0000 | 0.6865 |
| | Frequency | -0.0307 | -0.1797 | -0.0970 | 0.6782 | 0.6865 | 1.0000 |
| Cistus ladanifer | $fruit_proportion$ | 1.0000 | 0.1881 | 0.1458 | 0.1638 | 0.0495 | -0.2714 |
| | Seeds | 0.1881 | 1.0000 | 0.9382 | 0.0365 | 0.0813 | 0.0492 |
| | Seed_weight | 0.1458 | 0.9382 | 1.0000 | 0.0195 | 0.1282 | -0.0007 |
| | richness | 0.1638 | 0.0365 | 0.0195 | 1.0000 | 0.2465 | 0.1351 |
| | visitatio_rate | 0.0495 | 0.0813 | 0.1282 | 0.2465 | 1.0000 | 0.2981 |
| | Frequency | -0.2714 | 0.0492 | -0.0007 | 0.1351 | 0.2981 | 1.0000 |
| Cistus libanotis | fruit_proportion | 1.0000 | -0.0060 | 0.0299 | -0.2198 | 0.1761 | -0.2259 |
| | Seeds | -0.0060 | 1.0000 | 0.3492 | -0.2500 | -0.5347 | -0.3541 |
| | Seed_weight | 0.0299 | 0.3492 | 1.0000 | 0.1833 | -0.4670 | 0.0750 |
| | richness | -0.2198 | -0.2500 | 0.1833 | 1.0000 | 0.3220 | 0.7211 |
| | visitatio rate | 0.1761 | -0.5347 | -0.4670 | 0.3220 | 1.0000 | 0.3221 |
| | Frequency | -0.2259 | -0.3541 | 0.0750 | 0.7211 | 0.3221 | 1.0000 |
| Cistus monspeliensis | fruit_proportion | 1.0000 | -0.4485 | -0.4345 | 0.1075 | -0.0339 | 0.1337 |
| | Seeds | -0.4485 | 1.0000 | 0.9027 | 0.4568 | 0.3329 | 0.4399 |
| | Seed_weight | -0.4345 | 0.9027 | 1.0000 | 0.3971 | 0.4014 | 0.4813 |
| | richness | 0.1075 | 0.4568 | 0.3971 | 1.0000 | -0.0517 | 0.9146 |
| | visitatio_rate | -0.0339 | 0.3329 | 0.4014 | -0.0517 | 1.0000 | 0.1264 |
| | Frequency | 0.1337 | 0.4399 | 0.4813 | 0.9146 | 0.1264 | 1.0000 |
| Cistus salviifolius | fruit_proportion | 1.0000 | 0.0026 | 0.0781 | -0.0713 | -0.1379 | 0.0695 |
| | Seeds | 0.0026 | 1.0000 | 0.9232 | -0.0064 | -0.2513 | -0.0064 |
| | Seed_weight | 0.0781 | 0.9232 | 1.0000 | 0.0014 | -0.2908 | -0.0137 |
| | _ = | | | | | | |

| | richness visitatio_rate Frequency | -0.0713 -0.1379 0.0695 | -0.0064 -0.2513 -0.0064 | 0.0014 -0.2908 -0.0137 | 1.0000 0.4190 0.5100 | 0.4190 1.0000 0.5811 | 0.5100 0.5811 1.0000 |
|-----------------------|--|---|--|--|--|---|---|
| Halimium calycinum | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 -0.0904 0.4575 -0.0072 0.0999 0.1097 | -0.0904 1.0000 0.3023 -0.1236 -0.1230 -0.2351 | 0.4575 0.3023 1.0000 0.1017 -0.1709 0.0575 | -0.0072 -0.1236 0.1017 1.0000 0.3986 0.6881 | 0.0999 -0.1230 -0.1709 0.3986 1.0000 0.6119 | 0.1097 -0.2351 0.0575 0.6881 0.6119 1.0000 |
| Halimium halimifolium | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 -0.1827 -0.0810 -0.0886 -0.0362 -0.0520 | -0.1827 1.0000 0.4896 -0.0150 0.2056 -0.0134 | -0.0810 0.4896 1.0000 0.0244 0.0029 -0.0266 | -0.0886 -0.0150 0.0244 1.0000 0.5080 0.6200 | -0.0362 0.2056 0.0029 0.5080 1.0000 0.6450 | -0.0520 -0.0134 -0.0266 0.6200 0.6450 1.0000 |
| Lavandula pedunculata | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 0.0418 -0.0393 0.0282 -0.0103 0.0609 | 0.0418 1.0000 0.5202 0.1866 -0.0536 0.0996 | -0.0393 0.5202 1.0000 0.1146 -0.1564 0.2289 | 0.0282 0.1866 0.1146 1.0000 0.2759 0.4425 | -0.0103 -0.0536 -0.1564 0.2759 1.0000 0.1748 | 0.0609 0.0996 0.2289 0.4425 0.1748 1.0000 |
| Lavandula stoechas | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 -0.2385 0.1316 0.0515 0.1242 0.2541 | -0.2385 1.0000 0.1705 0.1310 0.0142 0.2260 | 0.1316 0.1705 1.0000 0.1550 0.0483 0.4355 | 0.0515 0.1310 0.1550 1.0000 -0.0407 0.5107 | 0.1242 0.0142 0.0483 -0.0407 1.0000 0.2883 | 0.2541 0.2260 0.4355 0.5107 0.2883 1.0000 |
| Salvia rosmarinus | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 -0.4606 0.1354 -0.0885 -0.3038 -0.6646 | -0.4606 1.0000 -0.4241 0.2924 0.1032 0.1842 | 0.1354 -0.4241 1.0000 -0.4100 -0.2078 -0.2179 | -0.0885 0.2924 -0.4100 1.0000 0.0761 0.3480 | -0.3038 0.1032 -0.2078 0.0761 1.0000 0.6244 | -0.6646 0.1842 -0.2179 0.3480 0.6244 1.0000 |
| Teucrium fruticans | fruit_proportion Seeds Seed_weight richness visitatio_rate Frequency | 1.0000 -0.2740 0.4067 0.5360 -0.0517 -0.2905 | -0.2740 1.0000 -0.2085 -0.0293 -0.1092 0.0717 | 0.4067 -0.2085 1.0000 0.3768 0.1420 -0.1048 | 0.5360 -0.0293 0.3768 1.0000 0.2422 0.3227 | -0.0517 -0.1092 0.1420 0.2422 1.0000 0.6462 | -0.2905 0.0717 -0.1048 0.3227 0.6462 1.0000 |



Fruit proportion

Richness




Summary of models for fruit proportion \sim pollinator richness per plant species. Binomial cbind(fruit_formado, Fruit_No), fruit formada= Fruit yes + fruit preyed + fruit dispersed. Site_ID as factor random


Note: NAs is replaced by zero. The plant species have fruit and seed data but no pollinator visiting were registered. No pollinator visit the plant species during observed time

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|----------------------|---|---|--------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 0.8987 0.0585 | 1.0326 0.1735 | 0.8703 0.3370 | $0.3841 \\ 0.7361$ |
| Cistus crispus | (Intercept) richness | $\begin{array}{c} 1.2189 \\ 0.0311 \end{array}$ | $0.3092 \\ 0.0817$ | 3.9417 0.3811 | 0.0001 0.7031 |
| Cistus ladanifer | (Intercept) richness | $2.0249 \\ 0.3065$ | $0.5653 \\ 0.2197$ | 3.5818 1.3949 | 0.0003 0.1630 |
| Cistus libanotis | (Intercept) richness | 6.5370 -0.6351 | $\begin{array}{c} 2.6118 \\ 0.6072 \end{array}$ | 2.5028 -1.0460 | 0.0123 0.2956 |
| Cistus monspeliensis | (Intercept) richness | $\begin{array}{c} 1.4923 \\ 0.0987 \end{array}$ | $1.0640 \\ 0.1861$ | $1.4026 \\ 0.5304$ | $0.1607 \\ 0.5958$ |
| Cistus salviifolius | (Intercept) richness | 2.5085 0.0699 | $0.3061 \\ 0.1108$ | $8.1955 \\ 0.6305$ | 0.0000 0.5283 |
| Halimium calycinum | (Intercept) richness | $\begin{array}{c} 1.2788 \\ 0.8952 \end{array}$ | $\begin{array}{c} 1.6658 \\ 0.7410 \end{array}$ | 0.7677 1.2081 | $0.4427 \\ 0.2270$ |
| Halimium halimifolium | (Intercept) richness | 1.6070 -0.0762 | $0.2690 \\ 0.0969$ | 5.9747 -0.7866 | 0.0000 0.4315 |
| Lavandula pedunculata | (Intercept) richness | $\begin{array}{c} 1.4627 \\ 0.0160 \end{array}$ | $0.1578 \\ 0.0342$ | 9.2709 0.4689 | 0.0000 0.6392 |
| Lavandula stoechas | (Intercept) richness | $\begin{array}{c} 1.6191 \\ 0.0237 \end{array}$ | $0.2000 \\ 0.0334$ | $8.0970 \\ 0.7099$ | 0.0000 0.4778 |
| Salvia rosmarinus | (Intercept) richness | $0.0068 \\ 0.4031$ | $\begin{array}{c} 1.1151 \\ 0.2548 \end{array}$ | 0.0061 1.5819 | $0.9951 \\ 0.1137$ |
| Teucrium fruticans | (Intercept) richness | $0.9465 \\ 0.3603$ | 0.9255 0.1599 | $1.0227 \\ 2.2534$ | 0.3064 0.0242 |

| Plant_gen_sp | nobs | sigma | logLik | AIC | BIC | deviance | df.residual |
|-----------------------|------|-------|----------|---------|---------|----------|-------------|
| Asphodelus fistulosus | 15 | 1 | -62.412 | 130.823 | 132.948 | 74.762 | 12 |
| Cistus crispus | 70 | 1 | -109.252 | 224.504 | 231.249 | 96.017 | 67 |
| Cistus ladanifer | 53 | 1 | -30.471 | 66.943 | 72.854 | 32.494 | 50 |
| Cistus libanotis | 16 | 1 | -3.065 | 12.130 | 14.448 | 4.280 | 13 |
| Cistus monspeliensis | 11 | 1 | -15.377 | 36.755 | 37.948 | 11.502 | 8 |
| Cistus salviifolius | 66 | 1 | -43.879 | 93.758 | 100.327 | 61.399 | 63 |
| Halimium calycinum | 19 | 1 | -19.560 | 45.121 | 47.954 | 11.177 | 16 |
| Halimium halimifolium | 45 | 1 | -56.296 | 118.592 | 124.012 | 62.214 | 42 |
| Lavandula pedunculata | 49 | 1 | -265.307 | 536.614 | 542.289 | 259.440 | 46 |
| Lavandula stoechas | 24 | 1 | -165.456 | 336.911 | 340.445 | 191.963 | 21 |
| Salvia rosmarinus | 13 | 1 | -49.747 | 105.493 | 107.188 | 26.037 | 10 |
| Teucrium fruticans | 11 | 1 | -23.472 | 52.944 | 54.138 | 17.269 | 8 |




Visitation rate



Summary of models for fruit proportion ~ visitation rate per plant species. Binomial cbind(fruit_formado, Fruit_No), fruit formada= Fruit yes + fruit preyed + fruit dispersed. Site_ID as factor random

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|-------------------------------|---|--------------------|--------------------|-------------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | -0.0348 4.7806 | 1.1002 1.1399 | -0.0317 4.1940 | 0.9747 0.0000 |
| Cistus crispus | (Intercept) visitatio_rate | $\begin{array}{c} 1.1926 \\ 0.1791 \end{array}$ | $0.2605 \\ 0.2340$ | $4.5788 \\ 0.7653$ | 0.0000 0.4441 |
| Cistus ladanifer | (Intercept) visitatio_rate | $2.5450 \\ 0.1442$ | $0.5215 \\ 0.3817$ | $4.8801 \\ 0.3777$ | 0.0000 0.7057 |
| Cistus libanotis | (Intercept) visitatio_rate | 3.9772 2.7825 | 1.5064 6.1785 | 2.6403 0.4504 | 0.0083 0.6525 |
| Cistus monspeliensis | (Intercept) visitatio_rate | 0.7588 7.8653 | $1.3407 \\ 3.9235$ | $0.5659 \\ 2.0046$ | 0.5714 0.0450 |
| Cistus salviifolius | (Intercept) visitatio_rate | 2.8007 -0.2817 | $0.2580 \\ 0.3341$ | 10.8567 -0.8429 | 0.0000 0.3993 |
| Halimium calycinum | (Intercept) visitatio_rate | 2.1395 1.5875 | $1.2107 \\ 2.8199$ | $1.7672 \\ 0.5630$ | $0.0772 \\ 0.5735$ |
| Halimium halimifolium | (Intercept) visitatio_rate | 1.4678 -0.0912 | $0.2279 \\ 0.5876$ | 6.4416 -0.1552 | 0.0000 0.8767 |
| Lavandula pedunculata | (Intercept) visitatio_rate | $1.4459 \\ 0.4809$ | $0.1568 \\ 0.5459$ | 9.2237 0.8810 | 0.0000 0.3783 |
| Lavandula stoechas | (Intercept) visitatio_rate | $1.6447 \\ 0.0627$ | $0.1944 \\ 0.1872$ | $8.4621 \\ 0.3350$ | 0.0000 0.7376 |
| Salvia rosmarinus | (Intercept) visitatio_rate | 1.0365 -1.6345 | 0.9757 0.6088 | 1.0624 -2.6848 | 0.2881 0.0073 |
| Teucrium fruticans | (Intercept) visitatio_rate | 2.0589 0.3900 | $0.9937 \\ 0.6451$ | $2.0720 \\ 0.6044$ | 0.0383 0.5455 |

| Plant_gen_sp | nobs | sigma | logLik | AIC | BIC | deviance | df.residual |
|-----------------------|------|-------|----------|---------|---------|----------|-------------|
| Asphodelus fistulosus | 15 | 1 | -49.580 | 105.160 | 107.284 | 48.456 | 12 |
| Cistus crispus | 70 | 1 | -109.029 | 224.057 | 230.803 | 95.903 | 67 |
| Cistus ladanifer | 53 | 1 | -31.520 | 69.039 | 74.950 | 33.346 | 50 |
| Cistus libanotis | 16 | 1 | -3.540 | 13.081 | 15.398 | 5.231 | 13 |
| Cistus monspeliensis | 11 | 1 | -12.710 | 31.420 | 32.613 | 5.047 | 8 |
| Cistus salviifolius | 66 | 1 | -43.767 | 93.534 | 100.103 | 61.175 | 63 |
| Halimium calycinum | 19 | 1 | -20.083 | 46.166 | 49.000 | 13.672 | 16 |
| Halimium halimifolium | 45 | 1 | -56.590 | 119.180 | 124.600 | 62.803 | 42 |
| Lavandula pedunculata | 49 | 1 | -265.027 | 536.054 | 541.730 | 258.301 | 46 |
| Lavandula stoechas | 24 | 1 | -165.651 | 337.303 | 340.837 | 192.511 | 21 |
| Salvia rosmarinus | 13 | 1 | -47.232 | 100.464 | 102.159 | 21.629 | 10 |
| Teucrium fruticans | 11 | 1 | -26.062 | 58.124 | 59.317 | 21.344 | 8 |



Hymenoptera visitation

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|--------------------------|---|---|--------------------|-------------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | -0.1374 5.6654 | 1.1654 1.2033 | -0.1179 4.7084 | 0.9061 0.0000 |
| Cistus crispus | (Intercept) Hym_visit | $\begin{array}{c} 1.2015 \\ 0.1714 \end{array}$ | $0.2580 \\ 0.2360$ | $4.6575 \\ 0.7260$ | 0.0000 0.4678 |
| Cistus ladanifer | (Intercept) Hym_visit | 2.7882 -0.1993 | $0.4742 \\ 0.4064$ | 5.8794 -0.4905 | 0.0000 0.6238 |
| Cistus libanotis | (Intercept) Hym_visit | $4.3748 \\ 1.1671$ | $1.3782 \\ 5.5773$ | $3.1744 \\ 0.2093$ | 0.0015 0.8342 |
| Cistus monspeliensis | (Intercept) Hym_visit | $1.1742 \\ 6.5826$ | $\begin{array}{c} 1.2190 \\ 3.2748 \end{array}$ | 0.9633 2.0101 | 0.3354 0.0444 |
| Cistus salviifolius | (Intercept) Hym_visit | $2.4214 \\ 1.2158$ | $0.2448 \\ 0.9043$ | 9.8918 1.3445 | 0.0000 0.1788 |
| Halimium calycinum | (Intercept) Hym_visit | $1.5227 \\ 17.3352$ | 0.8950 14.5588 | $1.7014 \\ 1.1907$ | 0.0889 0.2338 |
| Halimium halimifolium | (Intercept) Hym_visit | 1.4895 -0.2761 | $0.2015 \\ 0.6942$ | 7.3924 -0.3977 | 0.0000 0.6908 |
| Lavandula pedunculata | (Intercept) Hym_visit | $\begin{array}{c} 1.4729 \\ 0.2190 \end{array}$ | $0.1544 \\ 0.5491$ | 9.5367 0.3989 | 0.0000 0.6900 |
| Lavandula stoechas | (Intercept) Hym_visit | $1.6535 \\ 0.0162$ | $0.1954 \\ 0.1835$ | $8.4631 \\ 0.0881$ | 0.0000 0.9298 |
| Salvia rosmarinus | (Intercept) Hym_visit | 1.0362 -1.6345 | 0.9759 0.6089 | 1.0618 -2.6843 | 0.2883 0.0073 |
| Teucrium fruticans | (Intercept) Hym_visit | 2.0607 0.3871 | 0.9933 0.6491 | $2.0745 \\ 0.5964$ | 0.0380 0.5509 |

Frequency

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|--------------------------|---|---|---|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 0.6378 0.1076 | 1.0080 0.0551 | 0.6328 1.9541 | $0.5269 \\ 0.0507$ |
| Cistus crispus | (Intercept) Frequency | $\begin{array}{c} 1.2845 \\ 0.0012 \end{array}$ | $0.2612 \\ 0.0099$ | $4.9179 \\ 0.1168$ | 0.0000 0.9071 |
| Cistus ladanifer | (Intercept) Frequency | 3.1005 -0.0397 | $0.4733 \\ 0.0167$ | 6.5515 -2.3724 | $0.0000 \\ 0.0177$ |
| Cistus libanotis | (Intercept) Frequency | 8.5047 -0.3183 | $4.8190 \\ 0.3156$ | 1.7648 -1.0086 | $0.0776 \\ 0.3132$ |
| Cistus monspeliensis | (Intercept) Frequency | $1.2876 \\ 0.0823$ | $1.0234 \\ 0.0697$ | 1.2581 1.1818 | 0.2084 0.2373 |
| Cistus salviifolius | (Intercept) Frequency | 2.3181 0.0847 | $0.2832 \\ 0.0582$ | 8.1853 1.4554 | 0.0000 0.1456 |
| Halimium calycinum | (Intercept) Frequency | $1.9767 \\ 0.1591$ | $\begin{array}{c} 1.3805 \\ 0.2309 \end{array}$ | $\begin{array}{c} 1.4319 \\ 0.6891 \end{array}$ | $0.1522 \\ 0.4907$ |
| Halimium halimifolium | (Intercept) Frequency | 1.5412 -0.0110 | $0.2110 \\ 0.0145$ | 7.3054 -0.7592 | 0.0000 0.4477 |
| Lavandula pedunculata | (Intercept) Frequency | 1.4318 0.0044 | $0.1506 \\ 0.0028$ | 9.5084 1.5530 | 0.0000 0.1204 |
| Lavandula stoechas | (Intercept) Frequency | 1.5656 0.0083 | $0.1864 \\ 0.0033$ | 8.3984 2.5561 | $0.0000 \\ 0.0106$ |
| Salvia rosmarinus | (Intercept) Frequency | 0.7658 -0.0012 | $0.9940 \\ 0.0086$ | 0.7704 -0.1441 | $0.4410 \\ 0.8854$ |
| Teucrium fruticans | (Intercept) Frequency | 2.5324 -0.0124 | $0.7048 \\ 0.0108$ | 3.5929 -1.1504 | 0.0003 0.2500 |

Seed numbers

Summary of models for seed numbers per plant species (LMM). Site_ID as factor random

Richness

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|----------------------|---|---|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 3.1304 0.3696 | 1.1326 0.3804 | 2.7639 0.9716 | 2.6368 9.2265 | $0.0808 \\ 0.3560$ |
| Cistus crispus | (Intercept) richness | 36.9479 -1.3247 | 2.6769 0.7993 | 13.8023 -1.6574 | 37.7263 67.9047 | 0.0000 0.1020 |
| Cistus ladanifer | (Intercept) richness | 436.1185 8.1617 | 67.7538 31.3217 | $6.4368 \\ 0.2606$ | 51.0000 51.0000 | 0.0000 0.7955 |
| Cistus libanotis | (Intercept) richness | 16.7712 -0.7156 | 2.2834 0.7408 | 7.3450 -0.9660 | $14.0000 \\ 14.0000$ | 0.0000 0.3504 |
| Cistus monspeliensis | (Intercept) richness | $10.7600 \\ 1.3748$ | 3.5884 0.6913 | 2.9986 1.9886 | 1.7997 8.0064 | $0.1083 \\ 0.0819$ |
| Cistus salviifolius | (Intercept) richness | 38.1001 -0.1686 | 3.4395 1.4258 | 11.0772 -0.1183 | 32.9219 63.9064 | 0.0000 0.9062 |
| Halimium calycinum | (Intercept) richness | 2.9349 -0.1890 | 0.5323 0.2583 | 5.5132 -0.7317 | 8.7255 15.5290 | 0.0004 0.4752 |
| Halimium halimifolium | (Intercept) richness | 19.7507 -0.1395 | $\begin{array}{c} 2.6148 \\ 0.7791 \end{array}$ | 7.5535 -0.1791 | $19.2544 \\ 38.5508$ | 0.0000 0.8588 |
| Lavandula pedunculata | (Intercept) richness | $\begin{array}{c} 1.8337 \\ 0.1575 \end{array}$ | $0.2170 \\ 0.0680$ | 8.4507 2.3155 | $20.1167 \\ 42.5288$ | $0.0000 \\ 0.0255$ |
| Lavandula stoechas | (Intercept) richness | $\begin{array}{c} 1.9171 \\ 0.0695 \end{array}$ | $0.2787 \\ 0.1029$ | $6.8793 \\ 0.6757$ | $14.9828 \\ 19.3912$ | 0.0000 0.5072 |
| Salvia rosmarinus | (Intercept) richness | 2.0257 0.2971 | $0.3494 \\ 0.1573$ | 5.7981 1.8892 | $10.8250 \\ 8.6479$ | 0.0001 0.0928 |
| Teucrium fruticans | (Intercept) richness | 3.0030 -0.0203 | $\begin{array}{c} 1.2301 \\ 0.3141 \end{array}$ | 2.4413 -0.0647 | $4.7547 \\ 8.3222$ | 0.0611 0.9499 |

Visitation rate

| Plant_gen_sp | term | estimate | $\operatorname{std.error}$ | statistic | df | p.value |
|-----------------------|-------------------------------|-----------------------|----------------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | 4.6059 -2.1062 | 1.0005 0.8166 | 4.6036 -2.5792 | 2.1136 11.1023 | $0.0397 \\ 0.0255$ |
| Cistus crispus | (Intercept) visitatio_rate | 33.3809 -0.0804 | $2.1583 \\ 2.0269$ | 15.4664 -0.0396 | $18.1118 \\ 65.7180$ | 0.0000 0.9685 |
| Cistus ladanifer | (Intercept) visitatio_rate | $431.1849 \\ 21.7615$ | 48.0821 37.3768 | 8.9677 0.5822 | 51.0000 51.0000 | 0.0000 0.5630 |
| Cistus libanotis | (Intercept) visitatio_rate | 19.1307 -14.1206 | 2.0726 5.9647 | 9.2304 -2.3674 | 14.0000 14.0000 | $0.0000 \\ 0.0329$ |
| Cistus monspeliensis | (Intercept) visitatio_rate | 14.6758 -1.9138 | 3.8979 12.6807 | 3.7651 -0.1509 | 1.3623 8.8220 | 0.1117 0.8834 |
| Cistus salviifolius | (Intercept) visitatio_rate | 41.0266 -6.9772 | 2.7452 3.1271 | 14.9447 -2.2312 | $12.5494 \\ 63.4551$ | $0.0000 \\ 0.0292$ |
| Halimium calycinum | (Intercept) visitatio_rate | 2.6921 -0.2679 | 0.2993 0.3988 | 8.9950 -0.6718 | $4.7195 \\ 14.8252$ | 0.0004 0.5121 |
| Halimium halimifolium | (Intercept) visitatio_rate | $17.7932 \\ 6.1745$ | $2.2302 \\ 4.7258$ | 7.9783 1.3066 | $12.8412 \\ 39.6394$ | 0.0000 0.1989 |
| Lavandula pedunculata | (Intercept) visitatio_rate | 2.2399 -0.9026 | 0.2075 1.1810 | 10.7923 -0.7643 | $15.9502 \\ 43.9519$ | 0.0000 0.4488 |
| Lavandula stoechas | (Intercept) visitatio_rate | 2.0655 -0.1542 | $0.2281 \\ 0.3393$ | 9.0534 -0.4543 | 8.0645 18.0396 | 0.0000 0.6550 |
| Salvia rosmarinus | (Intercept) visitatio_rate | $2.4410 \\ 0.3861$ | $0.2536 \\ 0.5189$ | 9.6253 0.7441 | 7.2906 6.7964 | 0.0000 0.4818 |
| Teucrium fruticans | (Intercept) visitatio_rate | 3.4215 -1.3499 | 1.3129 1.0419 | 2.6061 -1.2956 | 1.1841 8.9790 | $0.2008 \\ 0.2274$ |

Hymenoptera visitation

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|-----------------------|---|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | 4.5623 -1.9997 | 1.0058 0.7919 | 4.5358 -2.5251 | 2.0900 11.0652 | $0.0417 \\ 0.0281$ |
| Cistus crispus | (Intercept) Hym_visit | 33.4147 -0.1410 | $2.1473 \\ 2.0916$ | 15.5614 -0.0674 | $17.8652 \\ 65.4361$ | 0.0000 0.9465 |
| Cistus ladanifer | (Intercept) Hym_visit | $429.8104 \\ 37.3180$ | $45.2401 \\ 53.2003$ | $9.5006 \\ 0.7015$ | 51.0000 51.0000 | 0.0000 0.4862 |
| Cistus libanotis | (Intercept) Hym_visit | 16.3039 -5.9670 | $ \begin{array}{c} 1.9437 \\ 6.4654 \end{array} $ | 8.3882 -0.9229 | $14.0000 \\ 14.0000$ | 0.0000 0.3717 |
| Cistus monspeliensis | (Intercept) Hym_visit | $14.0426 \\ 2.8972$ | 3.3633 11.3469 | $4.1753 \\ 0.2553$ | 1.1741 8.7763 | $0.1209 \\ 0.8044$ |
| Cistus salviifolius | (Intercept) Hym_visit | 41.6444 -13.4132 | 2.4659 3.8952 | 16.8883 -3.4435 | $13.1177 \\ 63.8183$ | $0.0000 \\ 0.0010$ |
| Halimium calycinum | (Intercept) Hym_visit | 2.6498 -0.2067 | 0.2869 0.4242 | 9.2353 -0.4873 | 3.8909 14.1649 | 0.0009 0.6335 |
| Halimium halimifolium | (Intercept) Hym_visit | 18.4598 5.5040 | $2.1591 \\ 5.5550$ | $8.5499 \\ 0.9908$ | 9.6982 38.0853 | 0.0000 0.3280 |
| Lavandula pedunculata | (Intercept) Hym_visit | 2.2508 -1.0557 | 0.2060 1.1969 | 10.9254 -0.8821 | $15.4525 \\ 44.2223$ | 0.0000 0.3825 |
| Lavandula stoechas | (Intercept) Hym_visit | 2.0685 -0.1787 | 0.2274 0.3377 | 9.0955 -0.5293 | 7.9790 18.0039 | 0.0000 0.6031 |
| Salvia rosmarinus | (Intercept) Hym_visit | $2.4408 \\ 0.3880$ | $0.2537 \\ 0.5205$ | 9.6209 0.7453 | 7.2932 6.7920 | 0.0000 0.4811 |
| Teucrium fruticans | (Intercept) Hym_visit | 3.4385 -1.4052 | 1.3340 1.0489 | 2.5776 -1.3398 | 1.1662 8.9846 | $0.2060 \\ 0.2132$ |

Frequency

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|----------------------|---|---------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 4.8472 -0.1838 | 1.0688 0.0485 | 4.5350 -3.7899 | 2.0870 11.2106 | $0.0419 \\ 0.0029$ |
| Cistus crispus | (Intercept) Frequency | 34.7305 -0.0986 | $\begin{array}{c} 2.1267 \\ 0.0926 \end{array}$ | 16.3307 -1.0645 | 19.1769 67.1508 | 0.0000 0.2909 |
| Cistus ladanifer | (Intercept) Frequency | $442.8248 \\ 1.2295$ | $40.7179 \\ 3.4535$ | $10.8754 \\ 0.3560$ | 8.1380 48.2360 | 0.0000 0.7234 |
| Cistus libanotis | (Intercept) Frequency | 18.0444 -0.3056 | $\begin{array}{c} 2.5067 \\ 0.2157 \end{array}$ | 7.1984 -1.4169 | $14.0000 \\ 14.0000$ | 0.0000 0.1784 |
| Cistus monspeliensis | (Intercept) Frequency | $12.2415 \\ 0.3798$ | 3.2677 0.2297 | 3.7462 1.6538 | $1.3935 \\ 8.0287$ | $0.1090 \\ 0.1366$ |
| Cistus salviifolius | (Intercept) Frequency | 37.9992 -0.0419 | 2.6862 0.3119 | 14.1459 -0.1343 | $18.4626 \\ 63.6194$ | 0.0000 0.8936 |
| Halimium calycinum | (Intercept) Frequency | 2.8413 -0.0408 | $0.3441 \\ 0.0363$ | 8.2577 -1.1255 | 5.8556 16.7285 | 0.0002 0.2763 |
| Halimium halimifolium | (Intercept) Frequency | 19.4644 -0.0035 | $\begin{array}{c} 2.2147 \\ 0.1223 \end{array}$ | 8.7887 -0.0285 | $10.5429 \\ 41.1632$ | 0.0000 0.9774 |
| Lavandula pedunculata | (Intercept) Frequency | 2.1604 -0.0008 | $0.1936 \\ 0.0063$ | 11.1574 -0.1293 | $12.8025 \\ 44.3366$ | 0.0000 0.8977 |
| Lavandula stoechas | (Intercept) Frequency | 2.0399 -0.0003 | $0.2502 \\ 0.0106$ | 8.1546 -0.0267 | 9.2157 21.5376 | 0.0000 0.9789 |
| Salvia rosmarinus | (Intercept) Frequency | 2.4697 0.0017 | $0.2420 \\ 0.0033$ | $10.2069 \\ 0.5209$ | $6.5095 \\ 7.7412$ | 0.0000 0.6170 |
| Teucrium fruticans | (Intercept) Frequency | 2.8432 0.0007 | $0.8269 \\ 0.0188$ | $3.4386 \\ 0.0362$ | 1.4344 7.0442 | 0.1174 0.9721 |

Seed weight

Summary of models for seed weight per plant species (LMM). Site_ID as factor random

Richness

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|----------------------|--------------------|--------------------|---------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 0.0234 -0.0039 | 0.0031 0.0014 | 7.6585 -2.7219 | 13.0000 13.0000 | $0.0000 \\ 0.0175$ |
| Cistus crispus | (Intercept) richness | 0.0182 -0.0005 | $0.0016 \\ 0.0005$ | 11.2383 -0.9692 | 38.2284 67.9325 | 0.0000 0.3359 |
| Cistus ladanifer | (Intercept) richness | $0.1210 \\ 0.0015$ | $0.0193 \\ 0.0085$ | 6.2843 0.1707 | 23.8455 50.4419 | 0.0000 0.8651 |
| Cistus libanotis | (Intercept) richness | $0.0115 \\ 0.0005$ | 0.0023 0.0007 | 5.0303 0.6978 | $14.0000 \\ 14.0000$ | 0.0002 0.4967 |
| Cistus monspeliensis | (Intercept) richness | $0.0120 \\ 0.0016$ | $0.0050 \\ 0.0009$ | 2.3829 1.7029 | $1.6927 \\ 8.0056$ | $0.1624 \\ 0.1270$ |
| Cistus salviifolius | (Intercept) richness | $0.0432 \\ 0.0000$ | $0.0038 \\ 0.0016$ | $11.3986 \\ 0.0111$ | 64.0000 64.0000 | 0.0000 0.9912 |
| Halimium calycinum | (Intercept) richness | $0.0060 \\ 0.0005$ | 0.0023 0.0012 | $2.5958 \\ 0.4007$ | 3.2515 7.1903 | $0.0743 \\ 0.7003$ |
| Halimium halimifolium | (Intercept) richness | 0.0099 0.0001 | $0.0022 \\ 0.0008$ | $4.4960 \\ 0.1601$ | $43.0000 \\ 43.0000$ | 0.0001 0.8736 |
| Lavandula pedunculata | (Intercept) richness | $0.0010 \\ 0.0000$ | $0.0002 \\ 0.0001$ | 5.4959 0.1050 | $17.2591 \\ 41.2695$ | 0.0000 0.9169 |
| Lavandula stoechas | (Intercept) richness | $0.0006 \\ 0.0000$ | $0.0001 \\ 0.0000$ | $6.0928 \\ 0.6698$ | $14.6417 \\ 19.1730$ | 0.0000 0.5109 |
| Salvia rosmarinus | (Intercept) richness | 0.0007 -0.0001 | $0.0001 \\ 0.0001$ | 5.8855 -1.4909 | 11.0000 11.0000 | 0.0001 0.1641 |
| Teucrium fruticans | (Intercept) richness | $0.0019 \\ 0.0005$ | $0.0015 \\ 0.0004$ | $1.2443 \\ 1.2202$ | 9.0000 9.0000 | $0.2448 \\ 0.2534$ |

Visitation rate

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|-------------------------------|--------------------|--------------------|--------------------|----------------------|-------------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | 0.0170 -0.0066 | 0.0040 0.0058 | 4.2113 -1.1347 | 2.0969 11.3539 | 0.0479 0.2799 |
| Cistus crispus | (Intercept) visitatio_rate | 0.0169 -0.0001 | $0.0012 \\ 0.0012$ | 13.6038 -0.0457 | $18.9073 \\ 66.2984$ | 0.0000 0.9637 |
| Cistus ladanifer | (Intercept) visitatio_rate | $0.1141 \\ 0.0098$ | $0.0145 \\ 0.0100$ | 7.8787 0.9846 | 9.7303 50.9411 | 0.0000 0.3295 |
| Cistus libanotis | (Intercept) visitatio_rate | 0.0166 -0.0122 | $0.0021 \\ 0.0062$ | 7.7190 -1.9759 | 14.0000 14.0000 | 0.0000 0.0682 |
| Cistus monspeliensis | (Intercept) visitatio_rate | $0.0159 \\ 0.0011$ | $0.0051 \\ 0.0163$ | 3.0959 0.0683 | $1.3450 \\ 8.7824$ | $0.1450 \\ 0.9471$ |
| Cistus salviifolius | (Intercept) visitatio_rate | 0.0475 -0.0084 | $0.0027 \\ 0.0035$ | 17.5042 -2.4319 | 64.0000 64.0000 | $0.0000 \\ 0.0178$ |
| Halimium calycinum | (Intercept) visitatio_rate | 0.0073 -0.0018 | $0.0014 \\ 0.0021$ | 5.2540 -0.8611 | 3.7255 15.8657 | 0.0076 0.4020 |
| Halimium halimifolium | (Intercept) visitatio_rate | $0.0102 \\ 0.0001$ | $0.0018 \\ 0.0047$ | 5.6353 0.0192 | $43.0000 \\ 43.0000$ | 0.0000 0.9847 |
| Lavandula pedunculata | (Intercept) visitatio_rate | 0.0012 -0.0015 | $0.0002 \\ 0.0009$ | 6.7919 -1.7179 | $13.9183 \\ 42.5678$ | 0.0000 0.0931 |
| Lavandula stoechas | (Intercept) visitatio_rate | 0.0006 -0.0001 | $0.0001 \\ 0.0001$ | 7.7170 -0.7251 | 7.8553 17.3400 | 0.0001 0.4780 |
| Salvia rosmarinus | (Intercept) visitatio_rate | 0.0006 -0.0003 | $0.0001 \\ 0.0002$ | 7.3099 -1.2374 | $7.4568 \\ 8.9410$ | 0.0001 0.2474 |
| Teucrium fruticans | (Intercept) visitatio_rate | $0.0032 \\ 0.0006$ | $0.0012 \\ 0.0013$ | 2.7775 0.4303 | 9.0000 9.0000 | 0.0215 0.6771 |

Hymenoptera visitation

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|--------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | 0.0168 -0.0059 | 0.0040 0.0057 | 4.2194 -1.0458 | 1.9881 11.1685 | 0.0524 0.3178 |
| Cistus crispus | (Intercept) Hym_visit | 0.0169 -0.0001 | $0.0012 \\ 0.0013$ | 13.6719 -0.0448 | $18.6824 \\ 66.0001$ | 0.0000 0.9644 |
| Cistus ladanifer | (Intercept) Hym_visit | $0.1179 \\ 0.0097$ | $0.0137 \\ 0.0144$ | $8.6216 \\ 0.6773$ | 7.7910 50.1375 | 0.0000 0.5014 |
| Cistus libanotis | (Intercept) Hym_visit | 0.0146 -0.0073 | $0.0019 \\ 0.0063$ | 7.7400 -1.1663 | $14.0000 \\ 14.0000$ | 0.0000 0.2630 |
| Cistus monspeliensis | (Intercept) Hym_visit | $0.0149 \\ 0.0099$ | $0.0043 \\ 0.0143$ | $3.4697 \\ 0.6976$ | $1.1705 \\ 8.7546$ | $0.1491 \\ 0.5035$ |
| Cistus salviifolius | (Intercept) Hym_visit | 0.0476 -0.0141 | $0.0024 \\ 0.0044$ | 19.5886 -3.1807 | $64.0000 \\ 64.0000$ | $0.0000 \\ 0.0023$ |
| Halimium calycinum | (Intercept) Hym_visit | 0.0071 -0.0015 | 0.0013 0.0022 | 5.4234 -0.6547 | 2.8227 15.2413 | 0.0144 0.5224 |
| Halimium halimifolium | (Intercept) Hym_visit | $0.0100 \\ 0.0014$ | $0.0016 \\ 0.0056$ | $6.2265 \\ 0.2451$ | $43.0000 \\ 43.0000$ | 0.0000 0.8075 |
| Lavandula pedunculata | (Intercept) Hym_visit | 0.0012 -0.0016 | $0.0002 \\ 0.0009$ | 6.8644 -1.7840 | $13.5977 \\ 42.8715$ | 0.0000 0.0815 |
| Lavandula stoechas | (Intercept) Hym_visit | 0.0006 -0.0001 | $0.0001 \\ 0.0001$ | 7.7319 -0.7347 | 7.7747 17.3100 | 0.0001 0.4724 |
| Salvia rosmarinus | (Intercept) Hym_visit | 0.0006 -0.0003 | $0.0001 \\ 0.0002$ | 7.3056 -1.2455 | 7.4532 8.9074 | 0.0001 0.2447 |
| Teucrium fruticans | (Intercept) Hym_visit | $0.0032 \\ 0.0006$ | $0.0012 \\ 0.0013$ | 2.7633 0.4550 | 9.0000 9.0000 | 0.0220 0.6599 |

Frequency

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|--------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 0.0180 -0.0006 | 0.0039 0.0004 | 4.6170 -1.6039 | $2.2504 \\ 12.3931$ | 0.0349 0.1339 |
| Cistus crispus | (Intercept) Frequency | 0.0173 0.0000 | 0.0013 0.0001 | 13.7931 -0.4955 | $19.5249 \\ 67.4134$ | 0.0000 0.6219 |
| Cistus ladanifer | (Intercept) Frequency | $0.1232 \\ 0.0001$ | $0.0125 \\ 0.0009$ | 9.8735 0.0896 | $6.4470 \\ 49.3434$ | 0.0000 0.9290 |
| Cistus libanotis | (Intercept) Frequency | $0.0122 \\ 0.0001$ | $0.0026 \\ 0.0002$ | $4.6286 \\ 0.2815$ | $14.0000 \\ 14.0000$ | 0.0004 0.7825 |
| Cistus monspeliensis | (Intercept) Frequency | $0.0130 \\ 0.0006$ | $0.0045 \\ 0.0003$ | 2.8828 2.0262 | $1.2823 \\ 8.0208$ | $0.1662 \\ 0.0772$ |
| Cistus salviifolius | (Intercept) Frequency | $0.0434 \\ 0.0000$ | 0.0029 0.0004 | 14.9048 -0.1099 | 64.0000 64.0000 | 0.0000 0.9128 |
| Halimium calycinum | (Intercept) Frequency | $0.0066 \\ 0.0000$ | $0.0015 \\ 0.0002$ | $4.5403 \\ 0.2374$ | 17.0000 17.0000 | 0.0003 0.8152 |
| Halimium halimifolium | (Intercept) Frequency | $0.0104 \\ 0.0000$ | $0.0017 \\ 0.0001$ | 6.1986 -0.1742 | $43.0000 \\ 43.0000$ | 0.0000 0.8625 |
| Lavandula pedunculata | (Intercept) Frequency | 0.0009 0.0000 | $0.0002 \\ 0.0000$ | 5.8625 1.1497 | $11.4225 \\ 42.7491$ | 0.0001 0.2566 |
| Lavandula stoechas | (Intercept) Frequency | $0.0006 \\ 0.0000$ | $0.0001 \\ 0.0000$ | 7.0941 1.9859 | $11.2803 \\ 21.6394$ | 0.0000 0.0599 |
| Salvia rosmarinus | (Intercept) Frequency | $0.0006 \\ 0.0000$ | $0.0001 \\ 0.0000$ | 8.3239 -0.7404 | 11.0000 11.0000 | 0.0000 0.4746 |
| Teucrium fruticans | (Intercept) Frequency | $0.0039 \\ 0.0000$ | $0.0010 \\ 0.0000$ | 3.8093 -0.3160 | 9.0000 9.0000 | 0.0042 0.7592 |

join together Lavandula species

(L.
peduncalata (49 obs) and L.
stoechas (24 obs)) $\,$

Fruit proportion - richness

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|----------------------|---|---|---------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 0.8987 0.0585 | $\begin{array}{c} 1.0326 \\ 0.1735 \end{array}$ | $0.8703 \\ 0.3370$ | $0.3841 \\ 0.7361$ |
| Cistus crispus | (Intercept) richness | $\begin{array}{c} 1.2189 \\ 0.0311 \end{array}$ | $0.3092 \\ 0.0817$ | 3.9417 0.3811 | 0.0001 0.7031 |
| Cistus ladanifer | (Intercept) richness | $2.0249 \\ 0.3065$ | $0.5653 \\ 0.2197$ | 3.5818 1.3949 | 0.0003 0.1630 |
| Cistus libanotis | (Intercept) richness | 6.5370 -0.6351 | $\begin{array}{c} 2.6118 \\ 0.6072 \end{array}$ | 2.5028 -1.0460 | 0.0123 0.2956 |
| Cistus monspeliensis | (Intercept) richness | $1.4923 \\ 0.0987$ | $1.0640 \\ 0.1861$ | $1.4026 \\ 0.5304$ | $0.1607 \\ 0.5958$ |
| Cistus salviifolius | (Intercept) richness | 2.5085 0.0699 | $0.3061 \\ 0.1108$ | $8.1955 \\ 0.6305$ | 0.0000 0.5283 |
| Halimium calycinum | (Intercept) richness | $1.2788 \\ 0.8952$ | $\begin{array}{c} 1.6658 \\ 0.7410 \end{array}$ | 0.7677 1.2081 | $0.4427 \\ 0.2270$ |
| Halimium halimifolium | (Intercept) richness | 1.6070 -0.0762 | $0.2690 \\ 0.0969$ | 5.9747 -0.7866 | 0.0000 0.4315 |
| Lavandula | (Intercept) richness | $\begin{array}{c} 1.5029 \\ 0.0267 \end{array}$ | $0.1114 \\ 0.0216$ | $13.4950 \\ 1.2359$ | 0.0000 0.2165 |
| Salvia rosmarinus | (Intercept) richness | $0.0068 \\ 0.4031$ | $\begin{array}{c} 1.1151 \\ 0.2548 \end{array}$ | $0.0061 \\ 1.5819$ | $0.9951 \\ 0.1137$ |
| Teucrium fruticans | (Intercept) richness | $0.9465 \\ 0.3603$ | 0.9255 0.1599 | $1.0227 \\ 2.2534$ | 0.3064 0.0242 |

Fruit proportion - visitation rate

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|-------------------------------|---|--------------------|---------------------|-------------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | -0.0348 4.7806 | 1.1002 1.1399 | -0.0317 4.1940 | 0.9747 0.0000 |
| Cistus crispus | (Intercept) visitatio_rate | $\begin{array}{c} 1.1926 \\ 0.1791 \end{array}$ | $0.2605 \\ 0.2340$ | $4.5788 \\ 0.7653$ | 0.0000 0.4441 |
| Cistus ladanifer | (Intercept) visitatio_rate | $2.5450 \\ 0.1442$ | $0.5215 \\ 0.3817$ | $4.8801 \\ 0.3777$ | 0.0000 0.7057 |
| Cistus libanotis | (Intercept) visitatio_rate | 3.9772 2.7825 | 1.5064 6.1785 | $2.6403 \\ 0.4504$ | 0.0083 0.6525 |
| Cistus monspeliensis | (Intercept) visitatio_rate | $0.7588 \\ 7.8653$ | $1.3407 \\ 3.9235$ | $0.5659 \\ 2.0046$ | 0.5714 0.0450 |
| Cistus salviifolius | (Intercept) visitatio_rate | 2.8007 -0.2817 | $0.2580 \\ 0.3341$ | 10.8567 -0.8429 | 0.0000 0.3993 |
| Halimium calycinum | (Intercept) visitatio_rate | 2.1395 1.5875 | $1.2107 \\ 2.8199$ | $1.7672 \\ 0.5630$ | $0.0772 \\ 0.5735$ |
| Halimium halimifolium | (Intercept) visitatio_rate | 1.4678 -0.0912 | $0.2279 \\ 0.5876$ | 6.4416 -0.1552 | 0.0000 0.8767 |
| Lavandula | (Intercept) visitatio_rate | 1.4893 0.4504 | $0.1030 \\ 0.1934$ | $14.4641 \\ 2.3289$ | $0.0000 \\ 0.0199$ |
| Salvia rosmarinus | (Intercept) visitatio_rate | 1.0365 -1.6345 | 0.9757 0.6088 | 1.0624 -2.6848 | 0.2881 0.0073 |
| Teucrium fruticans | (Intercept) visitatio_rate | 2.0589 0.3900 | $0.9937 \\ 0.6451$ | $2.0720 \\ 0.6044$ | 0.0383 0.5455 |

Fruit proportion - hymenoptera visitation

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|--------------------------|---|--------------------|---------------------|-------------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | -0.1374 5.6654 | 1.1654 1.2033 | -0.1179 4.7084 | 0.9061 0.0000 |
| Cistus crispus | (Intercept) Hym_visit | $\begin{array}{c} 1.2015 \\ 0.1714 \end{array}$ | $0.2580 \\ 0.2360$ | $4.6575 \\ 0.7260$ | 0.0000 0.4678 |
| Cistus ladanifer | (Intercept) Hym_visit | 2.7882 -0.1993 | $0.4742 \\ 0.4064$ | 5.8794 -0.4905 | 0.0000 0.6238 |
| Cistus libanotis | (Intercept) Hym_visit | $4.3748 \\ 1.1671$ | 1.3782 5.5773 | 3.1744 0.2093 | 0.0015 0.8342 |
| Cistus monspeliensis | (Intercept) Hym_visit | $1.1742 \\ 6.5826$ | 1.2190 3.2748 | 0.9633 2.0101 | 0.3354 0.0444 |
| Cistus salviifolius | (Intercept) Hym_visit | 2.4214 1.2158 | $0.2448 \\ 0.9043$ | 9.8918 1.3445 | 0.0000 0.1788 |
| Halimium calycinum | (Intercept) Hym_visit | $1.5227 \\ 17.3352$ | 0.8950 14.5588 | $1.7014 \\ 1.1907$ | 0.0889 0.2338 |
| Halimium halimifolium | (Intercept) Hym_visit | 1.4895 -0.2761 | $0.2015 \\ 0.6942$ | 7.3924 -0.3977 | 0.0000 0.6908 |
| Lavandula | (Intercept) Hym_visit | $1.5025 \\ 0.3621$ | $0.1029 \\ 0.1874$ | $14.6012 \\ 1.9324$ | 0.0000 0.0533 |
| Salvia rosmarinus | (Intercept) Hym_visit | 1.0362 -1.6345 | 0.9759 0.6089 | 1.0618 -2.6843 | 0.2883 0.0073 |
| Teucrium fruticans | (Intercept) Hym_visit | 2.0607 0.3871 | 0.9933 0.6491 | $2.0745 \\ 0.5964$ | 0.0380 0.5509 |

Fruit proportion - frequency

| Plant_gen_sp | term | estimate | std.error | statistic | p.value |
|-----------------------|--------------------------|---|---|---|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 0.6378 0.1076 | 1.0080 0.0551 | 0.6328 1.9541 | $0.5269 \\ 0.0507$ |
| Cistus crispus | (Intercept) Frequency | $\begin{array}{c} 1.2845 \\ 0.0012 \end{array}$ | $0.2612 \\ 0.0099$ | $4.9179 \\ 0.1168$ | 0.0000 0.9071 |
| Cistus ladanifer | (Intercept) Frequency | 3.1005 -0.0397 | $0.4733 \\ 0.0167$ | 6.5515 -2.3724 | $0.0000 \\ 0.0177$ |
| Cistus libanotis | (Intercept) Frequency | 8.5047 -0.3183 | $4.8190 \\ 0.3156$ | 1.7648 -1.0086 | $0.0776 \\ 0.3132$ |
| Cistus monspeliensis | (Intercept) Frequency | $1.2876 \\ 0.0823$ | $\begin{array}{c} 1.0234 \\ 0.0697 \end{array}$ | 1.2581 1.1818 | 0.2084 0.2373 |
| Cistus salviifolius | (Intercept) Frequency | 2.3181 0.0847 | $0.2832 \\ 0.0582$ | 8.1853 1.4554 | 0.0000 0.1456 |
| Halimium calycinum | (Intercept) Frequency | $1.9767 \\ 0.1591$ | $\begin{array}{c} 1.3805 \\ 0.2309 \end{array}$ | $\begin{array}{c} 1.4319 \\ 0.6891 \end{array}$ | $0.1522 \\ 0.4907$ |
| Halimium halimifolium | (Intercept) Frequency | 1.5412 -0.0110 | $0.2110 \\ 0.0145$ | 7.3054 -0.7592 | 0.0000 0.4477 |
| Lavandula | (Intercept) Frequency | $\begin{array}{c} 1.4168 \\ 0.0098 \end{array}$ | $0.1056 \\ 0.0020$ | $13.4201 \\ 4.8474$ | $0.0000 \\ 0.0000$ |
| Salvia rosmarinus | (Intercept) Frequency | 0.7658 -0.0012 | $0.9940 \\ 0.0086$ | 0.7704 -0.1441 | $0.4410 \\ 0.8854$ |
| Teucrium fruticans | (Intercept) Frequency | 2.5324 -0.0124 | $0.7048 \\ 0.0108$ | 3.5929 -1.1504 | 0.0003 0.2500 |

Seed number - richness

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|----------------------|---------------------|---|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 3.1304 0.3696 | 1.1326 0.3804 | 2.7639 0.9716 | 2.6368 9.2265 | $0.0808 \\ 0.3560$ |
| Cistus crispus | (Intercept) richness | 36.9479 -1.3247 | 2.6769 0.7993 | 13.8023 -1.6574 | 37.7263 67.9047 | 0.0000 0.1020 |
| Cistus ladanifer | (Intercept) richness | 436.1185 8.1617 | 67.7538 31.3217 | $6.4368 \\ 0.2606$ | 51.0000 51.0000 | 0.0000 0.7955 |
| Cistus libanotis | (Intercept) richness | 16.7712 -0.7156 | 2.2834 0.7408 | 7.3450 -0.9660 | $14.0000 \\ 14.0000$ | 0.0000 0.3504 |
| Cistus monspeliensis | (Intercept) richness | $10.7600 \\ 1.3748$ | 3.5884 0.6913 | 2.9986 1.9886 | 1.7997 8.0064 | $0.1083 \\ 0.0819$ |
| Cistus salviifolius | (Intercept) richness | 38.1001 -0.1686 | 3.4395 1.4258 | 11.0772 -0.1183 | 32.9219 63.9064 | 0.0000 0.9062 |
| Halimium calycinum | (Intercept) richness | 2.9349 -0.1890 | 0.5323 0.2583 | 5.5132 -0.7317 | 8.7255 15.5290 | 0.0004 0.4752 |
| Halimium halimifolium | (Intercept) richness | 19.7507 -0.1395 | 2.6148 0.7791 | 7.5535 -0.1791 | 19.2544 38.5508 | 0.0000 0.8588 |
| Lavandula | (Intercept) richness | 2.0255 0.0770 | 0.1811 0.0590 | 11.1833 1.3043 | 22.7931 66.3927 | 0.0000 0.1966 |
| Salvia rosmarinus | (Intercept) richness | 2.0257 0.2971 | 0.3494 0.1573 | 5.7981 1.8892 | 10.8250 8.6479 | 0.0001 0.0928 |
| Teucrium fruticans | (Intercept) richness | 3.0030 -0.0203 | $\begin{array}{c} 1.2301 \\ 0.3141 \end{array}$ | 2.4413 -0.0647 | 4.7547 8.3222 | 0.0611 0.9499 |

Seed number - visitation rate

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|-------------------------------|-----------------------|---------------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | 4.6059 -2.1062 | 1.0005 0.8166 | 4.6036 -2.5792 | 2.1136 11.1023 | $0.0397 \\ 0.0255$ |
| Cistus crispus | (Intercept) visitatio_rate | 33.3809 -0.0804 | $2.1583 \\ 2.0269$ | 15.4664 -0.0396 | $18.1118 \\ 65.7180$ | 0.0000 0.9685 |
| Cistus ladanifer | (Intercept) visitatio_rate | $431.1849 \\ 21.7615$ | $\frac{48.0821}{37.3768}$ | 8.9677 0.5822 | 51.0000 51.0000 | 0.0000 0.5630 |
| Cistus libanotis | (Intercept) visitatio_rate | 19.1307 -14.1206 | 2.0726 5.9647 | 9.2304 -2.3674 | $14.0000 \\ 14.0000$ | $0.0000 \\ 0.0329$ |
| Cistus monspeliensis | (Intercept) visitatio_rate | 14.6758 -1.9138 | 3.8979 12.6807 | 3.7651 -0.1509 | 1.3623 8.8220 | 0.1117 0.8834 |
| Cistus salviifolius | (Intercept) visitatio_rate | 41.0266 -6.9772 | 2.7452 3.1271 | 14.9447 -2.2312 | $12.5494 \\ 63.4551$ | $0.0000 \\ 0.0292$ |
| Halimium calycinum | (Intercept) visitatio_rate | 2.6921 -0.2679 | 0.2993 0.3988 | 8.9950 -0.6718 | $4.7195 \\ 14.8252$ | 0.0004 0.5121 |
| Halimium halimifolium | (Intercept) visitatio_rate | $17.7932 \\ 6.1745$ | $2.2302 \\ 4.7258$ | 7.9783 1.3066 | $12.8412 \\ 39.6394$ | 0.0000 0.1989 |
| Lavandula | (Intercept) visitatio_rate | 2.2071 -0.2278 | $0.1531 \\ 0.2934$ | 14.4115 -0.7764 | $10.7258 \\ 66.9795$ | 0.0000 0.4402 |
| Salvia rosmarinus | (Intercept) visitatio_rate | $2.4410 \\ 0.3861$ | $0.2536 \\ 0.5189$ | 9.6253 0.7441 | 7.2906 6.7964 | 0.0000 0.4818 |
| Teucrium fruticans | (Intercept) visitatio_rate | 3.4215 -1.3499 | $1.3129 \\ 1.0419$ | 2.6061 -1.2956 | 1.1841 8.9790 | $0.2008 \\ 0.2274$ |

${\bf Seed\ number\ -\ hymenoptera\ visitation}$

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|-----------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | 4.5623 -1.9997 | 1.0058 0.7919 | 4.5358 -2.5251 | 2.0900 11.0652 | $0.0417 \\ 0.0281$ |
| Cistus crispus | (Intercept) Hym_visit | 33.4147 -0.1410 | $2.1473 \\ 2.0916$ | 15.5614 -0.0674 | $17.8652 \\ 65.4361$ | 0.0000 0.9465 |
| Cistus ladanifer | (Intercept) Hym_visit | $429.8104 \\ 37.3180$ | 45.2401 53.2003 | $9.5006 \\ 0.7015$ | 51.0000 51.0000 | 0.0000 0.4862 |
| Cistus libanotis | (Intercept) Hym_visit | 16.3039 -5.9670 | $1.9437 \\ 6.4654$ | 8.3882 -0.9229 | 14.0000 14.0000 | 0.0000 0.3717 |
| Cistus monspeliensis | (Intercept) Hym_visit | $14.0426 \\ 2.8972$ | 3.3633 11.3469 | $4.1753 \\ 0.2553$ | $1.1741 \\ 8.7763$ | $0.1209 \\ 0.8044$ |
| Cistus salviifolius | (Intercept) Hym_visit | 41.6444 -13.4132 | 2.4659 3.8952 | 16.8883 -3.4435 | 13.1177 63.8183 | $0.0000 \\ 0.0010$ |
| Halimium calycinum | (Intercept) Hym_visit | 2.6498 -0.2067 | 0.2869 0.4242 | 9.2353 -0.4873 | 3.8909 14.1649 | 0.0009 0.6335 |
| Halimium halimifolium | (Intercept) Hym_visit | 18.4598 5.5040 | 2.1591 5.5550 | 8.5499 0.9908 | 9.6982 38.0853 | 0.0000 0.3280 |
| Lavandula | (Intercept) Hym_visit | 2.2091 -0.2519 | 0.1527 0.2930 | 14.4703 -0.8598 | 10.6210 66.8875 | 0.0000 0.3930 |
| Salvia rosmarinus | (Intercept) Hym_visit | 2.4408 0.3880 | 0.2537 0.5205 | 9.6209 0.7453 | 7.2932 6.7920 | 0.0000 0.4811 |
| Teucrium fruticans | (Intercept) Hym_visit | 3.4385 -1.4052 | 1.3340 1.0489 | 2.5776 -1.3398 | 1.1662 8.9846 | 0.2060 0.2132 |

Seed number - frequency

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|----------------------|---|---------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 4.8472 -0.1838 | 1.0688 0.0485 | 4.5350 -3.7899 | 2.0870 11.2106 | $0.0419 \\ 0.0029$ |
| Cistus crispus | (Intercept) Frequency | 34.7305 -0.0986 | $\begin{array}{c} 2.1267 \\ 0.0926 \end{array}$ | 16.3307 -1.0645 | 19.1769 67.1508 | 0.0000 0.2909 |
| Cistus ladanifer | (Intercept) Frequency | $442.8248 \\ 1.2295$ | $40.7179 \\ 3.4535$ | $10.8754 \\ 0.3560$ | 8.1380 48.2360 | 0.0000 0.7234 |
| Cistus libanotis | (Intercept) Frequency | 18.0444 -0.3056 | $\begin{array}{c} 2.5067 \\ 0.2157 \end{array}$ | 7.1984 -1.4169 | 14.0000 14.0000 | 0.0000 0.1784 |
| Cistus monspeliensis | (Intercept) Frequency | $12.2415 \\ 0.3798$ | 3.2677 0.2297 | 3.7462 1.6538 | 1.3935 8.0287 | $0.1090 \\ 0.1366$ |
| Cistus salviifolius | (Intercept) Frequency | 37.9992 -0.0419 | 2.6862 0.3119 | 14.1459 -0.1343 | 18.4626 63.6194 | 0.0000 0.8936 |
| Halimium calycinum | (Intercept) Frequency | 2.8413 -0.0408 | $0.3441 \\ 0.0363$ | 8.2577 -1.1255 | 5.8556 16.7285 | 0.0002 0.2763 |
| Halimium halimifolium | (Intercept) Frequency | 19.4644 -0.0035 | 2.2147 0.1223 | 8.7887 -0.0285 | $10.5429 \\ 41.1632$ | 0.0000 0.9774 |
| Lavandula | (Intercept) Frequency | $2.1641 \\ 0.0007$ | $0.1661 \\ 0.0056$ | $13.0314 \\ 0.1194$ | $14.3256 \\ 70.0925$ | 0.0000 0.9053 |
| Salvia rosmarinus | (Intercept) Frequency | 2.4697 0.0017 | $0.2420 \\ 0.0033$ | $10.2069 \\ 0.5209$ | $6.5095 \\ 7.7412$ | 0.0000 0.6170 |
| Teucrium fruticans | (Intercept) Frequency | 2.8432 0.0007 | $0.8269 \\ 0.0188$ | $3.4386 \\ 0.0362$ | $1.4344 \\ 7.0442$ | $0.1174 \\ 0.9721$ |

Seed weight - richness

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|----------------------|--------------------|--------------------|---------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) richness | 0.0234 -0.0039 | 0.0031 0.0014 | 7.6585 -2.7219 | 13.0000 13.0000 | $0.0000 \\ 0.0175$ |
| Cistus crispus | (Intercept) richness | 0.0182 -0.0005 | $0.0016 \\ 0.0005$ | 11.2383 -0.9692 | 38.2284 67.9325 | 0.0000 0.3359 |
| Cistus ladanifer | (Intercept) richness | $0.1210 \\ 0.0015$ | $0.0193 \\ 0.0085$ | 6.2843 0.1707 | $23.8455 \\ 50.4419$ | 0.0000 0.8651 |
| Cistus libanotis | (Intercept) richness | $0.0115 \\ 0.0005$ | $0.0023 \\ 0.0007$ | 5.0303 0.6978 | $14.0000 \\ 14.0000$ | 0.0002 0.4967 |
| Cistus monspeliensis | (Intercept) richness | $0.0120 \\ 0.0016$ | $0.0050 \\ 0.0009$ | 2.3829 1.7029 | $1.6927 \\ 8.0056$ | $0.1624 \\ 0.1270$ |
| Cistus salviifolius | (Intercept) richness | $0.0432 \\ 0.0000$ | $0.0038 \\ 0.0016$ | $11.3986 \\ 0.0111$ | 64.0000 64.0000 | 0.0000 0.9912 |
| Halimium calycinum | (Intercept) richness | $0.0060 \\ 0.0005$ | $0.0023 \\ 0.0012$ | $2.5958 \\ 0.4007$ | 3.2515 7.1903 | $0.0743 \\ 0.7003$ |
| Halimium halimifolium | (Intercept) richness | 0.0099 0.0001 | $0.0022 \\ 0.0008$ | $4.4960 \\ 0.1601$ | $43.0000 \\ 43.0000$ | 0.0001 0.8736 |
| Lavandula | (Intercept) richness | $0.0009 \\ 0.0000$ | $0.0001 \\ 0.0000$ | $6.4411 \\ 0.3024$ | $14.7771 \\ 62.8028$ | 0.0000 0.7634 |
| Salvia rosmarinus | (Intercept) richness | 0.0007 -0.0001 | $0.0001 \\ 0.0001$ | 5.8855 -1.4909 | 11.0000 11.0000 | 0.0001 0.1641 |
| Teucrium fruticans | (Intercept) richness | $0.0019 \\ 0.0005$ | $0.0015 \\ 0.0004$ | $1.2443 \\ 1.2202$ | 9.0000 9.0000 | $0.2448 \\ 0.2534$ |

Seed weight - visitation rate

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|-------------------------------|--------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) visitatio_rate | 0.0170 -0.0066 | 0.0040 0.0058 | 4.2113 -1.1347 | 2.0969 11.3539 | 0.0479 0.2799 |
| Cistus crispus | (Intercept) visitatio_rate | 0.0169 -0.0001 | $0.0012 \\ 0.0012$ | 13.6038 -0.0457 | $18.9073 \\ 66.2984$ | 0.0000 0.9637 |
| Cistus ladanifer | (Intercept) visitatio_rate | $0.1141 \\ 0.0098$ | $0.0145 \\ 0.0100$ | 7.8787 0.9846 | 9.7303 50.9411 | 0.0000 0.3295 |
| Cistus libanotis | (Intercept) visitatio_rate | 0.0166 -0.0122 | $0.0021 \\ 0.0062$ | 7.7190 -1.9759 | $14.0000 \\ 14.0000$ | 0.0000 0.0682 |
| Cistus monspeliensis | (Intercept) visitatio_rate | $0.0159 \\ 0.0011$ | $0.0051 \\ 0.0163$ | 3.0959 0.0683 | $1.3450 \\ 8.7824$ | $0.1450 \\ 0.9471$ |
| Cistus salviifolius | (Intercept) visitatio_rate | 0.0475 -0.0084 | $0.0027 \\ 0.0035$ | 17.5042 -2.4319 | 64.0000 64.0000 | $0.0000 \\ 0.0178$ |
| Halimium calycinum | (Intercept) visitatio_rate | 0.0073 -0.0018 | $0.0014 \\ 0.0021$ | 5.2540 -0.8611 | 3.7255 15.8657 | 0.0076 0.4020 |
| Halimium halimifolium | (Intercept) visitatio_rate | $0.0102 \\ 0.0001$ | $0.0018 \\ 0.0047$ | 5.6353 0.0192 | $43.0000 \\ 43.0000$ | 0.0000 0.9847 |
| Lavandula | (Intercept) visitatio_rate | 0.0010 -0.0002 | $0.0001 \\ 0.0002$ | 7.6580 -0.9905 | 9.2436 63.8007 | 0.0000 0.3257 |
| Salvia rosmarinus | (Intercept) visitatio_rate | 0.0006 -0.0003 | $0.0001 \\ 0.0002$ | 7.3099 -1.2374 | $7.4568 \\ 8.9410$ | 0.0001 0.2474 |
| Teucrium fruticans | (Intercept) visitatio_rate | $0.0032 \\ 0.0006$ | $0.0012 \\ 0.0013$ | 2.7775 0.4303 | 9.0000 9.0000 | 0.0215 0.6771 |

Seed weight - hymenoptera visitation

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|--------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Hym_visit | 0.0168 -0.0059 | 0.0040 0.0057 | 4.2194 -1.0458 | 1.9881 11.1685 | $0.0524 \\ 0.3178$ |
| Cistus crispus | (Intercept) Hym_visit | 0.0169 -0.0001 | $0.0012 \\ 0.0013$ | 13.6719 -0.0448 | $18.6824 \\ 66.0001$ | 0.0000 0.9644 |
| Cistus ladanifer | (Intercept) Hym_visit | $0.1179 \\ 0.0097$ | $0.0137 \\ 0.0144$ | $8.6216 \\ 0.6773$ | 7.7910 50.1375 | 0.0000 0.5014 |
| Cistus libanotis | (Intercept) Hym_visit | 0.0146 -0.0073 | $0.0019 \\ 0.0063$ | 7.7400 -1.1663 | 14.0000 14.0000 | 0.0000 0.2630 |
| Cistus monspeliensis | (Intercept) Hym_visit | $0.0149 \\ 0.0099$ | 0.0043 0.0143 | 3.4697 0.6976 | 1.1705 8.7546 | $0.1491 \\ 0.5035$ |
| Cistus salviifolius | (Intercept) Hym_visit | 0.0476 -0.0141 | $0.0024 \\ 0.0044$ | 19.5886 -3.1807 | 64.0000 64.0000 | $0.0000 \\ 0.0023$ |
| Halimium calycinum | (Intercept) Hym_visit | 0.0071 -0.0015 | 0.0013 0.0022 | 5.4234 -0.6547 | 2.8227 15.2413 | 0.0144 0.5224 |
| Halimium halimifolium | (Intercept) Hym_visit | $0.0100 \\ 0.0014$ | $0.0016 \\ 0.0056$ | $6.2265 \\ 0.2451$ | 43.0000 43.0000 | 0.0000 0.8075 |
| Lavandula | (Intercept) Hym_visit | 0.0010 -0.0002 | $0.0001 \\ 0.0002$ | 7.6633 -0.9990 | 9.1783 63.7392 | 0.0000 0.3216 |
| Salvia rosmarinus | (Intercept) Hym_visit | 0.0006 -0.0003 | $0.0001 \\ 0.0002$ | 7.3056 -1.2455 | 7.4532 8.9074 | 0.0001 0.2447 |
| Teucrium fruticans | (Intercept) Hym_visit | $0.0032 \\ 0.0006$ | $0.0012 \\ 0.0013$ | 2.7633 0.4550 | 9.0000 9.0000 | 0.0220 0.6599 |

Seed weight - frequency

| Plant_gen_sp | term | estimate | std.error | statistic | df | p.value |
|-----------------------|--------------------------|--------------------|--------------------|--------------------|----------------------|----------------------|
| Asphodelus fistulosus | (Intercept) Frequency | 0.0180 -0.0006 | 0.0039 0.0004 | 4.6170 -1.6039 | 2.2504 12.3931 | 0.0349 0.1339 |
| Cistus crispus | (Intercept) Frequency | $0.0173 \\ 0.0000$ | $0.0013 \\ 0.0001$ | 13.7931 -0.4955 | $19.5249 \\ 67.4134$ | 0.0000 0.6219 |
| Cistus ladanifer | (Intercept) Frequency | $0.1232 \\ 0.0001$ | $0.0125 \\ 0.0009$ | 9.8735 0.0896 | $6.4470 \\ 49.3434$ | 0.0000 0.9290 |
| Cistus libanotis | (Intercept) Frequency | $0.0122 \\ 0.0001$ | $0.0026 \\ 0.0002$ | 4.6286 0.2815 | 14.0000 14.0000 | 0.0004 0.7825 |
| Cistus monspeliensis | (Intercept) Frequency | $0.0130 \\ 0.0006$ | $0.0045 \\ 0.0003$ | 2.8828 2.0262 | 1.2823 8.0208 | $0.1662 \\ 0.0772$ |
| Cistus salviifolius | (Intercept) Frequency | 0.0434 0.0000 | 0.0029 0.0004 | 14.9048 -0.1099 | 64.0000 64.0000 | 0.0000 0.9128 |
| Halimium calycinum | (Intercept) Frequency | 0.0066 0.0000 | 0.0015 0.0002 | 4.5403 0.2374 | 17.0000 17.0000 | 0.0003 0.8152 |
| Halimium halimifolium | (Intercept) Frequency | 0.0104 0.0000 | 0.0017 0.0001 | 6.1986 -0.1742 | 43.0000 43.0000 | 0.0000 0.8625 |
| Lavandula | (Intercept) Frequency | 0.0008 0.0000 | $0.0001 \\ 0.0000$ | $6.1699 \\ 2.5022$ | 11.3783 66.1507 | $0.0001 \\ 0.0148$ |
| Salvia rosmarinus | (Intercept) Frequency | $0.0006 \\ 0.0000$ | $0.0001 \\ 0.0000$ | 8.3239 -0.7404 | 11.0000 11.0000 | 0.0000 0.4746 |
| Teucrium fruticans | (Intercept) Frequency | $0.0039 \\ 0.0000$ | $0.0010 \\ 0.0000$ | 3.8093 -0.3160 | 9.0000 9.0000 | 0.0042 0.7592 |