

Discrete Computational Structures

Take Home Exam 1

Muhammad Ebad Malik
2414860

Question 1

(7 pts)

a) Construct a truth table for the following compound proposition.

$$(q \rightarrow \neg p) \leftrightarrow (p \leftrightarrow \neg q)$$

(3.5/7 pts)

Table 1: Truth table for Question 1.a

p	q	$\neg p$	$\neg q$	$q \rightarrow \neg p$	$(p \leftrightarrow \neg q)$	$(q \rightarrow \neg p) \leftrightarrow (p \leftrightarrow \neg q)$
T	T	F	F	F	F	T
T	F	T	F	T	T	T
F	T	F	T	T	T	T
F	F	T	T	T	F	F

b) Show that whether the following conditional statement is a tautology by using a truth table.

$$[(p \vee q) \wedge (r \rightarrow p) \wedge (r \rightarrow q)] \rightarrow r$$

(3.5/7 pts)

is not a tautology

Table 2: Truth table for Question 1.b

p	q	r	$p \vee q$	$(r \rightarrow p)$	$(r \rightarrow q)$	$(p \vee q) \wedge (r \rightarrow p)$	$((p \vee q) \wedge (r \leftrightarrow p)) \wedge ((r \rightarrow p))$	Ans
T	T	T	T	T	T	T	T	T
T	T	F	T	T	T	T	T	F
T	F	T	T	T	F	T	F	T
T	F	F	T	T	T	T	T	F
F	T	T	T	F	T	F	F	T
F	T	F	T	T	T	T	T	F
F	F	T	F	F	F	F	F	T
F	F	F	F	T	T	F	F	T

Question 2

(8 pts)

Show that $(p \rightarrow q) \wedge (p \rightarrow r)$ and $(\neg q \vee \neg r) \rightarrow \neg p$ are logically equivalent. Use tables 6,7 and 8 given under the section "Propositional Equivalences" in the course textbook and give the reference to the table and the law in each step.

$(p \rightarrow q) \wedge (p \rightarrow r)$	\equiv	$p \rightarrow (q \wedge r)$	By using Table 7 Row 6
	\equiv	$\neg(q \wedge r) \rightarrow \neg p$	By using Table 7 Row 2
	\equiv	$(\neg q \vee \neg r) \rightarrow \neg p$	By using De Morgan's laws

Thus, $(p \rightarrow q) \wedge (p \rightarrow r)$ and $(\neg q \vee \neg r) \rightarrow \neg p$ are logically equivalent.

Question 3

(30 pts, 2.5 pts each)

Let $F(x, y)$ mean that x is the father of y ; $M(x, y)$ denotes x is the mother of y . Similarly, $H(x, y)$, $S(x, y)$, and $B(x, y)$ say that x is the husband/sister/brother of y , respectively. You may also use constants to denote individuals, like Sam and Alex. You can use $\vee, \wedge, \rightarrow, \neg, \forall, \exists$ rules and quantifiers. However, you are not allowed to use any predicate symbols other than the above to translate the following sentences into predicate logic. $\exists!$ and exclusive-or (XOR) quantifiers are forbidden:

- | | |
|--|--|
| <p>1) Everybody has a mother.</p> <p>2) Everybody has a father and a mother.</p> <p>3) Whoever has a mother has a father.</p> <p>4) Sam is a grandfather.</p> <p>5) All fathers are parents.</p> <p>6) All husbands are spouses.</p> | <p>7) No uncle is an aunt.</p> <p>8) All brothers are siblings.</p> <p>9) Nobody's grandmother is anybody's father.</p> <p>10) Alex is Ali's brother-in-law.</p> <p>11) Alex has at least two children.</p> <p>12) Everybody has at most one mother.</p> |
|--|--|

- | |
|--|
| <p>1. $\forall y \exists x M(x, y)$</p> <p>2. $\forall y \exists x \exists z (M(x, y) \wedge F(z, y))$</p> <p>3. $\forall y [(\exists x M(x, y)) \rightarrow (\exists z F(z, y))]$</p> <p>4. $\exists x \exists y [F(\text{Sam}, y) \wedge (F(y, x) \vee M(y, x))]$</p> <p>5. $\forall x [\exists y F(x, y) \rightarrow \exists z (F(x, z) \vee M(x, z))]$</p> <p>6. $\forall x [\exists y H(x, y) \rightarrow \exists z (H(x, z) \vee H(z, x))]$</p> <p>7. $\neg \exists x \exists y [(\exists z (B(x, z) \wedge (F(z, y) \vee M(z, y))) \vee \exists z \exists v (H(x, z) \wedge S(z, v) \wedge (F(v, y) \vee M(v, y)))) \wedge (\exists z \exists u (S(x, z) \wedge (F(z, u) \vee M(z, u))) \vee \exists z \exists w \exists u (H(z, x) \wedge B(z, w) \wedge (F(w, u) \vee M(w, u))))]$</p> |
|--|

8. $\forall x \forall y [(B(y, x) \wedge B(x, y)) \rightarrow \exists z ((F(z, y) \wedge F(z, x)) \vee (M(z, y) \wedge M(z, x)))]$
9. $\forall x \forall y [(\exists z (M(y, z) \wedge (M(z, x) \vee F(z, x)))) \rightarrow \neg \exists w F(y, w)]$
10. $\forall x [H(Alex, x) \wedge S(x, Ali)]$
11. $\exists x \exists y [F(Alex, x) \wedge F(Alex, y) \wedge x \neq y]$
12. $\forall z \forall x \forall y [(M(x, z) \wedge M(y, z)) \rightarrow x \equiv y]$

Question 4

(25 pts)

Prove the following claim by natural deduction. Use only the natural deduction rules \vee , \wedge , \rightarrow , \neg introduction and elimination. If you attempt to make use of a lemma or equivalence, you need to prove it by natural deduction too.

$$\mathbf{a)} \ p \rightarrow q, r \rightarrow s \vdash (p \vee r) \rightarrow (q \vee s)$$

(12.5/25 pts)

1		$p \rightarrow q$	
2		$r \rightarrow s$	
<hr/>			
3			$p \vee r$
4			
5			
6			
7			
8			
9			
10			
11			

5		s	$\Rightarrow E, 2, 4$
6		$q \vee s$	$\vee I, 5$
7		p	
8		q	$\Rightarrow E, 1, 7$
9		$q \vee s$	$\vee I, 8$
10		$q \vee s$	$\vee E, 3, 4-6, 7-9$
11		$(p \vee r) \rightarrow (q \vee s)$	$\Rightarrow I, 3-10$

$$\mathbf{b)} \ (p \rightarrow (r \rightarrow \neg q)) \rightarrow ((p \wedge q) \rightarrow \neg r)$$

(12.5/25 pts)

1			$p \rightarrow (r \rightarrow \neg q)$	
2			$p \wedge q$	
3			r	
4			p	$\wedge E, 2$
5			q	$\wedge E, 2$
6			$r \rightarrow \neg q$	$\Rightarrow E, 1, 4$
7			$\neg q$	$\Rightarrow E, 3, 6$
8			\perp	$\neg E, 5, 7$
9			$\neg r$	$\neg I, 3-8$
10			$(p \wedge q) \rightarrow \neg r$	$\Rightarrow I, 2-9$
11			$(p \rightarrow (r \rightarrow \neg q)) \rightarrow ((p \wedge q) \rightarrow \neg r)$	$\Rightarrow I, 1-10$

Question 5

(30 pts)

Prove the following claim by natural deduction. Use only the natural deduction rules \vee , \wedge , \rightarrow , \neg introduction and elimination. If you attempt to make use of a lemma or equivalence, you need to prove it by natural deduction too.

$$\mathbf{a)} \quad \forall x P(x) \vee \forall x Q(x) \vdash \forall x (P(x) \vee Q(x))$$

(12.5/25 pts)

1		$\forall x P(x) \vee \forall x Q(x)$	
2		a	
3			$\forall x P(x)$
4			$P(a)$ $\forall E, 2$
5			$P(a) \vee Q(a)$ $\vee I, 3$
6			$\forall x Q(x)$
7			$Q(a)$ $\forall E, 5$
8			$P(a) \vee Q(a)$ $\vee I, 6$
9			$P(a) \vee Q(a)$ $\vee E, 1, 2-4, 5-7$
10			$\forall x (P(x) \vee Q(x))$ $\forall I, 2-8$

$$\mathbf{b)} \quad \forall x P(x) \rightarrow S \vdash \exists x (P(x) \rightarrow S)$$

1	$\forall xP(x) \rightarrow S$			
2	$\neg\exists x(P(x) \rightarrow S)$			
3	a	$\neg P(a)$		
4		$P(a)$		
5		\perp	$\neg E, 3, 4$	
6		S	$\perp E, 5$	
7		$P(a) \rightarrow S$	$\Rightarrow I, 4-6$	
8		$\exists x(P(x) \rightarrow S)$	$\exists I, 7$	
9		\perp	$\neg E, 8, 2$	
10		$\neg\neg P(a)$	$\neg I, 3-9$	
11		$P(a)$	$\neg\neg E, 10$	
12	$\forall xP(x)$		$\forall I, 3, 11$	
13	S		$\Rightarrow E, 1, 12$	
14	b	$P(b)$		
15		S	$R, 13$	
16		$P(b) \rightarrow S$	$\Rightarrow I, 14-15$	
17		$\exists x(P(x) \rightarrow S)$	$\exists I, 16$	
18		\perp	$\neg E, 2, 17$	
19	$\neg\neg\exists x(P(x) \rightarrow S)$		$\neg I, 2-18$	
20	$\exists x(P(x) \rightarrow S)$		$\neg\neg E, 19$	