

VISHNU Quick Start Guide



Copyright © 2012 SysFera SA

These manual pages are provided under the following conditions:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

This software is governed by the CECILL licence under French law and abiding by the rules of distribution of free software. You can use, modify and/ or redistribute the software under the terms of the CeCILL license as circulated by CEA, CNRS and INRIA at the following URL "<http://www.cecill.info>".

As a counterpart to the access to the source code and rights to copy, modify and redistribute granted by the license, users are provided only with a limited warranty and the software's author, the holder of the economic rights, and the successive licensors have only limited liability.

In this respect, the user's attention is drawn to the risks associated with loading, using, modifying and/or developing or reproducing the software by the user in light of its specific status of free software, that may mean that it is complicated to manipulate, and that also therefore means that it is reserved for developers and experienced professionals having in-depth computer knowledge. Users are therefore encouraged to load and test the software's suitability as regards their requirements in conditions enabling the security of their systems and/or data to be ensured and, more generally, to use and operate it in the same conditions as regards security.

COLLABORATORS

	<i>TITLE :</i> VISHNU Quick Start Guide		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Eugène Pamba Capo-Chichi	June 27, 2012	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME
1	June 27, 2012	First version of the quick start guide.	SysFera

Contents

1	Document presentation	1
1.1	Document objectives	1
1.2	Document structure	1
2	User account configuration	2
2.1	User account creation	2
2.2	Local user configuration	2

Chapter 1

Document presentation

1.1 Document objectives

This document is a quick start guide of VISHNU software for users. The main objective of this document is to describe the user account configuration procedure.

1.2 Document structure

- Chapter 1 presents the document structure.
 - Chapter 2 describes the user account configuration in VISHNU.
-

Chapter 2

User account configuration

The VISHNU software is based on SysFera-DS which is an open-source middleware developed by SysFera. VISHNU is primarily designed to facilitate the access to high-performance computing resources by providing the following services:

- User management services (UMS): authentication and session management.
- Information management services (IMS): monitoring and control services.
- Tasks management services (TMS): submission of tasks (jobs) on computing resources.
- File management services (FMS): display and transfer of files between storage resources.

The user account configuration is provided by the User Management Services.

2.1 User account creation

The first step to access VISHNU is to request a new account to a VISHNU administrator. The only information required to create a new account is your full name and email address. You will automatically receive an email containing your `userId` and password. When a new user account is added on VISHNU, it is possible for the user to define the mapping of her/his UNIX account by using the VISHNU local user configuration notion.

2.2 Local user configuration

To access a UNIX account on a specific machine defined on VISHNU, the user must create a local user configuration by using the **`vishnu_add_local_account`** command. The **`vishnu_list_machines`** command gives information about the machines in which a local user configuration can be created or where a local user configuration has already been created. The information required to create a new local user configuration are: the `userId`, the `machineId`, the login of the UNIX account on the specified machine, the absolute path to the user's private SSH key (used for file transfers) and the home directory path.

The ssh public key of the machine named "*userId-machineId*" is returned and stored in the `$HOME/.vishnu/localAccountPublicKey/` directory and must be added by the user in the ssh authorized key directory of the UNIX account. Doing this allows VISHNU to be directly connected on this UNIX account, running tasks as if it was the owner of the UNIX account. With the command "*vishnu_setting_ssh_key*" you can automatically add a local ssh public key to a remote account (in the `authorized_keys` file). This command also allows to remove a given key to that file. See the command reference section for the usage. **Note** that to enable rollback in case of an inappropriate removal, the command makes a backup of the `authorized_keys` file in a file named "*authorized_keys.bak*" before altering it.

Warning: A unix login can be used for only one local account on a specific machine