

Supplementary Material for ‘New insights into the Weddell Sea ecosystem applying a quantitative network approach’

Tomás I. Marina, Leonardo A. Saravia and Susanne Kortsch

Equations for calculating species properties

Weighted properties: Interaction Strength

We used the estimation of the interaction strength as the weighted property for the species of the Weddell Sea food web. The main equation to estimate the interaction strength IS was:

$$IS = \alpha X_R \frac{m_R}{m_C}$$

where α is the search rate, X_R is the resource density, and m_R and m_C are the body mass for the resource and the consumer, respectively (Pawar, Dell, and Van M. Savage 2012). We assume the case where resources are scarce because this resembles field conditions (figure 3 e & f and equation 3 from Pawar, Dell, and Van M. Savage (2012)). Then the search rate for 2D interactions (see main text) is calculated as:

$$\alpha = \alpha_{2D} m_C^{0.68 \pm 0.12}$$

For 3D interactions it is calculated as:

$$\alpha = \alpha_{3D} m_C^{1.05 \pm 0.08}$$

where $\alpha_{2D} = 10^{-3.08}$ and $\alpha_{3D} = 10^{-1.77}$ are the intercepts for each interaction dimensionality.

As the resource density X_R is not known for our study case we estimated it according to the equation S18 and supplementary figures 2i & j (individuals/m² - m³) from Pawar, Dell, and Van M. Savage (2012):

$$X_R = X_0 m_R^{-p_x}$$

where p_x is -0.79 ± 0.08 for 2D and -0.86 ± 0.07 for 3D.

Interaction Strength variability

With the aim of taking into account the variability of the exponents in α and X_R estimations, we run 1000 simulations for calculating each pairwise predator-prey interaction. Due to the skewness nature of the estimated interaction distributions, we considered the median as the summarizing value. Such a skewness is shown in the following histogram for the interquartile range:




Figure 1: Frequency distribution of interquartile range for the estimated interaction strengths of the Weddell Sea food web. Total number of interactions = 16041.

Unweighted properties

As unweighted properties we calculated degree, trophic level and trophic similarity. The degree k is simply the total number of feeding links in which the species participates. It was calculated as:

$$L = \sum_{i=1}^S k_i$$

where L is the total number of feeding links for the i^{th} species in the food web; here denoted as k_i . The trophic level refers to a species' vertical position in the food web, relative to the primary producers that support the community. Species that do not consume any other species in the web are primary producers or other basal resources; species with no predators are top predators; those with both predators and prey are intermediate consumers. Trophic levels TP were calculated for every species based on its position in the food web using the "prey-averaged technique":

$$TP_i = \frac{\sum_j TP_j}{n_i} + 1$$

where n_i is the total number of prey taxa consumed by taxon i , and TP_j represents the trophic position of all prey items j of taxon i (Thompson et al. 2007). The trophic similarity TS between every pair of species in the food web was calculated using the following algorithm:

$$TS = \frac{c}{a + b + c}$$

where c is the number of predators and prey common to the two species, a is the number of predators and prey unique to one species, and b is the number of predators and prey unique to the other species. When the two species have the same set of predators and prey, $TS = 1$; when the two species have no common predators or common prey, $TS = 0$ (Martinez 1991).

Table 1 shows the mentioned properties for every species of the Weddell Sea food web.

Table 1: Weighted (interaction strength) and unweighted properties of the species of Weddell Sea food web. Ordered by decreasing mean interaction strength. mean IS = median interaction strength, Q1 IS = First quantil of the IS distribution, Q3 IS = Third quantil of the IS distribution, TL = trophic level, TS = trophic similarity.

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Mesonychoteuthis hamiltoni	0.0001967	0.0001365	0.0002661	29	4.41	0.028
Orcinus orca	0.0001557	0.0001065	0.0003278	26	5.03	0.037
Mirounga leonina	0.0001314	0.0000940	0.0001565	56	4.87	0.080
Hydrurga leptonyx	0.0001162	0.0000811	0.0001403	67	4.72	0.094
Leptonychotes weddelli	0.0001137	0.0000815	0.0001387	59	4.86	0.084
Ommatophoca rossii	0.0001125	0.0000826	0.0001351	56	4.87	0.080
Galiteuthis glacialis	0.0001121	0.0000936	0.0001554	30	3.26	0.039
Physeter macrocephalus	0.0001037	0.0000809	0.0001732	20	4.47	0.048
Arctocephalus gazella	0.0001021	0.0000747	0.0001269	61	4.67	0.093
Gonatus antarcticus	0.0000965	0.0000725	0.0001377	36	4.31	0.046
Kondakovia longimana	0.0000959	0.0000761	0.0001235	25	3.26	0.039
Champscephalus gunnari	0.0000912	0.0000270	0.0001233	46	3.72	0.086
Tursiops truncatus	0.0000908	0.0000732	0.0001471	20	4.47	0.048
Aptenodytes forsteri	0.0000874	0.0000675	0.0001019	53	4.78	0.084
Martialia hyadesi	0.0000857	0.0000690	0.0001195	33	4.52	0.043
Macronectes halli	0.0000854	0.0000614	0.0000959	11	4.94	0.026
Notothenia marmorata	0.0000836	0.0000522	0.0001147	44	4.09	0.091
Macrourus holotrachys	0.0000835	0.0000626	0.0001004	85	4.70	0.112
Lagenorhynchus cruciger	0.0000815	0.0000653	0.0001302	20	4.47	0.048
Macrourus whitsoni	0.0000795	0.0000532	0.0001007	92	4.55	0.124
Alluroteuthis antarcticus	0.0000770	0.0000614	0.0000820	19	4.25	0.029
Cryodraco antarcticus	0.0000768	0.0000546	0.0001008	30	3.52	0.089
Moroteuthis ingens	0.0000761	0.0000352	0.0001278	46	4.04	0.074
Pygoscelis adeliae	0.0000750	0.0000352	0.0001053	7	3.78	0.026
Balaenoptera physalus	0.0000745	0.0000379	0.0001051	37	4.04	0.081
Pleuragramma antarcticum	0.0000740	0.0000520	0.0000868	69	3.58	0.076
Lobodon carcinophaga	0.0000715	0.0000447	0.0001174	28	4.24	0.061
Pagetopsis macropterus	0.0000713	0.0000567	0.0000829	76	4.64	0.113
Dacodraco hunteri	0.0000709	0.0000580	0.0000854	65	4.80	0.101
Balaenoptera musculus	0.0000699	0.0000368	0.0000972	37	4.04	0.081
Megaptera novaeangliae	0.0000633	0.0000520	0.0000759	4	3.26	0.024
Chionodraco hamatus	0.0000628	0.0000442	0.0000852	42	3.82	0.107
Muraenolepis marmoratus	0.0000627	0.0000317	0.0000874	36	3.19	0.104
Dissostichus mawsoni	0.0000613	0.0000368	0.0001260	87	4.12	0.126
Macronectes giganteus	0.0000611	0.0000434	0.0000743	16	4.30	0.044
Notothenia coriiceps	0.0000583	0.0000003	0.0000827	130	4.27	0.126
Chionodraco myersi	0.0000571	0.0000474	0.0000757	37	4.09	0.094
Gymnoscopelus nicholsi	0.0000561	0.0000198	0.0000722	59	3.71	0.087
Psychroteuthis glacialis	0.0000544	0.0000296	0.0000777	23	3.91	0.054
Fulmarus glacialis	0.0000542	0.0000313	0.0000914	17	4.33	0.052
Chaenodraco wilsoni	0.0000534	0.0000438	0.0000781	32	3.30	0.091
Bathylagus antarcticus	0.0000530	0.0000137	0.0000637	61	3.36	0.073
Trematomus hansonii	0.0000523	0.0000011	0.0000716	109	4.36	0.134
Balaenoptera acutorostrata	0.0000518	0.0000347	0.0000767	29	3.74	0.078
Parvicorbucula socialis	0.0000517	0.0000004	0.0000727	91	2.00	0.136
Gymnoscopelus opisthopterus	0.0000517	0.0000153	0.0000643	54	3.40	0.082

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Psilaster charcoti</i>	0.0000501	0.0000017	0.0000603	59	4.40	0.082
<i>Daption capense</i>	0.0000496	0.0000334	0.0000867	15	4.39	0.051
<i>Pagodroma nivea</i>	0.0000489	0.0000329	0.0000621	11	4.21	0.045
<i>Procellaria aequinoctialis</i>	0.0000487	0.0000191	0.0000769	8	4.25	0.026
<i>Pagetopsis maculatus</i>	0.0000484	0.0000385	0.0000640	37	4.09	0.094
<i>Electrona antarctica</i>	0.0000481	0.0000221	0.0000574	65	3.48	0.105
<i>Sterna vittata</i>	0.0000475	0.0000439	0.0000511	2	3.88	0.012
<i>Protomyctophum bolini</i>	0.0000422	0.0000187	0.0000523	61	3.44	0.077
<i>Thalassoica antarctica</i>	0.0000419	0.0000222	0.0000743	19	4.32	0.053
<i>Pareledone charcoti</i>	0.0000406	0.0000181	0.0000520	83	4.57	0.108
<i>Gymnodraco acuticeps</i>	0.0000388	0.0000153	0.0000767	61	3.70	0.118
<i>Aphrodroma brevirostris</i>	0.0000388	0.0000303	0.0000548	11	4.20	0.045
<i>Notolepis coatsi</i>	0.0000387	0.0000216	0.0000484	58	3.50	0.073
<i>Trematomus loennbergii</i>	0.0000356	0.0000004	0.0000686	133	4.11	0.115
<i>Gymnoscopelus braueri</i>	0.0000354	0.0000139	0.0000612	62	3.52	0.087
<i>Pentanymphe antarcticum</i>	0.0000349	0.0000212	0.0000586	140	3.93	0.099
<i>Racovitzia glacialis</i>	0.0000348	0.0000140	0.0000727	53	3.54	0.114
<i>Cygnodraco mawsoni</i>	0.0000348	0.0000225	0.0000588	84	3.98	0.139
<i>Pachyptila desolata</i>	0.0000342	0.0000212	0.0000509	33	4.23	0.079
<i>Oceanites oceanicus</i>	0.0000340	0.0000191	0.0000455	8	4.07	0.033
<i>Pareledone antarctica</i>	0.0000324	0.0000020	0.0000589	107	4.41	0.120
<i>Artedidraco orianae</i>	0.0000318	0.0000098	0.0000586	52	3.76	0.117
<i>Gerlachea australis</i>	0.0000314	0.0000208	0.0000535	72	3.93	0.134
<i>Callochiton gaussi</i>	0.0000305	0.0000247	0.0000397	15	3.00	0.012
<i>Halobaena caerulea</i>	0.0000292	0.0000208	0.0000653	22	4.25	0.060
<i>Epimeria rubriques</i>	0.0000289	0.0000096	0.0000369	85	3.47	0.157
<i>Muraenolepis microps</i>	0.0000283	0.0000005	0.0000573	88	3.69	0.133
<i>Eusirus perdentatus</i>	0.0000275	0.0000028	0.0000372	114	3.87	0.171
<i>Euphausia superba</i>	0.0000273	0.0000000	0.0000388	163	2.27	0.120
<i>Puncturella conica</i>	0.0000271	0.0000003	0.0000434	80	2.98	0.093
<i>Pachycara brachycephalum</i>	0.0000255	0.0000159	0.0000325	67	3.97	0.132
<i>Prionodraco evansii</i>	0.0000255	0.0000152	0.0000479	61	3.45	0.115
<i>Epimeria robusta</i>	0.0000246	0.0000116	0.0000315	90	3.46	0.159
<i>Sterna paradisaea</i>	0.0000243	0.0000149	0.0000468	7	4.04	0.031
<i>Tryphosella murrayi</i>	0.0000242	0.0000192	0.0000286	96	3.88	0.160
<i>Pseudosagitta maxima</i>	0.0000232	0.0000103	0.0000253	15	3.16	0.044
<i>Pogonophryne permitini</i>	0.0000232	0.0000007	0.0000383	104	3.93	0.142
<i>Hyperia macrocephala</i>	0.0000224	0.0000193	0.0000256	58	4.36	0.135
<i>Desmonema glaciale</i>	0.0000223	0.0000163	0.0000277	19	3.72	0.058
<i>Pseudosagitta gazellae</i>	0.0000217	0.0000197	0.0000223	11	3.18	0.029
<i>Pogonophryne marmorata</i>	0.0000217	0.0000012	0.0000518	70	3.68	0.119
<i>Trematomus eulepidotus</i>	0.0000216	0.0000042	0.0000574	71	3.64	0.117
<i>Pogonophryne phyllopogon</i>	0.0000216	0.0000006	0.0000437	103	3.92	0.145
<i>Abyssorhomene nodimanus</i>	0.0000214	0.0000071	0.0000361	137	4.21	0.130
<i>Pogonophryne barsukovi</i>	0.0000213	0.0000005	0.0000430	104	3.93	0.142
<i>Pogonophryne scotti</i>	0.0000212	0.0000004	0.0000467	104	3.93	0.142
<i>Primno macropa</i>	0.0000200	0.0000154	0.0000237	74	3.56	0.150
<i>Trematomus pennellii</i>	0.0000194	0.0000003	0.0000575	192	4.04	0.158
<i>Eusirus antarcticus</i>	0.0000184	0.0000171	0.0000216	53	3.17	0.148
<i>Liljeborgia georgiana</i>	0.0000182	0.0000048	0.0000234	146	3.46	0.153
<i>Aethotaxis mitopteryx</i>	0.0000181	0.0000008	0.0000351	109	3.88	0.149
<i>Themisto gaudichaudii</i>	0.0000180	0.0000138	0.0000214	74	3.56	0.150

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Trematomus nicolai</i>	0.0000173	0.0000003	0.0000435	113	3.85	0.140
<i>Periphylla periphylla</i>	0.0000169	0.0000121	0.0000211	19	3.72	0.058
<i>Callianira antarctica</i>	0.0000168	0.0000083	0.0000297	28	3.60	0.064
<i>Beroe cucumis</i>	0.0000164	0.0000134	0.0000228	18	3.33	0.040
<i>Clione antarctica</i>	0.0000163	0.0000135	0.0000177	56	2.58	0.075
<i>Lyrocteis flavopallidus</i>	0.0000129	0.0000066	0.0000187	28	3.60	0.064
<i>Dipulmaris antarctica</i>	0.0000129	0.0000109	0.0000173	14	3.80	0.040
<i>Solmundella bitentaculata</i>	0.0000128	0.0000100	0.0000172	8	3.90	0.020
<i>Cyllopus lucasii</i>	0.0000123	0.0000000	0.0000244	165	2.39	0.156
<i>Clione limacina</i>	0.0000123	0.0000110	0.0000134	51	3.87	0.073
<i>Clio pyramidata</i>	0.0000123	0.0000102	0.0000137	58	3.16	0.088
<i>Paraceradocus gibber</i>	0.0000120	0.0000000	0.0000309	151	2.80	0.171
<i>Eukrohnia hamata</i>	0.0000112	0.0000093	0.0000135	38	3.16	0.075
<i>Sagitta marri</i>	0.0000109	0.0000073	0.0000113	17	3.16	0.048
<i>Urticinopsis antarctica</i>	0.0000109	0.0000023	0.0000172	27	3.76	0.078
<i>Thysanoessa macrura</i>	0.0000107	0.0000000	0.0000220	145	2.41	0.117
<i>Atolla wyvillei</i>	0.0000107	0.0000048	0.0000126	20	3.52	0.065
<i>Scolymastra joubini</i>	0.0000106	0.0000083	0.0000207	44	2.00	0.156
<i>Euphausia crystallorophias</i>	0.0000106	0.0000000	0.0000302	132	2.08	0.119
<i>Anoxycalyx joubini</i>	0.0000104	0.0000078	0.0000198	48	2.00	0.153
<i>Aegires albus</i>	0.0000101	0.0000006	0.0000157	60	3.00	0.092
<i>Odontaster meridionalis</i>	0.0000099	0.0000059	0.0000105	41	2.97	0.053
<i>Dimophyes arctica</i>	0.0000098	0.0000044	0.0000114	20	3.52	0.065
<i>Diphyes antarctica</i>	0.0000098	0.0000044	0.0000114	20	3.52	0.065
<i>Rhodalia miranda</i>	0.0000098	0.0000044	0.0000114	20	3.52	0.065
<i>Rossella nuda</i>	0.0000096	0.0000071	0.0000164	45	2.00	0.159
<i>Heterophoxus videns</i>	0.0000095	0.0000000	0.0000151	157	2.51	0.153
<i>Bargmannia</i>	0.0000093	0.0000079	0.0000119	56	3.33	0.091
<i>Rhincalanus gigas</i>	0.0000093	0.0000000	0.0000133	166	2.15	0.135
<i>Euphausia frigida</i>	0.0000086	0.0000000	0.0000223	137	2.27	0.119
<i>Melphidippa antarctica</i>	0.0000085	0.0000036	0.0000222	121	3.04	0.119
<i>Paraeuchaeta antarctica</i>	0.0000084	0.0000000	0.0000117	171	2.21	0.135
<i>Rhachotropis antarctica</i>	0.0000078	0.0000000	0.0000191	185	3.02	0.176
<i>Ammothea carolinensis</i>	0.0000078	0.0000039	0.0000330	135	3.93	0.099
<i>Calanus propinquus</i>	0.0000078	0.0000000	0.0000113	165	2.15	0.135
<i>Calanoides acutus</i>	0.0000077	0.0000000	0.0000111	166	2.17	0.136
<i>Vibilia stebbingi</i>	0.0000076	0.0000063	0.0000083	90	3.56	0.143
<i>Vibilia antarctica</i>	0.0000076	0.0000063	0.0000083	91	3.56	0.142
<i>Cnemidocarpa verrucosa</i>	0.0000074	0.0000014	0.0000166	7	2.00	0.041
<i>Nymphon gracillimum</i>	0.0000074	0.0000037	0.0000334	135	3.93	0.099
<i>Metridia gerlachei</i>	0.0000074	0.0000001	0.0000100	166	2.15	0.134
<i>Conchoecia hettacra</i>	0.0000070	0.0000062	0.0000087	77	3.24	0.119
<i>Limacina helicina antarctica</i>	0.0000061	0.0000052	0.0000072	62	3.16	0.092
<i>Stylocordyla borealis</i>	0.0000058	0.0000044	0.0000100	43	2.00	0.157
<i>Kirkpatrickia variolosa</i>	0.0000056	0.0000043	0.0000098	46	2.00	0.152
<i>Rossella racovitzae</i>	0.0000056	0.0000044	0.0000095	48	2.00	0.154
<i>Tetilla leptoderma</i>	0.0000052	0.0000040	0.0000089	49	2.00	0.152
<i>Serolella bouveri</i>	0.0000051	0.0000009	0.0000162	90	3.99	0.157
<i>Serolis polita</i>	0.0000051	0.0000009	0.0000162	90	3.99	0.157
<i>Conchoecia antipoda</i>	0.0000050	0.0000001	0.0000075	135	2.33	0.142
<i>Nuttallochiton mirandus</i>	0.0000049	0.0000037	0.0000063	54	3.00	0.043
<i>Uristes gigas</i>	0.0000048	0.0000000	0.0000220	184	2.84	0.161

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Rossella antarctica	0.0000043	0.0000031	0.0000079	43	2.00	0.157
Rossella tarenja	0.0000043	0.0000031	0.0000079	43	2.00	0.157
Systenopora contracta	0.0000041	0.0000028	0.0000092	31	2.00	0.125
Mycale acerata	0.0000041	0.0000031	0.0000079	44	2.00	0.156
Oediceroides calmani	0.0000039	0.0000000	0.0000238	153	2.77	0.166
Waldeckia obesa	0.0000037	0.0000024	0.0000221	197	3.52	0.138
Epimeriella walkeri	0.0000037	0.0000000	0.0000204	217	2.88	0.148
Luidiaster gerlachei	0.0000036	0.0000004	0.0000066	18	3.76	0.083
Tritoniella belli	0.0000036	0.0000022	0.0000060	87	2.98	0.085
Axociella nidificata	0.0000036	0.0000026	0.0000068	43	2.00	0.157
Chorismus antarcticus	0.0000035	0.0000000	0.0000100	213	3.14	0.139
Cassidulinoides parkerianus	0.0000035	0.0000001	0.0000054	86	2.00	0.124
Cibicides refulgens	0.0000035	0.0000000	0.0000054	89	2.00	0.129
Globocassidulina crassa	0.0000035	0.0000000	0.0000054	89	2.00	0.129
Ekmocucumis turqueti turqueti	0.0000035	0.0000031	0.0000061	16	2.00	0.110
Eulagisca gigantea	0.0000034	0.0000005	0.0000165	142	3.80	0.167
Laetmonice producta	0.0000034	0.0000008	0.0000147	136	3.94	0.178
Isodyctia cavicornuta	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Isodyctia toxophila	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Tedania oxeata	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Tedania tantulata	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Tedania vanhoeffeni	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Tentorium papillatum	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Tentorium semisuberites	0.0000033	0.0000026	0.0000063	43	2.00	0.157
Lenticulina antarctica	0.0000033	0.0000000	0.0000054	90	2.00	0.130
Isodyctia steifera	0.0000033	0.0000026	0.0000063	44	2.00	0.156
Haliclona dancoi	0.0000033	0.0000026	0.0000061	47	2.00	0.151
Haliclona tenella	0.0000033	0.0000026	0.0000061	47	2.00	0.151
Abyssorchomene rossi	0.0000032	0.0000000	0.0000233	164	2.65	0.156
Polyeunoa laevis	0.0000032	0.0000012	0.0000177	111	3.82	0.168
Primnoisis antarctica	0.0000032	0.0000015	0.0000081	39	3.52	0.117
Neogloboquadriana pachyderma	0.0000030	0.0000000	0.0000054	93	2.00	0.134
Ophioperla ludwigi	0.0000030	0.0000020	0.0000043	97	3.36	0.114
Cephalodiscus	0.0000029	0.0000021	0.0000031	4	2.00	0.038
Clathria pauper	0.0000028	0.0000021	0.0000050	43	2.00	0.157
Iophon radiatus	0.0000028	0.0000021	0.0000050	43	2.00	0.157
Aporocidaris milleri	0.0000028	0.0000019	0.0000031	60	3.31	0.075
Calyx arcuarius	0.0000027	0.0000022	0.0000049	44	2.00	0.156
Acodontaster conspicuus	0.0000027	0.0000008	0.0000043	13	3.00	0.042
Epimeria macrodonta	0.0000027	0.0000000	0.0000204	198	2.68	0.145
Homaxinella balfourensis	0.0000027	0.0000021	0.0000048	47	2.00	0.155
Ophiurolepis gelida	0.0000026	0.0000000	0.0000064	206	2.99	0.140
Colossendeis scotti	0.0000026	0.0000017	0.0000402	135	3.93	0.099
Flustra antarctica	0.0000026	0.0000019	0.0000061	31	2.00	0.125
Nematoflustra flagellata	0.0000026	0.0000019	0.0000061	31	2.00	0.125
Acodontaster hodgsoni	0.0000026	0.0000009	0.0000044	13	3.00	0.042
Astrochlamys bruneus	0.0000026	0.0000009	0.0000076	37	3.52	0.095
Bathydorus spinosus	0.0000026	0.0000019	0.0000044	43	2.00	0.157
Phorbaspis areolatus	0.0000026	0.0000019	0.0000044	43	2.00	0.157
Phorbaspis glaberrima	0.0000026	0.0000019	0.0000044	43	2.00	0.157
Odontaster validus	0.0000026	0.0000001	0.0000048	234	3.30	0.143
Eunoe spica	0.0000026	0.0000011	0.0000253	214	4.04	0.151

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Ophiurolepis brevirima</i>	0.0000025	0.0000000	0.0000054	223	3.01	0.143
<i>Harpovoluta charcoti</i>	0.0000025	0.0000008	0.0000037	79	3.02	0.089
<i>Bathyplores bongraini</i>	0.0000025	0.0000023	0.0000042	17	2.00	0.111
<i>Bathyplores gourdoni</i>	0.0000025	0.0000023	0.0000042	17	2.00	0.111
<i>Solaster dawsoni</i>	0.0000024	0.0000007	0.0000046	29	3.72	0.079
<i>Ctenocidaris spinosa</i>	0.0000024	0.0000017	0.0000028	75	3.25	0.075
<i>Latrunculia apicalis</i>	0.0000024	0.0000018	0.0000041	43	2.00	0.157
<i>Latrunculia brevis</i>	0.0000024	0.0000018	0.0000041	43	2.00	0.157
<i>Acodontaster capitatus</i>	0.0000024	0.0000009	0.0000040	13	3.00	0.042
<i>Polymastia isidis</i>	0.0000024	0.0000018	0.0000040	43	2.00	0.157
<i>Echiniphimedia hodgsoni</i>	0.0000024	0.0000013	0.0000033	83	2.97	0.129
<i>Polymastia invaginata</i>	0.0000023	0.0000018	0.0000039	44	2.00	0.156
<i>Gorgonocephalus chiliensis</i>	0.0000023	0.0000015	0.0000039	25	3.17	0.080
<i>Notocidaris mortenseni</i>	0.0000022	0.0000017	0.0000027	54	3.00	0.046
<i>Reteporella hippocrepis</i>	0.0000022	0.0000015	0.0000048	31	2.00	0.125
<i>Pontiothauma ergata</i>	0.0000022	0.0000008	0.0000045	41	4.24	0.117
<i>Ekmocucumis steineni</i>	0.0000021	0.0000019	0.0000036	16	2.00	0.110
<i>Ekmocucumis turqueti</i>	0.0000021	0.0000019	0.0000036	16	2.00	0.110
<i>Austrodoris kerguelensis</i>	0.0000021	0.0000011	0.0000042	36	3.00	0.098
<i>Artedidraco loennbergi</i>	0.0000021	0.0000006	0.0000285	133	3.88	0.143
<i>Notocrangon antarcticus</i>	0.0000021	0.0000000	0.0000058	178	2.88	0.101
<i>Eucranta mollis</i>	0.0000021	0.0000009	0.0000044	68	2.00	0.158
<i>Chiridota weddellensis</i>	0.0000020	0.0000019	0.0000036	17	2.00	0.111
<i>Molpadia musculus</i>	0.0000020	0.0000019	0.0000036	17	2.00	0.111
<i>Ophionotus victoriae</i>	0.0000020	0.0000000	0.0000033	217	2.97	0.147
<i>Eunoe spica spicoides</i>	0.0000020	0.0000010	0.0000212	249	3.94	0.142
<i>Barrukia cristata</i>	0.0000020	0.0000009	0.0000027	99	3.71	0.150
<i>Molgula pedunculata</i>	0.0000020	0.0000006	0.0000072	5	2.00	0.048
<i>Gnathiphimedia mandibularis</i>	0.0000020	0.0000012	0.0000027	102	3.00	0.115
<i>Oediceroides emarginatus</i>	0.0000020	0.0000000	0.0000309	153	2.77	0.166
<i>Ceratoserolis meridionalis</i>	0.0000020	0.0000010	0.0000212	90	3.99	0.157
<i>Frontoserolis bouvieri</i>	0.0000020	0.0000010	0.0000212	90	3.99	0.157
<i>Eunoe hartmanae</i>	0.0000020	0.0000008	0.0000107	152	3.78	0.167
<i>Harmothoe crosetensis</i>	0.0000019	0.0000010	0.0000054	170	3.73	0.154
<i>Harmotoe hartmanae</i>	0.0000019	0.0000010	0.0000054	170	3.73	0.154
<i>Epimeria similis</i>	0.0000019	0.0000000	0.0000256	159	2.49	0.148
<i>Fasciculiporoides ramosa</i>	0.0000019	0.0000013	0.0000042	31	2.00	0.125
<i>Ophioperla koehleri</i>	0.0000019	0.0000009	0.0000027	21	2.00	0.075
<i>Promachocrinus kerguelensis</i>	0.0000018	0.0000010	0.0000042	8	2.00	0.055
<i>Anthometra adriani</i>	0.0000018	0.0000007	0.0000030	7	2.00	0.047
<i>Bathypanoploea schellenbergi</i>	0.0000018	0.0000000	0.0000256	195	2.87	0.146
<i>Harmothoe spinosa</i>	0.0000017	0.0000009	0.0000035	212	3.72	0.146
<i>Dolloidraco longedorsalis</i>	0.0000017	0.0000007	0.0000253	168	3.72	0.150
<i>Aplidium vastum</i>	0.0000017	0.0000005	0.0000060	5	2.00	0.048
<i>Corella eumyota</i>	0.0000017	0.0000005	0.0000060	5	2.00	0.048
<i>Cinachya antarctica</i>	0.0000017	0.0000012	0.0000030	44	2.00	0.157
<i>Camptoplites tricornis</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125
<i>Caulastraea curvata</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125
<i>Chondriovelum adeliense</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125
<i>Flustra angusta</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125
<i>Isoschizoporella tricuspis</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125
<i>Melicerita obliqua</i>	0.0000017	0.0000012	0.0000036	31	2.00	0.125

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Synoicum adareanum	0.0000017	0.0000004	0.0000053	5	2.00	0.048
Alexandrella mixta	0.0000017	0.0000008	0.0000029	59	3.92	0.142
Ypsilocucumis turricata	0.0000017	0.0000015	0.0000028	17	2.00	0.111
Cinachyra barbata	0.0000016	0.0000012	0.0000030	43	2.00	0.157
Ctenocidaris perrieri	0.0000016	0.0000011	0.0000018	68	3.27	0.067
Iphimediella cyclogena	0.0000016	0.0000008	0.0000035	86	3.44	0.115
Ophiosparte gigas	0.0000016	0.0000004	0.0000087	301	3.43	0.155
Ainigmaptilon antarcticus	0.0000016	0.0000009	0.0000020	23	2.00	0.102
Alcyonium antarcticum	0.0000016	0.0000009	0.0000020	23	1.00	0.096
Armadillologorgia cyathella	0.0000016	0.0000009	0.0000020	23	2.00	0.102
Primnoella	0.0000016	0.0000009	0.0000020	23	2.00	0.102
Trematomus scotti	0.0000015	0.0000004	0.0000322	146	3.82	0.153
Maxilliphimedia longipes	0.0000015	0.0000007	0.0000029	60	3.26	0.136
Laternula elliptica	0.0000015	0.0000006	0.0000027	30	2.00	0.094
Paramoera walkeri	0.0000015	0.0000007	0.0000030	60	3.92	0.143
Ctenocidaris gigantea	0.0000015	0.0000011	0.0000017	70	3.27	0.071
Limopsis marionensis	0.0000014	0.0000007	0.0000024	29	2.00	0.094
Eurythenes gryllus	0.0000014	0.0000007	0.0000364	210	3.53	0.136
Artedidraco skottsbergi	0.0000014	0.0000006	0.0000293	135	3.86	0.138
Ctenocidaris gilberti	0.0000014	0.0000011	0.0000017	53	3.00	0.042
Trematomus lepidorhinus	0.0000013	0.0000004	0.0000394	95	3.81	0.123
Sterechinus neumayeri	0.0000012	0.0000000	0.0000027	141	2.68	0.119
Perknaster fuscus antarcticus	0.0000012	0.0000003	0.0000034	10	2.67	0.055
Harpagifer antarcticus	0.0000012	0.0000003	0.0000393	78	3.80	0.102
Austroflustra vulgaris	0.0000012	0.0000008	0.0000027	31	2.00	0.125
Bathydoris clavigera	0.0000012	0.0000006	0.0000024	46	3.16	0.107
Taeniogyrus contortus	0.0000012	0.0000009	0.0000018	20	2.00	0.110
Abyssocucumis liouvillei	0.0000011	0.0000010	0.0000020	16	2.00	0.110
Achlyonice violaeuspidata	0.0000011	0.0000010	0.0000019	17	2.00	0.111
Astrotoma agassizii	0.0000011	0.0000000	0.0000025	223	2.86	0.123
Phyllocomus crocea	0.0000011	0.0000005	0.0000021	66	2.00	0.152
Ascidia challengerii	0.0000011	0.0000003	0.0000035	5	2.00	0.048
Notaeolidia gigas	0.0000011	0.0000005	0.0000022	28	3.90	0.105
Momoculodes scabriculosus	0.0000011	0.0000005	0.0000022	49	2.00	0.144
Pseudorchomene coatsi	0.0000011	0.0000005	0.0000022	49	2.00	0.144
Pteraster affinis aculeatus	0.0000010	0.0000004	0.0000020	12	3.00	0.042
Bostrychopora dentata	0.0000010	0.0000007	0.0000023	31	2.00	0.125
Lageneschara lyrulata	0.0000010	0.0000007	0.0000023	31	2.00	0.125
Austrocidaris canaliculata	0.0000010	0.0000005	0.0000020	25	3.77	0.030
Lysasterias perrieri	0.0000010	0.0000003	0.0000020	30	3.46	0.088
Glyptonotus antarcticus	0.0000010	0.0000005	0.0000015	121	3.88	0.117
Psolus antarcticus	0.0000010	0.0000009	0.0000018	16	2.00	0.110
Psolus dubiosus	0.0000010	0.0000009	0.0000018	16	2.00	0.110
Epimeria georgiana	0.0000010	0.0000000	0.0000271	139	2.53	0.169
Neobuccinum eatoni	0.0000010	0.0000004	0.0000021	34	3.00	0.100
Pista spinifera	0.0000010	0.0000004	0.0000019	66	2.00	0.152
Terebella ehlersi	0.0000010	0.0000004	0.0000019	66	2.00	0.152
Psolus charcoti	0.0000009	0.0000009	0.0000016	16	2.00	0.110
Mesothuria lactea	0.0000009	0.0000009	0.0000016	17	2.00	0.111
Parschisturella ceruviata	0.0000009	0.0000005	0.0000018	45	2.00	0.139
Tubularia ralphii	0.0000009	0.0000004	0.0000021	53	3.44	0.122
Pseudostichopus mollis	0.0000009	0.0000008	0.0000015	17	2.00	0.111

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Pseudostichopus villosus</i>	0.0000009	0.0000008	0.0000015	17	2.00	0.111
<i>Psolidium incertum</i>	0.0000009	0.0000008	0.0000015	17	2.00	0.111
<i>Trachythyone parva</i>	0.0000009	0.0000008	0.0000015	17	2.00	0.111
<i>Pyura setosa</i>	0.0000009	0.0000002	0.0000030	5	2.00	0.048
<i>Diplasterias brucei</i>	0.0000008	0.0000004	0.0000016	29	3.83	0.052
<i>Macroptychaster accrescens</i>	0.0000008	0.0000004	0.0000013	46	3.80	0.076
Arcturidae	0.0000008	0.0000005	0.0000016	30	2.00	0.117
<i>Tritonia antarctica</i>	0.0000008	0.0000004	0.0000020	28	2.50	0.104
<i>Yolida eightsi</i>	0.0000008	0.0000004	0.0000016	37	2.00	0.102
<i>Notasterias armata</i>	0.0000008	0.0000004	0.0000014	12	3.00	0.042
<i>Pyura tunicata</i>	0.0000008	0.0000002	0.0000027	5	2.00	0.048
<i>Scotoplanes globosa</i>	0.0000008	0.0000007	0.0000014	17	2.00	0.111
<i>Notasterias stylophora</i>	0.0000008	0.0000004	0.0000012	12	3.00	0.042
<i>Pyura discoveryi</i>	0.0000007	0.0000002	0.0000026	5	2.00	0.048
<i>Labidiaster annulatus</i>	0.0000007	0.0000004	0.0000018	144	3.89	0.128
<i>Cylindrotheca closterium</i>	0.0000007	0.0000006	0.0000009	81	1.00	0.202
<i>Gyrodinium lachryama</i>	0.0000007	0.0000005	0.0000009	35	2.00	0.107
<i>Aega antarctica</i>	0.0000007	0.0000004	0.0000013	30	2.00	0.117
<i>Lophaster gaini</i>	0.0000007	0.0000003	0.0000012	12	3.00	0.042
<i>Pyura bouvetensis</i>	0.0000006	0.0000002	0.0000023	5	2.00	0.048
<i>Elpidia glacialis</i>	0.0000006	0.0000005	0.0000011	17	2.00	0.111
<i>Laetmogone wyvillethompsoni</i>	0.0000006	0.0000005	0.0000011	17	2.00	0.111
<i>Echinopsolus acanthocola</i>	0.0000006	0.0000005	0.0000010	16	2.00	0.110
<i>Gnathia calva</i>	0.0000006	0.0000002	0.0000052	48	3.56	0.126
<i>Probuccinum tenuistriatum</i>	0.0000006	0.0000001	0.0000537	41	4.24	0.117
<i>Propeleda longicaudata</i>	0.0000006	0.0000002	0.0000010	25	2.00	0.073
<i>Thalassiosira antarctica</i>	0.0000006	0.0000005	0.0000008	81	1.00	0.202
<i>Hyperiella dilatata</i>	0.0000006	0.0000000	0.0000134	129	2.15	0.157
<i>Ophioceres incipiens</i>	0.0000005	0.0000000	0.0000084	154	2.69	0.120
<i>Liothyrella uva</i>	0.0000005	0.0000003	0.0000008	2	2.00	0.041
<i>Liothyrella uva antarctica</i>	0.0000005	0.0000003	0.0000008	2	2.00	0.041
<i>Amauropsis rossiana</i>	0.0000005	0.0000002	0.0000014	30	3.32	0.105
<i>Magellania fragilis</i>	0.0000005	0.0000003	0.0000008	2	2.00	0.041
<i>Limopsis lillei</i>	0.0000005	0.0000002	0.0000009	29	2.00	0.094
<i>Marseniopsis conica</i>	0.0000005	0.0000002	0.0000013	28	3.00	0.103
<i>Marseniopsis mollis</i>	0.0000005	0.0000002	0.0000013	28	3.00	0.103
<i>Marginella ealesa</i>	0.0000005	0.0000002	0.0000009	28	2.00	0.114
<i>Newnesia antarctica</i>	0.0000005	0.0000002	0.0000009	28	2.00	0.114
<i>Trematomus bernacchii</i>	0.0000005	0.0000002	0.0000134	118	3.62	0.104
<i>Amphidinium hadai</i>	0.0000004	0.0000003	0.0000006	35	2.00	0.107
<i>Sycozoa sigillinoides</i>	0.0000004	0.0000001	0.0000014	5	2.00	0.048
<i>Falsimargarita gemma</i>	0.0000004	0.0000002	0.0000008	28	2.00	0.114
<i>Diastylis mawsoni</i>	0.0000004	0.0000003	0.0000005	8	2.00	0.044
<i>Ekleptostylis debroyeri</i>	0.0000004	0.0000003	0.0000005	8	2.00	0.044
<i>Chaetoceros socialis</i>	0.0000004	0.0000003	0.0000004	81	1.00	0.202
<i>Fissidentalium majorinum</i>	0.0000003	0.0000003	0.0000007	6	2.00	0.035
<i>Natatolana meridionalis</i>	0.0000003	0.0000002	0.0000007	31	2.00	0.117
<i>Natatolana obtusata</i>	0.0000003	0.0000002	0.0000007	31	2.00	0.116
<i>Natatolana oculata</i>	0.0000003	0.0000002	0.0000007	30	2.00	0.117
<i>Cuenotaster involutus</i>	0.0000003	0.0000002	0.0000013	8	2.00	0.061
<i>Nacella concinna</i>	0.0000003	0.0000002	0.0000008	21	3.00	0.083
<i>Lissarca notorcadensis</i>	0.0000003	0.0000002	0.0000006	32	2.00	0.094

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Trophon longstaffi	0.0000003	0.0000001	0.0000018	34	3.00	0.098
Pelagobia longicirrata	0.0000002	0.0000001	0.0000013	137	2.12	0.132
Compsothyris racovitzae	0.0000002	0.0000001	0.0000003	2	2.00	0.041
Magellania joubini	0.0000002	0.0000001	0.0000003	2	2.00	0.041
Golfingia margaritacea margaritacea	0.0000002	0.0000001	0.0000003	2	2.00	0.047
Munna globicauda	0.0000002	0.0000001	0.0000004	30	2.00	0.117
Baseodiscus antarcticus	0.0000002	0.0000001	0.0000003	90	3.53	0.070
Lineus longifissus	0.0000002	0.0000001	0.0000003	90	3.53	0.070
Parborlasia corrugatus	0.0000002	0.0000001	0.0000003	90	3.53	0.070
Alomasoma belyaevi	0.0000002	0.0000001	0.0000003	2	2.00	0.047
Monocaulus parvula	0.0000002	0.0000000	0.0000021	115	2.37	0.145
Cyclocardia astartoides	0.0000002	0.0000000	0.0000004	18	2.00	0.075
Vanadis antarctica	0.0000002	0.0000000	0.0000007	140	2.34	0.165
Perknaster densus	0.0000002	0.0000002	0.0000007	7	2.00	0.060
Cycethra verrucosa mawsoni	0.0000001	0.0000001	0.0000006	7	2.00	0.060
Alacia belgicae	0.0000001	0.0000001	0.0000004	124	2.08	0.130
Alacia hettacara	0.0000001	0.0000001	0.0000004	124	2.08	0.130
Boroecia antipoda	0.0000001	0.0000001	0.0000004	124	2.08	0.130
Metaconchoecia isocheira	0.0000001	0.0000001	0.0000004	124	2.08	0.130
Crania lecointei	0.0000001	0.0000001	0.0000002	2	2.00	0.041
Notioceramus anomalus	0.0000001	0.0000001	0.0000006	7	2.00	0.060
Cadulus dalli antarcticum	0.0000001	0.0000001	0.0000003	6	2.00	0.035
Golfingia nordenskojoeldi	0.0000001	0.0000001	0.0000002	2	2.00	0.047
Phascolion strombi	0.0000001	0.0000001	0.0000002	2	2.00	0.047
Perknaster sladeni	0.0000001	0.0000001	0.0000005	7	2.00	0.060
Silicularia rosea	0.0000001	0.0000001	0.0000005	118	2.37	0.143
Hamingia	0.0000001	0.0000000	0.0000001	2	2.00	0.047
Rhynchonereella bongraini	0.0000001	0.0000000	0.0000003	84	2.12	0.114
Maxmuelleria faex	0.0000001	0.0000000	0.0000001	2	2.00	0.047
Kampylaster incurvatus	0.0000001	0.0000001	0.0000004	7	2.00	0.060
Golfingia anderssoni	0.0000001	0.0000000	0.0000001	2	2.00	0.047
Coscinodiscus oculoides	0.0000001	0.0000000	0.0000002	81	1.00	0.202
Golfingia ohlini	0.0000001	0.0000000	0.0000001	2	2.00	0.047
Golfingia mawsoni	0.0000001	0.0000001	0.0000001	2	2.00	0.047
Echiurus antarcticus	0.0000001	0.0000000	0.0000001	2	2.00	0.047
Djerboa furcipes	0.0000001	0.0000000	0.0000005	116	2.08	0.154
Oradarea edentata	0.0000001	0.0000000	0.0000005	115	2.08	0.154
Haplocheira plumosa	0.0000001	0.0000000	0.0000005	115	2.08	0.156
Pseudo-Nitzschia liniola	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Ihlea racovitzai	0.0000000	0.0000000	0.0000001	76	2.08	0.089
Salpa gerlachei	0.0000000	0.0000000	0.0000001	76	2.08	0.089
Euchaetomera antarcticus	0.0000000	0.0000000	0.0000151	105	2.36	0.133
Pseudo-Nitzschia subcurvata	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Manguinea fusiformis	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Pseudo-Nitzschia heimii	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Edwardsia meridionalis	0.0000000	0.0000000	0.0000001	75	2.15	0.113
Isosicyonis alba	0.0000000	0.0000000	0.0000001	75	2.15	0.113
Clavularia frankiliana	0.0000000	0.0000000	0.0000012	101	2.35	0.138
Stellarima microtrias	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Peraeospinosus pushkini	0.0000000	0.0000000	0.0000060	104	2.36	0.101
Porosira pseudodenticulata	0.0000000	0.0000000	0.0000001	81	1.00	0.202
Thalassiosira tumida	0.0000000	0.0000000	0.0000001	81	1.00	0.202

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Thalassiosira ritscheri</i>	0.0000000	0.0000000	0.0000001	81	1.00	0.202
<i>Thalassiosira lentiginosa</i>	0.0000000	0.0000000	0.0000001	81	1.00	0.202
<i>Ophiacantha antarctica</i>	0.0000000	0.0000000	0.0000004	90	2.16	0.125
<i>Abyssorchomene plebs</i>	0.0000000	0.0000000	0.0000222	107	2.08	0.159
<i>Nitzschia lecontei</i>	0.0000000	0.0000000	0.0000001	81	1.00	0.202
<i>Parmaphorella mawsoni</i>	0.0000000	0.0000000	0.0000003	86	2.00	0.128
<i>Salpa thompsoni</i>	0.0000000	0.0000000	0.0000173	108	2.28	0.103
<i>Actinocyclus actinochilus</i>	0.0000000	0.0000000	0.0000001	81	1.00	0.202
<i>Dictyocha speculum</i>	0.0000000	0.0000000	0.0000000	30	1.00	0.110
<i>Porosira glacialis</i>	0.0000000	0.0000000	0.0000001	81	1.00	0.202
<i>Isotealia antarctica</i>	0.0000000	0.0000000	0.0000001	74	2.21	0.106
<i>Thalassiosira gracilis expecta</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Ampelisca richardsoni</i>	0.0000000	0.0000000	0.0000011	108	2.00	0.159
<i>Actinocyclus spiritus</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Camylaspis maculata</i>	0.0000000	0.0000000	0.0000000	66	2.00	0.097
<i>Eudorella splendida</i>	0.0000000	0.0000000	0.0000000	68	2.00	0.102
<i>Vaunthompsonia indermis</i>	0.0000000	0.0000000	0.0000000	68	2.00	0.102
<i>Proboscia truncata</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Azpeitia tabularis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Porania antarctica</i>	0.0000000	0.0000000	0.0000000	72	2.12	0.108
<i>Rhizosolenia antennata</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Manguinea rigida</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Eucampia antarctica</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Thalassiosira trifulta</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Nitzschia kerguelensis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Odontella weissflogii</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Thalassiosira gravida</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Nototanais dimorphus</i>	0.0000000	0.0000000	0.0000000	69	2.00	0.104
<i>Nototanais antarcticus</i>	0.0000000	0.0000000	0.0000000	70	2.00	0.105
<i>Actinocyclus utricularis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Banquisia belgicae</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Chaetoceros concavicornis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Chaetoceros criophilum</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Corethron criophilum</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Pseudo-Nitzschia prolongatoides</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Thalassiosira frenguelliopsis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Thalassiosira australis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Thalassiosira gracilis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Porania antarctica glabra</i>	0.0000000	0.0000000	0.0000000	72	2.12	0.108
<i>Chaetoceros flexuosum</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Proboscia alata</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Oswaldella antarctica</i>	0.0000000	0.0000000	0.0000009	93	2.00	0.128
<i>Proboscia inermi</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Sterechinus antarcticus</i>	0.0000000	0.0000000	0.0000017	121	2.47	0.101
<i>Bodo saltans</i>	0.0000000	0.0000000	0.0000000	32	3.00	0.108
<i>Chaetoceros bulbosum</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Chaetoceros dictyota</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Chaetoceros pelagicus</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Fragilariopsis separanda</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Fragilariopsis linearis</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Fragilariopsis nana</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202
<i>Fragilariopsis obliquecostata</i>	0.0000000	0.0000000	0.0000000	81	1.00	0.202

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Fragilariopsis rhombica	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Fragilariopsis ritscheri	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Fragilariopsis kerguelensis	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Trichotoxon reinboldii	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Phaeocystis antarctica	0.0000000	0.0000000	0.0000000	30	1.00	0.110
Fragilariopsis sublinearis	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Nematocarcinus lanceopes	0.0000000	0.0000000	0.0000007	90	2.39	0.111
Eucopia australis	0.0000000	0.0000000	0.0000258	105	2.36	0.133
Anthomastus bathyproctus	0.0000000	0.0000000	0.0000010	84	2.02	0.133
Chaetoceros neglectum	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Fragilariopsis curta	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Fragilariopsis pseudonana	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Fragilariopsis vanheurckii	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Nitzschia neglecta	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Silicoflagellata	0.0000000	0.0000000	0.0000000	30	1.00	0.110
Antarctomysis maxima	0.0000000	0.0000000	0.0000288	105	2.36	0.133
Navicula glaciei	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Navicula schefferae	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Bathylbiaster loripes	0.0000000	0.0000000	0.0000011	101	2.67	0.131
Fragilariopsis cylindrus	0.0000000	0.0000000	0.0000000	81	1.00	0.202
Sediment	0.0000000	0.0000000	0.0000000	57	1.00	0.064
Austrosignum grande	0.0000000	0.0000000	0.0000012	89	2.00	0.138
Phytodetritus	0.0000000	0.0000000	0.0000000	226	1.00	0.094
Abatus curvidens	0.0000000	0.0000000	0.0000000	2	2.00	0.039
Abatus shackeltoni	0.0000000	0.0000000	0.0000000	2	2.00	0.039
Abatus cavernosus	0.0000000	0.0000000	0.0000000	2	2.00	0.039
Abatus nimrodi	0.0000000	0.0000000	0.0000000	2	2.00	0.039
Gersemia antarctica	0.0000000	0.0000000	0.0000034	87	2.08	0.132

Extinction simulations and stability

We performed extinction simulations, one at a time, for every species in the Weddell Sea food web. In order to assess the impact on the stability of the food web we statistically compared a stability index before and after performing the extinction. For this, we applied Quasi-Sign Stability *QSS* that calculates the proportion of matrices that are locally stable. These matrices are created by sampling the values of the community matrix (the Jacobian) from a uniform distribution, preserving the sign structure: positive for predators and negative for prey. This stability index was originally proposed by Allesina and Pascual (2008). We used the R package *multiweb* to calculate *QSS* and to test the *QSS* difference before and after performing the extinction (Saravia, 2019). Two functions were specifically created for these analyses: ‘calc_QSS’ and ‘calc_QSS_extinction_dif’. For the *QSS* calculation we used a uniform distribution between 0 and maximum values given by the parameters negative, positive and self-damping, corresponding to the sign of interactions and self-limitation effect. Since we had estimated the interaction strength for each interaction of the Weddell Sea food web, the limits of the distribution were *negative* * $-x$, *positive* * x , *self - damping* * x , where x is the value of the strength for the interaction in question. The x for the self-limitation effect of the species is 0 unless the species present cannibalism.

We performed 1000 extinction simulations for every species. Our results showed that the proportion of Jacobians that were locally stable was zero, probably due to the absence of self-limitation in the species. Thus, we considered the distribution of maximum eigenvalues as the stability index, hereafter *QSS*. For testing if the *QSS* difference before and after the extinction is positive or negative we performed a contrast. This means that for each simulation we made the difference of the *QSS* after extinction with the median value of the 1000 simulations of *QSS* for the complete network, thus we obtained a distribution of

QSS differences.

Table 2 summarizes the *QSS* results for every species extinction of the Weddell Sea food web.

Table 2: Summary of Maximum eigenvalue (*QSS*) distribution of differences before and after performing extinction simulations in the Weddell Sea food web. Ordered by increasing proportion of positive differences. Prop dif *QSS* + = Proportion of positive differences, Prop dif *QSS* - = Proportion of negative differences, Median dif*QSS* relat = median of *QSS* differences

Species	Prop dif <i>QSS</i> +	Prop dif <i>QSS</i> -	Median dif <i>QSS</i> relat
Hydrurga leptonyx	0.651	0.349	0.0582380
Arctocephalus gazella	0.613	0.387	0.0322909
Mirounga leonina	0.581	0.419	0.0312906
Mesonychoteuthis hamiltoni	0.573	0.427	0.0265289
Orcinus orca	0.570	0.430	0.0232904
Macrourus holotrachys	0.568	0.432	0.0239889
Notothenia marmorata	0.563	0.437	0.0183958
Macrourus whitsoni	0.558	0.442	0.0223483
Ommatophoca rossii	0.558	0.442	0.0236585
Leptonychotes weddelli	0.551	0.449	0.0204262
Dissostichus mawsoni	0.547	0.453	0.0195471
Notothenia coriiceps	0.544	0.456	0.0181917
Pagetopsis macropterus	0.542	0.458	0.0133901
Clio pyramidata	0.539	0.461	0.0132594
Edwardsia meridionalis	0.534	0.466	0.0111048
Galiteuthis glacialis	0.532	0.468	0.0117626
Megaptera novaeangliae	0.530	0.470	0.0100044
Nototanais antarcticus	0.530	0.470	0.0081931
Isosicyonis alba	0.529	0.471	0.0091071
Natatolana meridionalis	0.529	0.471	0.0083387
Echiurus antarcticus	0.528	0.472	0.0097771
Paraceradocus gibber	0.527	0.473	0.0088182
Martialia hyadesi	0.526	0.474	0.0086266
Nitzschia neglecta	0.526	0.474	0.0082240
Aptenodytes forsteri	0.525	0.475	0.0092236
Pleuragramma antarcticum	0.525	0.475	0.0127623
Trematomus pennellii	0.525	0.475	0.0092681
Golfingia nordenskojoeldi	0.523	0.477	0.0093687
Chionodraco myersi	0.522	0.478	0.0079624
Silicioflagellata	0.522	0.478	0.0067129
Thalassiosira gravida	0.522	0.478	0.0079688
Thalassiosira ritscheri	0.522	0.478	0.0089235
Trematomus loennbergii	0.521	0.479	0.0090177
Ctenocidaris perrieri	0.520	0.480	0.0045898
Eucopia australis	0.520	0.480	0.0063218
Bathyiaster loripes	0.519	0.481	0.0071585
Camylaspis maculata	0.519	0.481	0.0075011
Cylindrotheca closterium	0.519	0.481	0.0071210
Kondakovia longimana	0.519	0.481	0.0065312
Psychroteuthis glacialis	0.519	0.481	0.0047244
Golfingia margaritacea margaritacea	0.518	0.482	0.0061283
Notaeolidia gigas	0.518	0.482	0.0106079

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Ekleptostylis debroyeri	0.517	0.483	0.0090180
Notasterias stylophora	0.517	0.483	0.0042340
Tedania vanhoeffeni	0.517	0.483	0.0087910
Trematomus hansonii	0.517	0.483	0.0058990
Caulastraea curvata	0.516	0.484	0.0096405
Crania leointei	0.516	0.484	0.0037504
Cyllopus lucasii	0.516	0.484	0.0047906
Dimophyes arctica	0.516	0.484	0.0068132
Magellania joubini	0.516	0.484	0.0054193
Perknaster densus	0.516	0.484	0.0027993
Phorbas glaberrima	0.516	0.484	0.0060650
Flustra antarctica	0.515	0.485	0.0039654
Fragilariopsis linearis	0.515	0.485	0.0033586
Pseudo-Nitzschia prolongatoides	0.515	0.485	0.0089807
Trematomus nicolai	0.515	0.485	0.0062671
Aethotaxis mitopteryx	0.514	0.486	0.0043803
Ekmocucumis turqueti	0.514	0.486	0.0080713
Acodontaster conspicuus	0.513	0.487	0.0040223
Urticinopsis antarctica	0.513	0.487	0.0046915
Bathypanoploea schellenbergi	0.512	0.488	0.0042547
Cassidulinoides parkerianus	0.512	0.488	0.0059199
Desmonema glaciale	0.512	0.488	0.0033888
Golfingia anderssoni	0.512	0.488	0.0075599
Isodyctia steifera	0.512	0.488	0.0044246
Lageneschara lyrulata	0.512	0.488	0.0036662
Pagetopsis maculatus	0.512	0.488	0.0048215
Pogonophryne marmorata	0.512	0.488	0.0030079
Gorgonocephalus chiliensis	0.511	0.489	0.0045626
Kirkpatrickia variolosa	0.511	0.489	0.0027825
Rossella antarctica	0.511	0.489	0.0022915
Anthomastus bathyproctus	0.510	0.490	0.0047369
Chaetoceros criophilum	0.510	0.490	0.0016969
Chaetoceros socialis	0.510	0.490	0.0033011
Macroptychaster accrescens	0.510	0.490	0.0027970
Ophionotus victoriae	0.510	0.490	0.0022531
Pogonophryne scotti	0.510	0.490	0.0048291
Serolella bouveri	0.510	0.490	0.0047019
Dictyocha speculum	0.509	0.491	0.0034916
Mesothuria lactea	0.509	0.491	0.0020680
Ophiurolepis gelida	0.509	0.491	0.0038004
Pachyptila desolata	0.509	0.491	0.0028994
Pseudosagitta gazellae	0.509	0.491	0.0031234
Artedidraco loennbergi	0.508	0.492	0.0038814
Gerlachea australis	0.508	0.492	0.0039727
Phorbas areolatus	0.508	0.492	0.0032709
Polymastia invaginata	0.508	0.492	0.0037578
Porosira pseudodenticulata	0.508	0.492	0.0017527
Propeleda longicaudata	0.508	0.492	0.0024102
Trophon longstaffi	0.508	0.492	0.0039214
Bargmannia	0.507	0.493	0.0033179
Baseodiscus antarcticus	0.507	0.493	0.0029885
Dolloidraco longedorsalis	0.507	0.493	0.0038833

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Gnathiphimedia mandibularis	0.507	0.493	0.0038035
Gymnoscopelus braueri	0.507	0.493	0.0049433
Harpovoluta charcoti	0.507	0.493	0.0015015
Lenticulina antarctica	0.507	0.493	0.0017082
Lyrocteis flavopallidus	0.507	0.493	0.0042962
Ophiacantha antarctica	0.507	0.493	0.0022393
Callianira antarctica	0.506	0.494	0.0027097
Isotealia antarctica	0.506	0.494	0.0027374
Moroteuthis ingens	0.506	0.494	0.0035174
Solaster dawsoni	0.506	0.494	0.0030059
Solmundella bitentaculata	0.506	0.494	0.0015497
Stellarima microtrias	0.506	0.494	0.0019913
Camptoplites tricornis	0.505	0.495	0.0009800
Cinachyra barbata	0.505	0.495	0.0016805
Clione antarctica	0.505	0.495	0.0023987
Eulagisca gigantea	0.505	0.495	0.0007266
Fulmarus glacialis	0.505	0.495	0.0018270
Natatolana oculata	0.505	0.495	0.0011171
Reteporella hippocrepis	0.505	0.495	0.0019210
Rhynchonereella bongraini	0.505	0.495	0.0022910
Sterna vittata	0.505	0.495	0.0023508
Stylocordyla borealis	0.505	0.495	0.0033806
Trematomus bernacchii	0.505	0.495	0.0021561
Waldeckia obesa	0.505	0.495	0.0024522
Chaetoceros concavicornis	0.504	0.496	0.0013448
Falsimargarita gemma	0.504	0.496	0.0012544
Globocassidulina crassa	0.504	0.496	0.0020306
Liljeborgia georgiana	0.504	0.496	0.0013039
Monocaulus parvula	0.504	0.496	0.0005649
Nitzschia kerguelensis	0.504	0.496	0.0020456
Parborlasia corrugatus	0.504	0.496	0.0013657
Pareledone charcoti	0.504	0.496	0.0013661
Physeter macrocephalus	0.504	0.496	0.0008654
Pogonophryne phyllopogon	0.504	0.496	0.0011003
Thysanoessa macrura	0.504	0.496	0.0012274
Abyssocucumis liouvillei	0.503	0.497	0.0012950
Bathydoris clavigera	0.503	0.497	0.0028458
Labidiaster annulatus	0.503	0.497	0.0003740
Salpa thompsoni	0.503	0.497	0.0009690
Serolis polita	0.503	0.497	0.0008018
Astrochlamys bruneus	0.502	0.498	0.0008001
Cryodraco antarcticus	0.502	0.498	0.0016087
Epimeria georgiana	0.502	0.498	0.0006987
Euchaetomera antarcticus	0.502	0.498	0.0013019
Pentanymphe antarcticum	0.502	0.498	0.0005864
Perknaster sladeni	0.502	0.498	0.0008425
Pogonophryne permitini	0.502	0.498	0.0002546
Probuccinum tenuistriatum	0.502	0.498	0.0013972
Rhachotropis antarctica	0.502	0.498	0.0007659
Acodontaster hodgsoni	0.501	0.499	0.0011094
Austrocidaris canaliculata	0.501	0.499	0.0003520
Axociella nidificata	0.501	0.499	0.0002910

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Chaetoceros dictyota	0.501	0.499	0.0000346
Cuenotaster involutus	0.501	0.499	0.0007711
Fragilariopsis cylindrus	0.501	0.499	0.0002557
Gersemia antarctica	0.501	0.499	0.0010437
Liothyrella uva	0.501	0.499	0.0006468
Pyura discoveryi	0.501	0.499	0.0007100
Thalassiosira australis	0.501	0.499	0.0012156
Ainigmactylon antarcticus	0.500	0.500	-0.0001649
Cibicides refulgens	0.500	0.500	0.0001178
Flustra angusta	0.500	0.500	-0.0001896
Gymnodraco acuticeps	0.500	0.500	0.0000998
Harmothoe hartmanae	0.500	0.500	0.0003728
Limopsis lillei	0.500	0.500	0.0004295
Pachycara brachycephalum	0.500	0.500	-0.0000500
Psilaster charcoti	0.500	0.500	0.0001576
Rhodalia miranda	0.500	0.500	0.0002211
Rossella tarenja	0.500	0.500	0.0000790
Tetilla leptoderma	0.500	0.500	0.0001494
Thalassiosira trifurcata	0.500	0.500	-0.0000996
Chiridota weddellensis	0.499	0.501	-0.0010806
Isoschizoporella tricuspidis	0.499	0.501	-0.0002841
Parvicorbicula socialis	0.499	0.501	-0.0001631
Phaeocystis antarctica	0.499	0.501	-0.0001461
Sycozoa sigillinoides	0.499	0.501	-0.0011296
Synocum adareanum	0.499	0.501	-0.0002467
Trachythoe parva	0.499	0.501	-0.0003053
Tryphosella murrayi	0.499	0.501	-0.0005343
Armadillogorgia cyathella	0.498	0.502	-0.0023066
Austrosignum grande	0.498	0.502	-0.0003971
Cygnodraco mawsoni	0.498	0.502	-0.0002223
Fragilariopsis kerguelensis	0.498	0.502	-0.0007914
Maxmuelleria faex	0.498	0.502	-0.0010493
Muraenolepis microps	0.498	0.502	-0.0004239
Thalassiosira gracilis expecta	0.498	0.502	-0.0002924
Chionodraco hamatus	0.497	0.503	-0.0012882
Diphyes antarctica	0.497	0.503	-0.0017090
Epimeria similis	0.497	0.503	-0.0016099
Eunoe spica spicoides	0.497	0.503	-0.0006674
Fragilariopsis rhombica	0.497	0.503	-0.0012413
Oswaldella antarctica	0.497	0.503	-0.0017838
Pseudo-Nitzschia heimii	0.497	0.503	-0.0013588
Ypsilocucumis turricata	0.497	0.503	-0.0008072
Bathylagus antarcticus	0.496	0.504	-0.0012683
Bostrychopora dentata	0.496	0.504	-0.0030830
Dipulmaris antarctica	0.496	0.504	-0.0022872
Hamingia	0.496	0.504	-0.0030751
Lagenorhynchus cruciger	0.496	0.504	-0.0019112
Odontella weissflogii	0.496	0.504	-0.0011033
Ophioperla ludwigi	0.496	0.504	-0.0007503
Psolus antarcticus	0.496	0.504	-0.0023681
Pyura tunicata	0.496	0.504	-0.0025805
Scolymastra joubini	0.496	0.504	-0.0018918

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Vaunthompsonia indermis	0.496	0.504	-0.0019649
Ammothea carolinensis	0.495	0.505	-0.0017501
Calyx arcuarius	0.495	0.505	-0.0019267
Echiniphimedia hodgsoni	0.495	0.505	-0.0027247
Eunoe hartmanae	0.495	0.505	-0.0016984
Glyptonotus antarcticus	0.495	0.505	-0.0014988
Gonatus antarcticus	0.495	0.505	-0.0027379
Gymnoscopelus nicholsi	0.495	0.505	-0.0010180
Newnesia antarctica	0.495	0.505	-0.0025157
Oradarea edentata	0.495	0.505	-0.0044435
Paramoera walkeri	0.495	0.505	-0.0023683
Pontiothauma ergata	0.495	0.505	-0.0023953
Salpa gerlachei	0.495	0.505	-0.0017212
Trematomus lepidorhinus	0.495	0.505	-0.0016022
Trematomus scotti	0.495	0.505	-0.0012912
Anthometra adriani	0.494	0.506	-0.0024176
Barrukia cristata	0.494	0.506	-0.0023785
Eusirus perdentatus	0.494	0.506	-0.0046083
Harmothoe spinosa	0.494	0.506	-0.0022896
Muraenolepis marmoratus	0.494	0.506	-0.0028276
Notolepis coatsi	0.494	0.506	-0.0019983
Nototanais dimorphus	0.494	0.506	-0.0017890
Porania antarctica glabra	0.494	0.506	-0.0015953
Vibilia stebbingi	0.494	0.506	-0.0014300
Azpeitia tabularis	0.493	0.507	-0.0029656
Bathyplores bongraini	0.493	0.507	-0.0007116
Fragilariopsis ritscheri	0.493	0.507	-0.0029602
Iphimediella cyclogena	0.493	0.507	-0.0026846
Isodyctia cavicornuta	0.493	0.507	-0.0020899
Latrunculia brevis	0.493	0.507	-0.0029820
Terebella ehlersi	0.493	0.507	-0.0034257
Trematomus eulepidotus	0.493	0.507	-0.0010600
Abyssorchomene plebs	0.492	0.508	-0.0024938
Actinocyclus spiritus	0.492	0.508	-0.0019679
Alomasoma belyaevi	0.492	0.508	-0.0042964
Echinopsolus acanthocola	0.492	0.508	-0.0057993
Harmothoe crosetensis	0.492	0.508	-0.0028233
Luidiaster gerlachei	0.492	0.508	-0.0033875
Ophioceres incipiens	0.492	0.508	-0.0034192
Phytodetritus	0.492	0.508	-0.0045845
Pogonophryne barsukovi	0.492	0.508	-0.0032684
Polymastia isidis	0.492	0.508	-0.0054013
Primnoella	0.492	0.508	-0.0025488
Scotoplanes globosa	0.492	0.508	-0.0021334
Sterechinus antarcticus	0.492	0.508	-0.0036710
Thalassiosira lentiginosa	0.492	0.508	-0.0029557
Trichotoxon reinboldii	0.492	0.508	-0.0022528
Eurythenes gryllus	0.491	0.509	-0.0068590
Gymnoscopelus opisthopterus	0.491	0.509	-0.0047407
Hyperia macrocephala	0.491	0.509	-0.0016421
Laetmonice producta	0.491	0.509	-0.0035854
Metridia gerlachei	0.491	0.509	-0.0041704

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Natatolana obtusata	0.491	0.509	-0.0028313
Neogloboquadriana pachyderma	0.491	0.509	-0.0033988
Protomyctophum bolini	0.491	0.509	-0.0040030
Arteidraco orianae	0.490	0.510	-0.0056516
Bathyplores gourdoni	0.490	0.510	-0.0048060
Ceratoserolis meridionalis	0.490	0.510	-0.0052969
Champsoccephalus gunnari	0.490	0.510	-0.0024889
Eucampia antarctica	0.490	0.510	-0.0036513
Fragilariopsis sublinearis	0.490	0.510	-0.0060890
Lineus longifissus	0.490	0.510	-0.0018020
Manguinea rigida	0.490	0.510	-0.0034919
Navicula schefferae	0.490	0.510	-0.0032010
Nitzschia lecontei	0.490	0.510	-0.0036853
Notasterias armata	0.490	0.510	-0.0025762
Proboscia truncata	0.490	0.510	-0.0042327
Systemopora contracta	0.490	0.510	-0.0018426
Balaenoptera physalus	0.489	0.511	-0.0036744
Compsothyris racovitzae	0.489	0.511	-0.0032968
Eudorella splendida	0.489	0.511	-0.0032353
Eukrohnia hamata	0.489	0.511	-0.0048904
Haliclona tenella	0.489	0.511	-0.0037653
Melphidippa antarctica	0.489	0.511	-0.0045582
Thalassiosira antarctica	0.489	0.511	-0.0032131
Abatus curvidens	0.488	0.512	-0.0054183
Cephalodiscus	0.488	0.512	-0.0038693
Chorismus antarcticus	0.488	0.512	-0.0030444
Clavularia frankiliana	0.488	0.512	-0.0051405
Djerboa furcipes	0.488	0.512	-0.0037924
Elpidia glacialis	0.488	0.512	-0.0045144
Fragilariopsis obliquecostata	0.488	0.512	-0.0052588
Frontoserolis bouvieri	0.488	0.512	-0.0032634
Golfingia mawsoni	0.488	0.512	-0.0054661
Lysasterias perrieri	0.488	0.512	-0.0049979
Peraeospinosus pushkini	0.488	0.512	-0.0066603
Primnoisis antarctica	0.488	0.512	-0.0063024
Puncturella conica	0.488	0.512	-0.0056781
Tedania oxeata	0.488	0.512	-0.0065368
Abatus shackeltoni	0.487	0.513	-0.0030984
Abyssorhomene nodimanus	0.487	0.513	-0.0031439
Boroecia antipoda	0.487	0.513	-0.0061579
Chaetoceros bulbosum	0.487	0.513	-0.0039333
Chaetoceros flexuosum	0.487	0.513	-0.0047528
Coscinodiscus oculoides	0.487	0.513	-0.0053402
Fragilariopsis curta	0.487	0.513	-0.0070815
Fragilariopsis vanheurnkii	0.487	0.513	-0.0062002
Lobodon carcinophaga	0.487	0.513	-0.0063867
Molpadia musculus	0.487	0.513	-0.0047462
Oediceroides calmani	0.487	0.513	-0.0062316
Primno macropa	0.487	0.513	-0.0029989
Pseudo-Nitzschia subcurvata	0.487	0.513	-0.0041229
Rhizosolenia antennata	0.487	0.513	-0.0056520
Atolla wyvillei	0.486	0.514	-0.0065291

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Banquisia belgicae	0.486	0.514	-0.0076616
Eucranta mollis	0.486	0.514	-0.0050463
Fragilariopsis nana	0.486	0.514	-0.0072714
Kampylaster incurvatus	0.486	0.514	-0.0044364
Limopsis marionensis	0.486	0.514	-0.0057213
Odontaster meridionalis	0.486	0.514	-0.0036272
Pseudorchomene coatsi	0.486	0.514	-0.0053202
Pseudostichopus villosus	0.486	0.514	-0.0047324
Psolus charcoti	0.486	0.514	-0.0057572
Rhincalanus gigas	0.486	0.514	-0.0036697
Acodontaster capitatus	0.485	0.515	-0.0083951
Cadulus dalli antarcticum	0.485	0.515	-0.0067344
Chondriovelum adeliense	0.485	0.515	-0.0048009
Epimeria macrodonta	0.485	0.515	-0.0063029
Notocidaris mortenseni	0.485	0.515	-0.0059463
Oediceroides emarginatus	0.485	0.515	-0.0041345
Paraeuchaeta antarctica	0.485	0.515	-0.0031913
Pelagobia longicirrata	0.485	0.515	-0.0033949
Pseudosagitta maxima	0.485	0.515	-0.0051500
Pyura bouvetensis	0.485	0.515	-0.0049726
Sagitta marri	0.485	0.515	-0.0039593
Aega antarctica	0.484	0.516	-0.0057122
Amauropsis rossiana	0.484	0.516	-0.0067281
Artedidraco skottsbergi	0.484	0.516	-0.0078217
Cinachyra antarctica	0.484	0.516	-0.0082003
Cyclocardia astartoides	0.484	0.516	-0.0032747
Gyrodinium lachryama	0.484	0.516	-0.0056621
Laternula elliptica	0.484	0.516	-0.0040563
Lissarca notorcadensis	0.484	0.516	-0.0058492
Nematocarcinus lanceopes	0.484	0.516	-0.0045953
Porosira glacialis	0.484	0.516	-0.0092357
Racovitzia glacialis	0.484	0.516	-0.0060069
Rossella racovitzae	0.484	0.516	-0.0085166
Thalassiosira tumida	0.484	0.516	-0.0042616
Uristes gigas	0.484	0.516	-0.0058431
Alacia hettacra	0.483	0.517	-0.0088251
Cnemidocarpa verrucosa	0.483	0.517	-0.0061612
Ctenocidaris gigantea	0.483	0.517	-0.0070339
Ctenocidaris gilberti	0.483	0.517	-0.0076822
Euphausia frigida	0.483	0.517	-0.0064351
Macroneustes halli	0.483	0.517	-0.0047482
Bodo saltans	0.482	0.518	-0.0066985
Corella eumyota	0.482	0.518	-0.0072362
Halobaena caerulea	0.482	0.518	-0.0056020
Momoculodes scabriculosus	0.482	0.518	-0.0059426
Notioceramus anomalus	0.482	0.518	-0.0066014
Pseudostichopus mollis	0.482	0.518	-0.0070969
Silicularia rosea	0.482	0.518	-0.0049115
Tedania tantulata	0.482	0.518	-0.0055678
Abyssorhomene rossi	0.481	0.519	-0.0087070
Bathydorus spinosus	0.481	0.519	-0.0031180
Callochiton gaussi	0.481	0.519	-0.0082165

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Colossendeis scotti	0.481	0.519	-0.0086793
Ekmocucumis turqueti turqueti	0.481	0.519	-0.0094141
Epimeriella walkeri	0.481	0.519	-0.0053542
Eunoe spica	0.481	0.519	-0.0107645
Eusirus antarcticus	0.481	0.519	-0.0055932
Hyperietta dilatata	0.481	0.519	-0.0080893
Ihlea racovitzai	0.481	0.519	-0.0055195
Iophon radiatus	0.481	0.519	-0.0047174
Manguinea fusiformis	0.481	0.519	-0.0056759
Maxilliphimedia longipes	0.481	0.519	-0.0080127
Procellaria aequinoctialis	0.481	0.519	-0.0099933
Chaetoceros neglectum	0.480	0.520	-0.0086514
Cycethra verrucosa mawsoni	0.480	0.520	-0.0070076
Diastylis mawsoni	0.480	0.520	-0.0077050
Oceanites oceanicus	0.480	0.520	-0.0096389
Ophioperla koehlerii	0.480	0.520	-0.0062868
Pista spinifera	0.480	0.520	-0.0119714
Proboscia inermi	0.480	0.520	-0.0050531
Sterna paradisaea	0.480	0.520	-0.0059022
Alcyonium antarcticum	0.479	0.521	-0.0070165
Astrotoma agassizii	0.479	0.521	-0.0069480
Beroe cucumis	0.479	0.521	-0.0103777
Conchoecia antipoda	0.479	0.521	-0.0061575
Fasciculiporoides ramosa	0.479	0.521	-0.0067969
Parschisturella ceruviata	0.479	0.521	-0.0083520
Aegires albus	0.478	0.522	-0.0131985
Arcturidae	0.478	0.522	-0.0093868
Ascidia challengerii	0.478	0.522	-0.0102953
Dacodraco hunteri	0.478	0.522	-0.0087207
Navicula glaciei	0.478	0.522	-0.0069482
Proboscia alata	0.478	0.522	-0.0088419
Taeniogyrus contortus	0.478	0.522	-0.0092234
Actinocyclus utricularis	0.477	0.523	-0.0094535
Conchoecia hettacra	0.477	0.523	-0.0111213
Marginella ealesa	0.477	0.523	-0.0060792
Molgula pedunculata	0.477	0.523	-0.0115538
Mycale acerata	0.477	0.523	-0.0058197
Nymphon gracillimum	0.477	0.523	-0.0100160
Perknaster fuscus antarcticus	0.477	0.523	-0.0071113
Calanoides acutus	0.476	0.524	-0.0092773
Macronectes giganteus	0.476	0.524	-0.0073498
Nematoflustra flagellata	0.476	0.524	-0.0081824
Pareledone antarctica	0.476	0.524	-0.0103898
Periphylla periphylla	0.476	0.524	-0.0058954
Tentorium papillatum	0.476	0.524	-0.0142374
Calanus propinquus	0.475	0.525	-0.0087820
Pteraster affinis aculeatus	0.475	0.525	-0.0113114
Yolida eightsi	0.475	0.525	-0.0111348
Antarctomysis maxima	0.474	0.526	-0.0100091
Aplidium vastum	0.474	0.526	-0.0053685
Ctenocidaris spinosa	0.474	0.526	-0.0094631
Diplasterias brucei	0.474	0.526	-0.0093896

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Phascolion strombi	0.474	0.526	-0.0079501
Polyeunoa laevis	0.474	0.526	-0.0112179
Psolus dubiosus	0.474	0.526	-0.0133871
Tentorium semisuberites	0.474	0.526	-0.0093909
Chaetoceros pelagicus	0.473	0.527	-0.0114724
Liothyrella uva antarctica	0.473	0.527	-0.0107839
Marseniopsis conica	0.473	0.527	-0.0072547
Tritonia antarctica	0.473	0.527	-0.0069894
Achlyonice violaceuspidata	0.472	0.528	-0.0062392
Alacia belgicae	0.472	0.528	-0.0121889
Alluroteuthis antarcticus	0.472	0.528	-0.0098426
Fissidentalium majorinum	0.472	0.528	-0.0115593
Haplocheira plumosa	0.472	0.528	-0.0071960
Heterophoxus videns	0.472	0.528	-0.0092052
Homaxinella balfourensis	0.472	0.528	-0.0111236
Nacella concinna	0.472	0.528	-0.0125569
Nuttallochiton mirandus	0.472	0.528	-0.0106262
Abatus nimrodi	0.471	0.529	-0.0106339
Epimeria robusta	0.471	0.529	-0.0091283
Phyllocomus crocea	0.471	0.529	-0.0099082
Pyura setosa	0.471	0.529	-0.0099551
Tubularia ralphii	0.471	0.529	-0.0087011
Alexandrella mixta	0.470	0.530	-0.0100610
Amphidinium hadai	0.470	0.530	-0.0162466
Aphrodroma brevirostris	0.470	0.530	-0.0120683
Daption capense	0.470	0.530	-0.0117756
Fragilariopsis separanda	0.470	0.530	-0.0110773
Golfingia ohlini	0.470	0.530	-0.0103279
Haliclona dancoi	0.470	0.530	-0.0062884
Lophaster gaini	0.470	0.530	-0.0118007
Ophiosparte gigas	0.470	0.530	-0.0143844
Tritoniella belli	0.470	0.530	-0.0102254
Ampelisca richardsoni	0.469	0.531	-0.0105817
Fragilariopsis pseudonana	0.469	0.531	-0.0094783
Laetmogone wyvillethompsoni	0.469	0.531	-0.0111505
Magellania fragilis	0.469	0.531	-0.0108887
Notocrangon antarcticus	0.469	0.531	-0.0124162
Anoxycalyx joubini	0.468	0.532	-0.0112583
Euphausia superba	0.468	0.532	-0.0132986
Isodyctia toxophila	0.468	0.532	-0.0120358
Melicerita obliqua	0.468	0.532	-0.0109312
Pseudo-Nitzschia liniola	0.468	0.532	-0.0117700
Austroflustra vulgaris	0.467	0.533	-0.0143087
Pagodroma nivea	0.467	0.533	-0.0124542
Porania antarctica	0.467	0.533	-0.0119238
Sterechinus neumayeri	0.467	0.533	-0.0108242
Themisto gaudichaudii	0.467	0.533	-0.0099845
Vibilia antarctica	0.467	0.533	-0.0138880
Austrodoris kerguelenensis	0.466	0.534	-0.0128756
Munna globicauda	0.466	0.534	-0.0134759
Odontaster validus	0.466	0.534	-0.0111110
Psolidium incertum	0.466	0.534	-0.0128606

Species	Prop dif QSS +	Prop dif QSS -	Median difQSS relat
Marseniopsis mollis	0.465	0.535	-0.0104161
Clathria pauper	0.463	0.537	-0.0110658
Corethron criophilum	0.463	0.537	-0.0157120
Ekmocucumis steineni	0.463	0.537	-0.0129377
Promachocrinus kerguelensis	0.463	0.537	-0.0140451
Harpagifer antarcticus	0.462	0.538	-0.0109307
Parmaphorella mawsoni	0.462	0.538	-0.0148042
Pygoscelis adeliae	0.462	0.538	-0.0125573
Sediment	0.462	0.538	-0.0108079
Tursiops truncatus	0.462	0.538	-0.0144362
Abatus cavernosus	0.461	0.539	-0.0145956
Balaenoptera musculus	0.461	0.539	-0.0157692
Latrunculia apicalis	0.461	0.539	-0.0126983
Thalassiosira gracilis	0.461	0.539	-0.0180251
Electrona antarctica	0.460	0.540	-0.0154413
Epimeria rubriques	0.460	0.540	-0.0159455
Rossella nuda	0.460	0.540	-0.0134992
Thalassoica antarctica	0.460	0.540	-0.0137090
Clione limacina	0.459	0.541	-0.0131543
Prionodraco evansii	0.459	0.541	-0.0147278
Vanadis antarctica	0.459	0.541	-0.0164304
Gnathia calva	0.458	0.542	-0.0137810
Chaenodraco wilsoni	0.457	0.543	-0.0136870
Metaconchoecia isocheira	0.457	0.543	-0.0175275
Euphausia crystallorophias	0.456	0.544	-0.0147971
Ophiurolepis brevirima	0.456	0.544	-0.0193088
Thalassiosira frenguelliopsis	0.456	0.544	-0.0151378
Actinocyclus actinochilus	0.454	0.546	-0.0145288
Limacina helicina antarctica	0.454	0.546	-0.0162732
Neobuccinum eatoni	0.452	0.548	-0.0184613
Aporocidaris milleri	0.447	0.553	-0.0213657
Balaenoptera acutorostrata	0.423	0.577	-0.0264863

Interaction strength distribution

The statistical distribution that best fitted the empirical interaction strength distribution was a ‘log-Normal’ due to the skew towards weaker interactions. Table 3 shows the results for the six candidate models used.

Table 3: Model comparison for the distribution of interaction strengths of the Weddell Sea food web. Order by best fit. References: df = degrees of freedom, AIC = Akaike Information Criterion, deltaAIC = difference with best fit. Log-Normal is the best model.

Model	df	AIC	deltaAIC
log-Normal	2	-359277.3	0.00
Gamma	2	-358374.4	902.90
Power-law	2	-348537.2	10740.04
Exponential	1	-327199.0	32078.28
Normal	2	-289859.5	69417.78
Uniform	2	-243904.0	115373.33

References

- Allesina, Stefano, and Mercedes Pascual. 2008. "Network Structure, Predator-prey Modules, and Stability in Large Food Webs." *Theoretical Ecology* 1 (1): 55–64. <https://doi.org/10.1007/s12080-007-0007-8>.
- Martinez, Neo D. 1991. "Artifacts or Attributes? Effects of Resolution on the Little Rock Lake Food Web." *Ecological Monographs* 61 (4): 367–92. <https://doi.org/10.2307/2937047>.
- Pawar, Samraat, Anthony I Dell, and Van M. Savage. 2012. "Dimensionality of Consumer Search Space Drives Trophic Interaction Strengths." *Nature* 486 (May): 485. <https://doi.org/10.1038/nature11131>.
- Thompson, Ross M., Martin Hemberg, Brian M. Starzomski, and Jonathan B. Shurin. 2007. "Trophic Levels and Trophic Tangles: The Prevalence of Omnivory in Real Food Webs." *Ecology* 88 (3): 612–17. <https://doi.org/10.1890/05-1454>.