

# Supplementary Material for ‘New insights into the Weddell Sea ecosystem applying a quantitative network approach’

Tomás I. Marina, Leonardo A. Saravia and Susanne Kortsch

## Equations for calculating species properties

### Weighted properties: Interaction Strength

We used the estimation of the interaction strength as the weighted property for the species of the Weddell Sea food web. The main equation to estimate the interaction strength  $IS$  was:

$$IS = \alpha X_R \frac{m_R}{m_C}$$

where  $\alpha$  is the search rate,  $X_R$  is the resource density, and  $m_R$  and  $m_C$  are the body mass for the resource and the consumer, respectively (Pawar, Dell, and Van M. Savage 2012). We assume the case where resources are scarce because this resembles field conditions (figure 3 e & f and equation 3 from Pawar, Dell, and Van M. Savage (2012)). Then the search rate for 2D interactions (see main text) is calculated as:

$$\alpha = \alpha_{2D} m_C^{0.68 \pm 0.12}$$

For 3D interactions it is calculated as:

$$\alpha = \alpha_{3D} m_C^{1.05 \pm 0.08}$$

where  $\alpha_{2D} = 10^{-3.08}$  and  $\alpha_{3D} = 10^{-1.77}$  are the intercepts for each interaction dimensionality.

As the resource density  $X_R$  is not known for our study case we estimated it according to the equation S18 and supplementary figures 2i & j (individuals/m<sup>2</sup> - m<sup>3</sup>) from Pawar, Dell, and Van M. Savage (2012):

$$X_R = X_0 m_R^{-p_x}$$

where  $p_x$  is  $-0.79 \pm 0.08$  for 2D and  $-0.86 \pm 0.07$  for 3D.

### Interaction Strength variability

With the aim of taking into account the variability of the exponents in  $\alpha$  and  $X_R$  estimations, we run 1000 simulations for calculating each pairwise predator-prey interaction. Due to the skewness nature of the estimated interaction distributions, we considered the median as the summarizing value. Such a skewness is shown in the following histogram for the interquartile range:




Figure S1: Frequency distribution of interquartile range for the estimated interaction strengths of the Weddell Sea food web. Total number of interactions = 16041.

### Unweighted properties

As unweighted properties we calculated degree, trophic level and trophic similarity. The degree  $k$  is simply the total number of feeding links in which the species participates. It was calculated as:

$$L = \sum_{i=1}^S k_i$$

where  $L$  is the total number of feeding links for the  $i^{th}$  species in the food web; here denoted as  $k_i$ . The trophic level refers to a species' vertical position in the food web, relative to the primary producers that support the community. Species that do not consume any other species in the web are primary producers or other basal resources; species with no predators are top predators; those with both predators and prey are intermediate consumers. Trophic levels  $TP$  were calculated for every species based on its position in the food web using the "prey-averaged technique":

$$TP_i = \frac{\sum_j TP_j}{n_i} + 1$$

where  $n_i$  is the total number of prey taxa consumed by taxon  $i$ , and  $TP_j$  represents the trophic position of all prey items  $j$  of taxon  $i$  (Thompson et al. 2007). The trophic similarity  $TS$  between every pair of species in the food web was calculated using the following algorithm:

$$TS = \frac{c}{a + b + c}$$

where  $c$  is the number of predators and prey common to the two species,  $a$  is the number of predators and prey unique to one species, and  $b$  is the number of predators and prey unique to the other species. When the two species have the same set of predators and prey,  $TS = 1$ ; when the two species have no common predators or common prey,  $TS = 0$  (Martinez 1991).

Table S1: Weighted (interaction strength) and unweighted properties of the trophic species of Weddell Sea food web. Ordered by decreasing median interaction strength. median IS = median interaction strength, Q1 IS = First quartil of the IS distribution, Q3 IS = Third quartil of the IS distribution, TL = trophic level, TS = trophic similarity.

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Mesonychoteuthis hamiltoni	0.0001966995	0.0001365333	0.0002661351	29	4.41	0.028
Orcinus orca	0.0001557436	0.0001064541	0.0003277949	26	5.03	0.037
Mirounga leonina	0.0001314364	9.396677e-05	0.0001564687	56	4.87	0.080
Hydrurga leptonyx	0.0001162399	8.113601e-05	0.0001403405	67	4.72	0.094
Leptonychotes weddelli	0.0001137129	8.153871e-05	0.0001387107	59	4.86	0.084
Ommatophoca rossii	0.0001124936	8.260369e-05	0.0001351128	56	4.87	0.080
Galiteuthis glacialis	0.0001120608	9.357928e-05	0.0001553956	30	3.26	0.039
Physeter macrocephalus	0.0001036752	8.089059e-05	0.0001732205	20	4.47	0.048
Arctocephalus gazella	0.0001021457	7.473746e-05	0.0001268715	61	4.67	0.093
Gonatus antarcticus	9.652858e-05	7.249701e-05	0.0001377233	36	4.31	0.046
Kondakovia longimana	9.585928e-05	7.611336e-05	0.0001235262	25	3.26	0.039
Champscephalus gunnari	9.122016e-05	2.703339e-05	0.0001233331	46	3.72	0.086
Tursiops truncatus	9.075575e-05	7.320882e-05	0.0001471344	20	4.47	0.048
Aptenodytes forsteri	8.73558e-05	6.747587e-05	0.0001018936	53	4.78	0.084
Martialia hyadesi	8.573911e-05	6.897001e-05	0.0001194603	33	4.52	0.043
Macronectes halli	8.539775e-05	6.13833e-05	9.590528e-05	11	4.94	0.026
Notothenia marmorata	8.357614e-05	5.224627e-05	0.0001146762	44	4.09	0.091
Macrourus holotrachys	8.350777e-05	6.255264e-05	0.000100376	85	4.70	0.112
Lagenorhynchus cruciger	8.149072e-05	6.52583e-05	0.0001301868	20	4.47	0.048
Macrourus whitsoni	7.945909e-05	5.320661e-05	0.0001006711	92	4.55	0.124
Alluroteuthis antarcticus	7.703713e-05	6.138693e-05	8.198372e-05	19	4.25	0.029
Cryodraco antarcticus	7.677328e-05	5.455766e-05	0.0001008427	30	3.52	0.089
Moroteuthis ingens	7.611336e-05	3.516164e-05	0.000127813	46	4.04	0.074
Pygoscelis adeliae	7.500139e-05	3.516e-05	0.0001052905	7	3.78	0.026
Balaenoptera physalus	7.449494e-05	3.792601e-05	0.0001051213	37	4.04	0.081
Pleuragramma antarcticum	7.399497e-05	5.203507e-05	8.675948e-05	69	3.58	0.076
Lobodon carcinophaga	7.152872e-05	4.471639e-05	0.0001174308	28	4.24	0.061
Pagetopsis macropterus	7.132802e-05	5.673434e-05	8.291099e-05	76	4.64	0.113
Dacodraco hunteri	7.088062e-05	5.799175e-05	8.541761e-05	65	4.80	0.101
Balaenoptera musculus	6.985667e-05	3.679883e-05	9.719522e-05	37	4.04	0.081
Megaptera novaeangliae	6.325384e-05	5.200255e-05	7.590416e-05	4	3.26	0.024
Chionodraco hamatus	6.279276e-05	4.423083e-05	8.521572e-05	42	3.82	0.107
Muraenolepis marmoratus	6.270604e-05	3.169362e-05	8.740159e-05	36	3.19	0.104
Dissostichus mawsoni	6.133163e-05	3.676014e-05	0.0001260475	87	4.12	0.126
Macronectes giganteus	6.107095e-05	4.338151e-05	7.434798e-05	16	4.30	0.044
Notothenia coriiceps	5.828258e-05	3.221947e-07	8.273394e-05	130	4.27	0.126
Chionodraco myersi	5.714573e-05	4.735192e-05	7.572381e-05	37	4.09	0.094
Gymnoscopelus nicholsi	5.61347e-05	1.97785e-05	7.216516e-05	59	3.71	0.087
Psychroteuthis glacialis	5.44176e-05	2.958838e-05	7.766719e-05	23	3.91	0.054
Fulmarus glacialis	5.424222e-05	3.132651e-05	9.14162e-05	17	4.33	0.052
Chaenodraco wilsoni	5.337367e-05	4.376893e-05	7.807835e-05	32	3.30	0.091
Bathylagus antarcticus	5.304983e-05	1.367918e-05	6.369375e-05	61	3.36	0.073
Trematomus hansonii	5.226749e-05	1.093131e-06	7.162206e-05	109	4.36	0.134
Balaenoptera acutorostrata	5.18112e-05	3.469161e-05	7.674102e-05	29	3.74	0.078
Parvicorbucula socialis	5.171502e-05	4.383826e-07	7.265275e-05	91	2.00	0.136
Gymnoscopelus opisthopterus	5.165962e-05	1.53219e-05	6.429446e-05	54	3.40	0.082
Psilaster charcoti	5.00826e-05	1.713054e-06	6.030845e-05	59	4.40	0.082

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Daption capense	4.956884e-05	3.339837e-05	8.67314e-05	15	4.39	0.051
Pagodroma nivea	4.886968e-05	3.293823e-05	6.213523e-05	11	4.21	0.045
Procellaria aequinoctialis	4.866293e-05	1.910661e-05	7.685853e-05	8	4.25	0.026
Pagetopsis maculatus	4.839935e-05	3.852502e-05	6.399541e-05	37	4.09	0.094
Electrona antarctica	4.810598e-05	2.214144e-05	5.744989e-05	65	3.48	0.105
Sterna vittata	4.754848e-05	4.39479e-05	5.114905e-05	2	3.88	0.012
Protomyctophum bolini	4.22158e-05	1.873725e-05	5.231825e-05	61	3.44	0.077
Thalassoica antarctica	4.189492e-05	2.220305e-05	7.433589e-05	19	4.32	0.053
Pareledone charcoti	4.057571e-05	1.811205e-05	5.203507e-05	83	4.57	0.108
Gymnodraco acuticeps	3.884877e-05	1.5338e-05	7.665931e-05	61	3.70	0.118
Aphrodroma brevirostris	3.878967e-05	3.033792e-05	5.478687e-05	11	4.20	0.045
Notolepis coatsi	3.873098e-05	2.162952e-05	4.838887e-05	58	3.50	0.073
Trematomus loennbergii	3.560908e-05	4.065414e-07	6.860811e-05	133	4.11	0.115
Gymnoscopelus braueri	3.537628e-05	1.390494e-05	6.115727e-05	62	3.52	0.087
Pentanymphe antarcticum	3.486427e-05	2.11512e-05	5.864187e-05	140	3.93	0.099
Racovitzia glacialis	3.482903e-05	1.395815e-05	7.27228e-05	53	3.54	0.114
Cygnodraco mawsoni	3.476307e-05	2.245787e-05	5.878673e-05	84	3.98	0.139
Pachyptila desolata	3.4193e-05	2.115317e-05	5.085189e-05	33	4.23	0.079
Oceanites oceanicus	3.399299e-05	1.910661e-05	4.551958e-05	8	4.07	0.033
Pareledone antarctica	3.236671e-05	1.999473e-06	5.893857e-05	107	4.41	0.120
Artedidraco orianae	3.176689e-05	9.799844e-06	5.862247e-05	52	3.76	0.117
Gerlachea australis	3.142521e-05	2.082568e-05	5.351601e-05	72	3.93	0.134
Callochiton gaussi	3.053632e-05	2.46626e-05	3.970353e-05	15	3.00	0.012
Halobaena caerulea	2.923088e-05	2.08355e-05	6.525857e-05	22	4.25	0.060
Epimeria rubriques	2.886709e-05	9.559123e-06	3.693006e-05	85	3.47	0.157
Muraenolepis microps	2.83404e-05	4.765909e-07	5.728601e-05	88	3.69	0.133
Eusirus perdentatus	2.75491e-05	2.817967e-06	3.715821e-05	114	3.87	0.171
Euphausia superba	2.72961e-05	3.679194e-09	3.876641e-05	163	2.27	0.120
Puncturella conica	2.714755e-05	2.866116e-07	4.340499e-05	80	2.98	0.093
Pachycara brachycephalum	2.552969e-05	1.594504e-05	3.250969e-05	67	3.97	0.132
Prionodraco evansii	2.545579e-05	1.517545e-05	4.78598e-05	61	3.45	0.115
Epimeria robusta	2.461266e-05	1.158704e-05	3.147236e-05	90	3.46	0.159
Sterna paradisaea	2.43306e-05	1.491039e-05	4.677914e-05	7	4.04	0.031
Tryphosella murrayi	2.421157e-05	1.922695e-05	2.860685e-05	96	3.88	0.160
Pseudosagitta maxima	2.321101e-05	1.025065e-05	2.533475e-05	15	3.16	0.044
Pogonophryne permitini	2.318067e-05	6.667868e-07	3.826938e-05	104	3.93	0.142
Hyperia macrocephala	2.243137e-05	1.93218e-05	2.564952e-05	58	4.36	0.135
Desmonema glaciale	2.230202e-05	1.627485e-05	2.768185e-05	19	3.72	0.058
Pseudosagitta gazellae	2.173114e-05	1.972565e-05	2.23042e-05	11	3.18	0.029
Pogonophryne marmorata	2.166179e-05	1.228499e-06	5.183533e-05	70	3.68	0.119
Trematomus eulepidotus	2.164313e-05	4.187295e-06	5.738943e-05	71	3.64	0.117
Pogonophryne phyllopogon	2.161291e-05	6.300283e-07	4.367464e-05	103	3.92	0.145
Abyssorhomene nodimanus	2.14144e-05	7.123154e-06	3.61006e-05	137	4.21	0.130
Pogonophryne barsukovi	2.132162e-05	4.990555e-07	4.303784e-05	104	3.93	0.142
Pogonophryne scotti	2.124038e-05	3.765903e-07	4.671151e-05	104	3.93	0.142
Primno macropa	2.004274e-05	1.540213e-05	2.374577e-05	74	3.56	0.150
Trematomus pennellii	1.936685e-05	3.329101e-07	5.753708e-05	192	4.04	0.158
Eusirus antarcticus	1.84164e-05	1.714363e-05	2.161291e-05	53	3.17	0.148
Liljeborgia georgiana	1.818318e-05	4.795309e-06	2.339604e-05	146	3.46	0.153
Aethotaxis mitopteryx	1.808874e-05	8.276477e-07	3.506017e-05	109	3.88	0.149
Themisto gaudichaudii	1.799074e-05	1.382881e-05	2.136403e-05	74	3.56	0.150
Trematomus nicolai	1.729916e-05	2.513011e-07	4.353583e-05	113	3.85	0.140

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Periphylla periphylla	1.690793e-05	1.207214e-05	2.107191e-05	19	3.72	0.058
Callianira antarctica	1.679534e-05	8.341951e-06	2.968281e-05	28	3.60	0.064
Beroe cucumis	1.643935e-05	1.336421e-05	2.275433e-05	18	3.33	0.040
Clione antarctica	1.631213e-05	1.354922e-05	1.771916e-05	56	2.58	0.075
Lyrocteis flavopallidus	1.290995e-05	6.625389e-06	1.865211e-05	28	3.60	0.064
Dipulmaris antarctica	1.287384e-05	1.08976e-05	1.730424e-05	14	3.80	0.040
Solmundella bitentaculata	1.278612e-05	1.002709e-05	1.718462e-05	8	3.90	0.020
Cyllopus lucasii	1.232083e-05	1.424223e-08	2.438327e-05	165	2.39	0.156
Clione limacina	1.231628e-05	1.096148e-05	1.344297e-05	51	3.87	0.073
Clio pyramidata	1.229065e-05	1.021723e-05	1.371786e-05	58	3.16	0.088
Paraceradocus gibber	1.195645e-05	3.556344e-09	3.090785e-05	151	2.80	0.171
Eukrohnia hamata	1.123897e-05	9.347908e-06	1.350025e-05	38	3.16	0.075
Sagitta marri	1.088242e-05	7.25518e-06	1.129513e-05	17	3.16	0.048
Urticinopsis antarctica	1.086385e-05	2.268933e-06	1.724226e-05	27	3.76	0.078
Thysanoessa macrura	1.073406e-05	1.493036e-08	2.202282e-05	145	2.41	0.117
Atolla wyvillei	1.071082e-05	4.750118e-06	1.259985e-05	20	3.52	0.065
Scolymastra joubini	1.06115e-05	8.287471e-06	2.07311e-05	44	2.00	0.156
Euphausia crystallorophias	1.055721e-05	5.831225e-09	3.024803e-05	132	2.08	0.119
Anoxycalyx joubini	1.035041e-05	7.809468e-06	1.97624e-05	48	2.00	0.153
Aegires albus	1.006194e-05	5.864608e-07	1.570102e-05	60	3.00	0.092
Odontaster meridionalis	9.865129e-06	5.888296e-06	1.047482e-05	41	2.97	0.053
Dimophyes arctica	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
Diphyes antarctica	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
Rhodalia miranda	9.776935e-06	4.359833e-06	1.138698e-05	20	3.52	0.065
Rossella nuda	9.610958e-06	7.08422e-06	1.640458e-05	45	2.00	0.159
Heterophoxus videns	9.514281e-06	2.549281e-08	1.512433e-05	157	2.51	0.153
Bargmannia	9.340493e-06	7.934205e-06	1.189537e-05	56	3.33	0.091
Rhincalanus gigas	9.262505e-06	2.965445e-08	1.330863e-05	166	2.15	0.135
Euphausia frigida	8.601328e-06	1.495368e-08	2.231491e-05	137	2.27	0.119
Melphidippa antarctica	8.472612e-06	3.582393e-06	2.216866e-05	121	3.04	0.119
Paraeuchaeta antarctica	8.438333e-06	3.987499e-08	1.172287e-05	171	2.21	0.135
Rhachotropis antarctica	7.830221e-06	2.128528e-08	1.907372e-05	185	3.02	0.176
Ammothea carolinensis	7.817372e-06	3.858615e-06	3.302595e-05	135	3.93	0.099
Calanus propinquus	7.815191e-06	4.404369e-08	1.125116e-05	165	2.15	0.135
Calanoides acutus	7.662196e-06	4.533452e-08	1.113364e-05	166	2.17	0.136
Vibilia stebbingi	7.645086e-06	6.323715e-06	8.342107e-06	90	3.56	0.143
Vibilia antarctica	7.644671e-06	6.323715e-06	8.299484e-06	91	3.56	0.142
Cnemidocarpa verrucosa	7.439573e-06	1.379108e-06	1.658624e-05	7	2.00	0.041
Nymphon gracillimum	7.430778e-06	3.652224e-06	3.342044e-05	135	3.93	0.099
Metridia gerlachei	7.38965e-06	7.543234e-08	9.955142e-06	166	2.15	0.134
Conchoecia hettacra	7.006881e-06	6.183068e-06	8.674486e-06	77	3.24	0.119
Limacina helicina antarctica	6.126709e-06	5.241574e-06	7.219788e-06	62	3.16	0.092
Stylocordyla borealis	5.822439e-06	4.382217e-06	1.004552e-05	43	2.00	0.157
Kirkpatrickia variolosa	5.559206e-06	4.339895e-06	9.818171e-06	46	2.00	0.152
Rossella racovitzae	5.559206e-06	4.382541e-06	9.494407e-06	48	2.00	0.154
Tetilla leptoderma	5.214065e-06	3.985559e-06	8.93518e-06	49	2.00	0.152
Serolella bouveri	5.149662e-06	9.177471e-07	1.61616e-05	90	3.99	0.157
Serolis polita	5.149662e-06	9.177471e-07	1.61616e-05	90	3.99	0.157
Conchoecia antipoda	4.993181e-06	1.079134e-07	7.527226e-06	135	2.33	0.142
Nuttallochiton mirandus	4.929629e-06	3.659066e-06	6.304709e-06	54	3.00	0.043
Uristes gigas	4.795309e-06	1.670862e-08	2.195962e-05	184	2.84	0.161
Rossella antarctica	4.283668e-06	3.095328e-06	7.929445e-06	43	2.00	0.157

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Rossella tarenja	4.283668e-06	3.095328e-06	7.929445e-06	43	2.00	0.157
Systenopora contracta	4.126159e-06	2.765603e-06	9.23245e-06	31	2.00	0.125
Mycale acerata	4.113049e-06	3.134559e-06	7.905566e-06	44	2.00	0.156
Oediceroides calmani	3.850251e-06	7.638714e-09	2.384333e-05	153	2.77	0.166
Waldeckia obesa	3.718547e-06	2.386092e-06	2.210886e-05	197	3.52	0.138
Epimeriella walkeri	3.700698e-06	2.10983e-08	2.040712e-05	217	2.88	0.148
Luidiaster gerlachei	3.642808e-06	3.826461e-07	6.564107e-06	18	3.76	0.083
Tritoniella belli	3.591963e-06	2.221087e-06	5.982454e-06	87	2.98	0.085
Axociella nidificata	3.582981e-06	2.640696e-06	6.800686e-06	43	2.00	0.157
Chorismus antarcticus	3.529682e-06	2.283676e-08	9.977013e-06	213	3.14	0.139
Cassidulinoides parkerianus	3.496702e-06	6.226157e-08	5.425029e-06	86	2.00	0.124
Cibicides refulgens	3.496702e-06	4.063476e-08	5.425029e-06	89	2.00	0.129
Globocassidulina crassa	3.496702e-06	4.063476e-08	5.425029e-06	89	2.00	0.129
Ekmocucumis turqueti turqueti	3.496681e-06	3.065034e-06	6.097999e-06	16	2.00	0.110
Eulagisca gigantea	3.390802e-06	5.470998e-07	1.653661e-05	142	3.80	0.167
Laetmonice producta	3.387178e-06	8.431738e-07	1.472737e-05	136	3.94	0.178
Isodyctia cavicornuta	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Isodyctia toxophila	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania oxeata	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania tantulata	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tedania vanhoeffeni	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tentorium papillatum	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Tentorium semisuberites	3.348039e-06	2.587973e-06	6.343817e-06	43	2.00	0.157
Lenticulina antarctica	3.305791e-06	4.145444e-08	5.425029e-06	90	2.00	0.130
Isodyctia steifera	3.303905e-06	2.615016e-06	6.324263e-06	44	2.00	0.156
Haliclona dancoi	3.259771e-06	2.567476e-06	6.143582e-06	47	2.00	0.151
Haliclona tenella	3.259771e-06	2.567476e-06	6.143582e-06	47	2.00	0.151
Abyssorhomene rossi	3.232173e-06	5.680414e-09	2.333385e-05	164	2.65	0.156
Polyeunoa laevis	3.227399e-06	1.168458e-06	1.769131e-05	111	3.82	0.168
Primnoisis antarctica	3.155627e-06	1.532379e-06	8.083401e-06	39	3.52	0.117
Neogloboquadriana pachyderma	2.962716e-06	4.063476e-08	5.425029e-06	93	2.00	0.134
Ophioperla ludwigi	2.95261e-06	1.957285e-06	4.283668e-06	97	3.36	0.114
Cephalodiscus	2.9162e-06	2.080875e-06	3.131541e-06	4	2.00	0.038
Clathria pauper	2.818314e-06	2.135506e-06	4.966348e-06	43	2.00	0.157
Iophon radiatus	2.818314e-06	2.135506e-06	4.966348e-06	43	2.00	0.157
Aporocidaris milleri	2.762191e-06	1.941539e-06	3.094294e-06	60	3.31	0.075
Calyx arcuarius	2.737104e-06	2.180315e-06	4.947989e-06	44	2.00	0.156
Acodontaster conspicuus	2.721805e-06	8.334597e-07	4.273976e-06	13	3.00	0.042
Epimeria macrodonta	2.67354e-06	1.18306e-08	2.043938e-05	198	2.68	0.145
Homaxinella balfourensis	2.655894e-06	2.105425e-06	4.755457e-06	47	2.00	0.155
Ophiurolepis gelida	2.644838e-06	2.211203e-08	6.382925e-06	206	2.99	0.140
Colossendeis scotti	2.64206e-06	1.694946e-06	4.023995e-05	135	3.93	0.099
Flustra antarctica	2.64206e-06	1.881028e-06	6.143582e-06	31	2.00	0.125
Nematoflustra flagellata	2.64206e-06	1.881028e-06	6.143582e-06	31	2.00	0.125
Acodontaster hodgsoni	2.601068e-06	8.685232e-07	4.403865e-06	13	3.00	0.042
Astroclamys bruneus	2.587451e-06	8.605022e-07	7.587963e-06	37	3.52	0.095
Bathydorus spinosus	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Phorbis areolatus	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Phorbis glaberrima	2.57399e-06	1.880074e-06	4.388184e-06	43	2.00	0.157
Odontaster validus	2.571906e-06	1.434346e-07	4.843179e-06	234	3.30	0.143
Eunoe spica	2.568684e-06	1.116468e-06	2.525976e-05	214	4.04	0.151
Ophiurolepis brevissima	2.531271e-06	2.216955e-08	5.423095e-06	223	3.01	0.143

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Harpovoluta charcoti	2.522699e-06	7.847645e-07	3.659066e-06	79	3.02	0.089
Bathyplores bongraini	2.455535e-06	2.275857e-06	4.224054e-06	17	2.00	0.111
Bathyplores gourdoni	2.455535e-06	2.275857e-06	4.224054e-06	17	2.00	0.111
Solaster dawsoni	2.432853e-06	7.130127e-07	4.574601e-06	29	3.72	0.079
Ctenocidaris spinosa	2.41577e-06	1.742019e-06	2.777368e-06	75	3.25	0.075
Latrunculia apicalis	2.399592e-06	1.827416e-06	4.131959e-06	43	2.00	0.157
Latrunculia brevis	2.399592e-06	1.827416e-06	4.131959e-06	43	2.00	0.157
Acodontaster capitatus	2.385964e-06	9.363928e-07	3.963421e-06	13	3.00	0.042
Polymastia isidis	2.361721e-06	1.804414e-06	3.955252e-06	43	2.00	0.157
Echiniphimedia hodgsoni	2.35588e-06	1.300985e-06	3.29937e-06	83	2.97	0.129
Polymastia invaginata	2.261599e-06	1.827176e-06	3.941328e-06	44	2.00	0.156
Gorgonocephalus chiliensis	2.251199e-06	1.460738e-06	3.920062e-06	25	3.17	0.080
Notocidaris mortenseni	2.228635e-06	1.748268e-06	2.665876e-06	54	3.00	0.046
Reteporella hippocrepis	2.225124e-06	1.540844e-06	4.755457e-06	31	2.00	0.125
Pontiothauma ergata	2.194892e-06	8.222632e-07	4.507223e-06	41	4.24	0.117
Ekmocucumis steineni	2.135506e-06	1.890437e-06	3.60883e-06	16	2.00	0.110
Ekmocucumis turqueti	2.135506e-06	1.890437e-06	3.60883e-06	16	2.00	0.110
Austrodoris kerguelensis	2.13174e-06	1.121023e-06	4.228831e-06	36	3.00	0.098
Artedidraco loennbergi	2.082949e-06	6.357904e-07	2.8498e-05	133	3.88	0.143
Notocrangon antarcticus	2.068323e-06	1.906859e-08	5.769274e-06	178	2.88	0.101
Eucranta mollis	2.067919e-06	9.214985e-07	4.391933e-06	68	2.00	0.158
Chiridota weddellensis	2.045889e-06	1.871125e-06	3.578208e-06	17	2.00	0.111
Molpadia musculus	2.045889e-06	1.871125e-06	3.578208e-06	17	2.00	0.111
Ophionotus victoriae	2.042432e-06	1.265292e-08	3.311959e-06	217	2.97	0.147
Eunoe spica spicoides	2.003808e-06	9.850306e-07	2.118929e-05	249	3.94	0.142
Barrukia cristata	1.999498e-06	9.263304e-07	2.739395e-06	99	3.71	0.150
Molgula pedunculata	1.993777e-06	5.674483e-07	7.165311e-06	5	2.00	0.048
Gnathiphimedia mandibularis	1.976631e-06	1.189502e-06	2.669946e-06	102	3.00	0.115
Oediceroides emarginatus	1.976631e-06	3.34963e-09	3.085097e-05	153	2.77	0.166
Ceratoserolis meridionalis	1.961986e-06	1.035259e-06	2.12443e-05	90	3.99	0.157
Frontoserolis bouvieri	1.961986e-06	1.035259e-06	2.12443e-05	90	3.99	0.157
Eunoe hartmanae	1.9577e-06	7.961559e-07	1.067148e-05	152	3.78	0.167
Harmothoe crosetensis	1.943487e-06	9.641638e-07	5.352745e-06	170	3.73	0.154
Harmotoe hartmanae	1.943487e-06	9.641638e-07	5.352745e-06	170	3.73	0.154
Epimeria similis	1.889469e-06	4.685747e-09	2.557948e-05	159	2.49	0.148
Fasciculiporoides ramosa	1.8832e-06	1.34243e-06	4.212708e-06	31	2.00	0.125
Ophioperla koehleri	1.875883e-06	9.00415e-07	2.709756e-06	21	2.00	0.075
Promachocrinus kerguelensis	1.830215e-06	1.009571e-06	4.171551e-06	8	2.00	0.055
Anthometra adriani	1.800754e-06	6.731522e-07	3.043996e-06	7	2.00	0.047
Bathypanoploea schellenbergi	1.763848e-06	7.04757e-09	2.557948e-05	195	2.87	0.146
Harmothoe spinosa	1.740063e-06	9.177645e-07	3.471285e-06	212	3.72	0.146
Dolloidraco longedorsalis	1.718874e-06	7.008707e-07	2.527875e-05	168	3.72	0.150
Aplidium vastum	1.713054e-06	4.765909e-07	5.982454e-06	5	2.00	0.048
Corella eumyota	1.713054e-06	4.765909e-07	5.982454e-06	5	2.00	0.048
Cinachya antarctica	1.699815e-06	1.230601e-06	2.984104e-06	44	2.00	0.157
Camptoplites tricornis	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Caulastraea curvata	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Chondriovelum adeliense	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Flustra angusta	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Isoschizoporella tricuspis	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Melicerita obliqua	1.694946e-06	1.178837e-06	3.580908e-06	31	2.00	0.125
Synoiicum adareanum	1.665199e-06	4.381975e-07	5.273584e-06	5	2.00	0.048

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Alexandrella mixta	1.663223e-06	7.912314e-07	2.884076e-06	59	3.92	0.142
Ypsilocucumis turricata	1.662638e-06	1.454499e-06	2.813344e-06	17	2.00	0.111
Cinachyra barbata	1.647693e-06	1.204861e-06	2.986456e-06	43	2.00	0.157
Ctenocidaris perrieri	1.638565e-06	1.092832e-06	1.775688e-06	68	3.27	0.067
Iphimediella cyclogena	1.607865e-06	8.22175e-07	3.540431e-06	86	3.44	0.115
Ophiosparte gigas	1.578546e-06	4.184036e-07	8.674486e-06	301	3.43	0.155
Ainigmaptilon antarcticus	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
Alcyonium antarcticum	1.564434e-06	9.019493e-07	2.032461e-06	23	1.00	0.096
Armadillologorgia cyathella	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
Primnoella	1.564434e-06	9.019493e-07	2.032461e-06	23	2.00	0.102
Trematomus scotti	1.534496e-06	3.630501e-07	3.21887e-05	146	3.82	0.153
Maxilliphimedia longipes	1.531616e-06	7.172848e-07	2.908428e-06	60	3.26	0.136
Laternula elliptica	1.522498e-06	5.942141e-07	2.698016e-06	30	2.00	0.094
Paramoera walkeri	1.516919e-06	6.985279e-07	2.998968e-06	60	3.92	0.143
Ctenocidaris gigantea	1.5006e-06	1.073329e-06	1.717092e-06	70	3.27	0.071
Limopsis marionensis	1.408062e-06	6.952555e-07	2.432853e-06	29	2.00	0.094
Eurythenes gryllus	1.375984e-06	7.295642e-07	3.640816e-05	210	3.53	0.136
Artedidraco skottsbergi	1.369463e-06	5.540179e-07	2.932412e-05	135	3.86	0.138
Ctenocidaris gilberti	1.352572e-06	1.073329e-06	1.710216e-06	53	3.00	0.042
Trematomus lepidorhinus	1.318084e-06	3.576357e-07	3.940591e-05	95	3.81	0.123
Sterechinus neumayeri	1.215256e-06	4.25418e-09	2.718674e-06	141	2.68	0.119
Perknaster fuscus antarcticus	1.194931e-06	2.753774e-07	3.415098e-06	10	2.67	0.055
Harpagifer antarcticus	1.190703e-06	3.41474e-07	3.927767e-05	78	3.80	0.102
Austroflustra vulgaris	1.182237e-06	8.365443e-07	2.659508e-06	31	2.00	0.125
Bathydoris clavigera	1.179676e-06	6.291801e-07	2.44622e-06	46	3.16	0.107
Taeniogyrus contortus	1.172794e-06	9.248071e-07	1.778477e-06	20	2.00	0.110
Abyssocucumis liouvillei	1.149352e-06	1.019204e-06	1.958169e-06	16	2.00	0.110
Achlyonice violaeuspidata	1.116468e-06	1.010603e-06	1.944296e-06	17	2.00	0.111
Astrotoma agassizii	1.116468e-06	7.454145e-09	2.533885e-06	223	2.86	0.123
Phyllocomus crocea	1.113239e-06	5.092776e-07	2.135343e-06	66	2.00	0.152
Ascidia challengerii	1.092832e-06	2.745978e-07	3.50275e-06	5	2.00	0.048
Notaeolidia gigas	1.066349e-06	4.772955e-07	2.178256e-06	28	3.90	0.105
Momoculodes scabriculosus	1.050742e-06	5.083635e-07	2.16553e-06	49	2.00	0.144
Pseudorchomene coatsi	1.050742e-06	5.083635e-07	2.16553e-06	49	2.00	0.144
Pteraster affinis aculeatus	1.024164e-06	3.780034e-07	1.961656e-06	12	3.00	0.042
Bostrychopora dentata	1.017465e-06	7.336209e-07	2.2634e-06	31	2.00	0.125
Lageneschara lyrulata	1.017465e-06	7.336209e-07	2.2634e-06	31	2.00	0.125
Austrocidaris canaliculata	1.015927e-06	5.429963e-07	1.971806e-06	25	3.77	0.030
Lysasterias perrieri	1.014956e-06	2.965157e-07	2.035275e-06	30	3.46	0.088
Glyptonotus antarcticus	1.004102e-06	5.094286e-07	1.466329e-06	121	3.88	0.117
Psolus antarcticus	1.001795e-06	9.248071e-07	1.778477e-06	16	2.00	0.110
Psolus dubiosus	1.001795e-06	9.248071e-07	1.778477e-06	16	2.00	0.110
Epimeria georgiana	9.882144e-07	4.654007e-09	2.709148e-05	139	2.53	0.169
Neobuccinum eatoni	9.663427e-07	4.127796e-07	2.140693e-06	34	3.00	0.100
Pista spinifera	9.635585e-07	4.350614e-07	1.88962e-06	66	2.00	0.152
Terebella ehlersi	9.635585e-07	4.350614e-07	1.88962e-06	66	2.00	0.152
Psolus charcoti	9.462423e-07	8.658855e-07	1.637238e-06	16	2.00	0.110
Mesothuria lactea	9.446587e-07	8.703439e-07	1.618766e-06	17	2.00	0.111
Parschisturella ceruviata	8.965456e-07	4.649595e-07	1.772197e-06	45	2.00	0.139
Tubularia ralphii	8.945726e-07	4.271453e-07	2.078996e-06	53	3.44	0.122
Pseudostichopus mollis	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
Pseudostichopus villosus	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111



Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Psolidium incertum</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Trachythone parva</i>	8.835413e-07	8.070608e-07	1.483513e-06	17	2.00	0.111
<i>Pyura setosa</i>	8.714568e-07	2.352571e-07	3.047592e-06	5	2.00	0.048
<i>Diplasterias brucei</i>	8.295899e-07	4.136254e-07	1.568119e-06	29	3.83	0.052
<i>Macroptychaster accrescens</i>	8.239546e-07	4.261457e-07	1.279301e-06	46	3.80	0.076
<i>Arcturidae</i>	8.201596e-07	4.976851e-07	1.634549e-06	30	2.00	0.117
<i>Tritonia antarctica</i>	8.075119e-07	3.99966e-07	2.03193e-06	28	2.50	0.104
<i>Yolida eightsi</i>	7.931386e-07	3.838922e-07	1.610648e-06	37	2.00	0.102
<i>Notasterias armata</i>	7.855177e-07	4.335495e-07	1.413919e-06	12	3.00	0.042
<i>Pyura tunicata</i>	7.850349e-07	2.107837e-07	2.69732e-06	5	2.00	0.048
<i>Scotoplanes globosa</i>	7.837104e-07	6.72324e-07	1.391294e-06	17	2.00	0.111
<i>Notasterias stylophora</i>	7.75167e-07	3.577487e-07	1.156665e-06	12	3.00	0.042
<i>Pyura discoveryi</i>	7.3857e-07	1.938013e-07	2.596526e-06	5	2.00	0.048
<i>Labidiaster annulatus</i>	7.262738e-07	4.357885e-07	1.819104e-06	144	3.89	0.128
<i>Cylindrotheca closterium</i>	6.789966e-07	5.640899e-07	9.306303e-07	81	1.00	0.202
<i>Gyrodinium lachryama</i>	6.784794e-07	5.185108e-07	8.60802e-07	35	2.00	0.107
<i>Aega antarctica</i>	6.649717e-07	4.114656e-07	1.310033e-06	30	2.00	0.117
<i>Lophaster gaini</i>	6.595062e-07	2.754117e-07	1.173701e-06	12	3.00	0.042
<i>Pyura bouvetensis</i>	6.409226e-07	1.730817e-07	2.279512e-06	5	2.00	0.048
<i>Elpidia glacialis</i>	6.331611e-07	5.362027e-07	1.075839e-06	17	2.00	0.111
<i>Laetmogone wyvillethompsoni</i>	6.331611e-07	5.362027e-07	1.075839e-06	17	2.00	0.111
<i>Echinopsolus acanthocola</i>	6.205844e-07	5.173159e-07	1.012782e-06	16	2.00	0.110
<i>Gnathia calva</i>	6.071912e-07	2.28328e-07	5.153946e-06	48	3.56	0.126
<i>Probuccinum tenuistriatum</i>	6.016794e-07	1.427121e-07	5.366457e-05	41	4.24	0.117
<i>Propeleda longicaudata</i>	5.925714e-07	2.127886e-07	9.544477e-07	25	2.00	0.073
<i>Thalassiosira antarctica</i>	5.700961e-07	4.754783e-07	7.691411e-07	81	1.00	0.202
<i>Hyperiella dilatata</i>	5.576053e-07	3.653766e-08	1.336307e-05	129	2.15	0.157
<i>Ophioceres incipiens</i>	5.397046e-07	1.891863e-08	8.42434e-06	154	2.69	0.120
<i>Liothyrella uva</i>	5.113625e-07	2.583111e-07	7.644138e-07	2	2.00	0.041
<i>Liothyrella uva antarctica</i>	5.113625e-07	2.583111e-07	7.644138e-07	2	2.00	0.041
<i>Amauropsis rossiana</i>	5.088914e-07	2.160463e-07	1.434277e-06	30	3.32	0.105
<i>Magellania fragilis</i>	5.085476e-07	2.569214e-07	7.601738e-07	2	2.00	0.041
<i>Limopsis lillei</i>	5.070776e-07	2.363936e-07	8.832921e-07	29	2.00	0.094
<i>Marseniopsis conica</i>	4.667714e-07	2.039452e-07	1.285786e-06	28	3.00	0.103
<i>Marseniopsis mollis</i>	4.667714e-07	2.039452e-07	1.285786e-06	28	3.00	0.103
<i>Marginella ealesa</i>	4.625519e-07	2.085234e-07	9.193742e-07	28	2.00	0.114
<i>Newnesia antarctica</i>	4.625519e-07	2.085234e-07	9.193742e-07	28	2.00	0.114
<i>Trematomus bernacchii</i>	4.593613e-07	2.006028e-07	1.341004e-05	118	3.62	0.104
<i>Amphidinium hadai</i>	4.421246e-07	3.241335e-07	6.109879e-07	35	2.00	0.107
<i>Sycozoa sigillinoides</i>	4.261457e-07	1.097194e-07	1.433384e-06	5	2.00	0.048
<i>Falsimargarita gemma</i>	4.133372e-07	1.797468e-07	8.051013e-07	28	2.00	0.114
<i>Diastylis mawsoni</i>	3.634029e-07	2.845198e-07	4.725055e-07	8	2.00	0.044
<i>Ekleptostylis debroyeri</i>	3.634029e-07	2.845198e-07	4.725055e-07	8	2.00	0.044
<i>Chaetoceros socialis</i>	3.608027e-07	2.633108e-07	4.29925e-07	81	1.00	0.202
<i>Fissidentalium majorinum</i>	3.411732e-07	2.509714e-07	6.668215e-07	6	2.00	0.035
<i>Natatolana meridionalis</i>	3.347924e-07	2.10849e-07	6.616101e-07	31	2.00	0.117
<i>Natatolana obtusata</i>	3.347924e-07	2.10849e-07	6.616101e-07	31	2.00	0.116
<i>Natatolana oculata</i>	3.347924e-07	2.074642e-07	6.660774e-07	30	2.00	0.117
<i>Cuenotaster involutus</i>	3.086356e-07	2.316226e-07	1.299956e-06	8	2.00	0.061
<i>Nacella concinna</i>	3.049763e-07	1.976903e-07	7.906499e-07	21	3.00	0.083
<i>Lissarca notorcadensis</i>	3.010757e-07	1.881614e-07	5.95349e-07	32	2.00	0.094
<i>Trophon longstaffi</i>	2.519385e-07	1.100545e-07	1.76048e-06	34	3.00	0.098

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Pelagobia longicirrata</i>	2.445062e-07	6.995065e-08	1.339122e-06	137	2.12	0.132
<i>Compsothyris racovitzae</i>	2.323979e-07	1.228803e-07	3.419154e-07	2	2.00	0.041
<i>Magellania joubini</i>	2.323979e-07	1.228803e-07	3.419154e-07	2	2.00	0.041
<i>Golfingia margaritacea</i>	2.227077e-07	1.120792e-07	3.333363e-07	2	2.00	0.047
<i>margaritacea</i>						
<i>Munna globicauda</i>	2.148629e-07	1.348937e-07	4.255366e-07	30	2.00	0.117
<i>Baseodiscus antarcticus</i>	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
<i>Lineus longifissus</i>	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
<i>Parborlasia corrugatus</i>	2.106178e-07	1.337076e-07	2.60481e-07	90	3.53	0.070
<i>Alomasoma belyaevi</i>	1.956442e-07	9.881887e-08	2.924695e-07	2	2.00	0.047
<i>Monocaulus parvula</i>	1.761507e-07	3.97151e-09	2.132574e-06	115	2.37	0.145
<i>Cyclocardia astartoides</i>	1.687487e-07	4.492885e-08	4.136948e-07	18	2.00	0.075
<i>Vanadis antarctica</i>	1.637624e-07	4.405846e-08	6.872733e-07	140	2.34	0.165
<i>Perknaster densus</i>	1.525828e-07	1.525828e-07	6.508076e-07	7	2.00	0.060
<i>Cycethra verrucosa mawsoni</i>	1.434346e-07	1.434346e-07	5.985218e-07	7	2.00	0.060
<i>Alacia belgicae</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Alacia hettacra</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Boroecia antipoda</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Metaconchoecia isocheira</i>	1.414822e-07	8.468252e-08	4.240307e-07	124	2.08	0.130
<i>Crania leointei</i>	1.389486e-07	9.124532e-08	1.866519e-07	2	2.00	0.041
<i>Notioceramus anomalus</i>	1.335162e-07	1.335162e-07	5.656196e-07	7	2.00	0.060
<i>Cadulus dalli antarcticum</i>	1.261431e-07	8.886378e-08	2.563518e-07	6	2.00	0.035
<i>Golfingia nordenskojoeldi</i>	1.255994e-07	7.181644e-08	1.793823e-07	2	2.00	0.047
<i>Phascolion strombi</i>	1.255994e-07	7.181644e-08	1.793823e-07	2	2.00	0.047
<i>Perknaster sladeni</i>	1.240537e-07	1.240537e-07	5.271194e-07	7	2.00	0.060
<i>Silicularia rosea</i>	1.171115e-07	5.054664e-08	4.783046e-07	118	2.37	0.143
<i>Hamingia</i>	9.209379e-08	4.941022e-08	1.347774e-07	2	2.00	0.047
<i>Rhynchonereella bongraini</i>	8.607902e-08	4.570314e-08	2.739096e-07	84	2.12	0.114
<i>Maxmuelleria faex</i>	7.807225e-08	4.285686e-08	1.132876e-07	2	2.00	0.047
<i>Kampylaster incurvatus</i>	7.755344e-08	7.755344e-08	3.528815e-07	7	2.00	0.060
<i>Golfingia anderssoni</i>	6.023754e-08	3.680015e-08	8.367493e-08	2	2.00	0.047
<i>Coscinodiscus oculoides</i>	5.893196e-08	2.473824e-08	1.580011e-07	81	1.00	0.202
<i>Golfingia ohlini</i>	5.673089e-08	4.966455e-08	6.379722e-08	2	2.00	0.047
<i>Golfingia mawsoni</i>	5.47208e-08	5.062035e-08	5.882126e-08	2	2.00	0.047
<i>Echiurus antarcticus</i>	5.300143e-08	3.603646e-08	6.99664e-08	2	2.00	0.047
<i>Djerboa furcipes</i>	5.224266e-08	1.871665e-08	5.091111e-07	116	2.08	0.154
<i>Oradarea edentata</i>	5.14485e-08	1.865585e-08	5.091111e-07	115	2.08	0.154
<i>Haplocheira plumosa</i>	5.006575e-08	1.778048e-08	5.091111e-07	115	2.08	0.156
<i>Pseudo-Nitzschia liniola</i>	4.62495e-08	2.029961e-08	1.332162e-07	81	1.00	0.202
<i>Ihlea racovitzai</i>	3.585471e-08	2.097115e-08	1.036547e-07	76	2.08	0.089
<i>Salpa gerlachei</i>	3.585471e-08	2.097115e-08	1.036547e-07	76	2.08	0.089
<i>Euchaetomera antarcticus</i>	3.326097e-08	1.378546e-08	1.513431e-05	105	2.36	0.133
<i>Pseudo-Nitzschia subcurvata</i>	3.277963e-08	1.531073e-08	1.070871e-07	81	1.00	0.202
<i>Manguinea fusiformis</i>	3.21218e-08	1.486009e-08	1.025105e-07	81	1.00	0.202
<i>Pseudo-Nitzschia heimii</i>	3.151126e-08	1.446766e-08	9.902539e-08	81	1.00	0.202
<i>Edwardsia meridionalis</i>	2.977446e-08	1.474916e-08	6.125673e-08	75	2.15	0.113
<i>Isosicyonis alba</i>	2.977446e-08	1.474916e-08	6.125673e-08	75	2.15	0.113
<i>Clavularia frankiliana</i>	2.902159e-08	1.37557e-08	1.209989e-06	101	2.35	0.138
<i>Stellarima microtrias</i>	2.805713e-08	1.259511e-08	8.080817e-08	81	1.00	0.202
<i>Peraeospinosus pushkini</i>	2.799688e-08	1.293416e-08	6.008763e-06	104	2.36	0.101
<i>Porosira pseudodenticulata</i>	2.793662e-08	1.252563e-08	7.95878e-08	81	1.00	0.202
<i>Thalassiosira tumida</i>	2.63107e-08	1.159892e-08	6.999178e-08	81	1.00	0.202

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
<i>Thalassiosira ritscheri</i>	2.624137e-08	1.156513e-08	6.971769e-08	81	1.00	0.202
<i>Thalassiosira lentiginosa</i>	2.617822e-08	1.153437e-08	6.946827e-08	81	1.00	0.202
<i>Ophiacantha antarctica</i>	2.564069e-08	1.26592e-08	4.003492e-07	90	2.16	0.125
<i>Abyssorchomene plebs</i>	2.49287e-08	8.350765e-09	2.216289e-05	107	2.08	0.159
<i>Nitzschia lecontei</i>	2.480364e-08	1.103538e-08	6.447999e-08	81	1.00	0.202
<i>Parmaphorella mawsoni</i>	2.438857e-08	1.375305e-08	2.88734e-07	86	2.00	0.128
<i>Salpa thompsoni</i>	2.430192e-08	1.346447e-08	1.733991e-05	108	2.28	0.103
<i>Actinocyclus actinochilus</i>	2.425541e-08	1.080826e-08	6.279281e-08	81	1.00	0.202
<i>Dictyocha speculum</i>	2.199368e-08	1.385373e-08	4.271537e-08	30	1.00	0.110
<i>Porosira glacialis</i>	2.18237e-08	9.6432e-09	5.636287e-08	81	1.00	0.202
<i>Isotealia antarctica</i>	1.976451e-08	1.180898e-08	6.671012e-08	74	2.21	0.106
<i>Thalassiosira gracilis expecta</i>	1.966764e-08	8.480819e-09	4.996814e-08	81	1.00	0.202
<i>Ampelisca richardsoni</i>	1.959325e-08	6.937939e-09	1.131035e-06	108	2.00	0.159
<i>Actinocyclus spiritus</i>	1.856558e-08	8.096224e-09	4.779338e-08	81	1.00	0.202
<i>Camylaspis maculata</i>	1.812572e-08	1.055327e-08	3.482684e-08	66	2.00	0.097
<i>Eudorella splendida</i>	1.761209e-08	9.966826e-09	3.239967e-08	68	2.00	0.102
<i>Vaunthompsonia indermis</i>	1.761209e-08	9.966826e-09	3.239967e-08	68	2.00	0.102
<i>Proboscia truncata</i>	1.704812e-08	7.55662e-09	4.386545e-08	81	1.00	0.202
<i>Azpeitia tabularis</i>	1.684713e-08	7.466724e-09	4.31349e-08	81	1.00	0.202
<i>Porania antarctica</i>	1.671115e-08	1.03026e-08	3.64839e-08	72	2.12	0.108
<i>Rhizosolenia antennata</i>	1.63569e-08	6.671586e-09	3.873542e-08	81	1.00	0.202
<i>Manguinea rigida</i>	1.630969e-08	6.992491e-09	4.048219e-08	81	1.00	0.202
<i>Eucampia antarctica</i>	1.597536e-08	6.543489e-09	3.803298e-08	81	1.00	0.202
<i>Thalassiosira trifulta</i>	1.524402e-08	6.137307e-09	3.591437e-08	81	1.00	0.202
<i>Nitzschia kerguelensis</i>	1.517095e-08	6.09392e-09	3.579504e-08	81	1.00	0.202
<i>Odontella weissflogii</i>	1.517095e-08	6.09392e-09	3.579504e-08	81	1.00	0.202
<i>Thalassiosira gravida</i>	1.488074e-08	5.923095e-09	3.532189e-08	81	1.00	0.202
<i>Nototanais dimorphus</i>	1.469447e-08	1.066477e-08	2.805713e-08	69	2.00	0.104
<i>Nototanais antarcticus</i>	1.455432e-08	1.066477e-08	2.8027e-08	70	2.00	0.105
<i>Actinocyclus utricularis</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Banquisia belgicae</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Chaetoceros concavicornis</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Chaetoceros criophilum</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Corethron criophilum</i>	1.413125e-08	5.541536e-09	3.417282e-08	81	1.00	0.202
<i>Pseudo-Nitzschia prolongatoides</i>	1.398864e-08	5.443517e-09	3.415766e-08	81	1.00	0.202
<i>Thalassiosira frenguelliopsis</i>	1.388148e-08	5.354252e-09	3.392988e-08	81	1.00	0.202
<i>Thalassiosira australis</i>	1.32721e-08	4.862685e-09	3.045084e-08	81	1.00	0.202
<i>Thalassiosira gracilis</i>	1.32721e-08	4.862685e-09	3.045084e-08	81	1.00	0.202
<i>Porania antarctica glabra</i>	1.307845e-08	6.548193e-09	2.611232e-08	72	2.12	0.108
<i>Chaetoceros flexuosum</i>	1.224385e-08	4.271874e-09	2.751283e-08	81	1.00	0.202
<i>Proboscia alata</i>	1.207053e-08	4.144596e-09	2.681657e-08	81	1.00	0.202
<i>Oswaldella antarctica</i>	1.153437e-08	4.862685e-09	9.306303e-07	93	2.00	0.128
<i>Proboscia inermi</i>	1.117759e-08	3.655737e-09	2.373163e-08	81	1.00	0.202
<i>Sterechinus antarcticus</i>	1.055074e-08	2.680485e-09	1.700366e-06	121	2.47	0.101
<i>Bodo saltans</i>	1.047241e-08	5.230062e-09	2.040519e-08	32	3.00	0.108
<i>Chaetoceros bulbosum</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Chaetoceros dictyota</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Chaetoceros pelagicus</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Fragilariopsis separanda</i>	1.041188e-08	3.148448e-09	2.123888e-08	81	1.00	0.202
<i>Fragilariopsis linearis</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis nana</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
<i>Fragilariopsis obliquecostata</i>	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202

Species	median IS	Q1 IS	Q3 IS	Degree	TL	TS
Fragilariopsis rhombica	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
Fragilariopsis ritscheri	9.893299e-09	2.888424e-09	2.016798e-08	81	1.00	0.202
Fragilariopsis kerguelensis	9.353684e-09	2.658185e-09	1.936967e-08	81	1.00	0.202
Trichotoxon reinboldii	9.000744e-09	2.563283e-09	1.887812e-08	81	1.00	0.202
Phaeocystis antarctica	8.906517e-09	4.339412e-09	1.71765e-08	30	1.00	0.110
Fragilariopsis sublinearis	8.267227e-09	2.169726e-09	1.666754e-08	81	1.00	0.202
Nematocarcinus lanceopes	8.242873e-09	3.492658e-09	6.730801e-07	90	2.39	0.111
Eucopia australis	8.182022e-09	3.262085e-09	2.578615e-05	105	2.36	0.133
Anthomastus bathyproctus	7.826422e-09	3.528914e-09	1.005512e-06	84	2.02	0.133
Chaetoceros neglectum	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
Fragilariopsis curta	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
Fragilariopsis pseudonana	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
Fragilariopsis vanheurckii	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
Nitzschia neglecta	7.567656e-09	1.880278e-09	1.421549e-08	81	1.00	0.202
Silicioflagellata	6.587074e-09	3.259095e-09	1.234305e-08	30	1.00	0.110
Antarctomysis maxima	5.73193e-09	2.342752e-09	2.880825e-05	105	2.36	0.133
Navicula glaciei	5.714033e-09	1.360598e-09	9.206776e-09	81	1.00	0.202
Navicula schefferae	5.714033e-09	1.360598e-09	9.206776e-09	81	1.00	0.202
Bathylaster loripes	5.496427e-09	2.46937e-09	1.110237e-06	101	2.67	0.131
Fragilariopsis cylindrus	5.176133e-09	1.275172e-09	8.345545e-09	81	1.00	0.202
Sediment	2.983855e-09	1.089848e-09	6.335435e-09	57	1.00	0.064
Austrosignum grande	2.099819e-09	1.024369e-09	1.20403e-06	89	2.00	0.138
Phytodetritus	1.738243e-09	8.316905e-10	5.752081e-09	226	1.00	0.094
Abatus curvidens	1.302266e-09	1.302266e-09	1.302266e-09	2	2.00	0.039
Abatus shackeltoni	1.227636e-09	1.227636e-09	1.227636e-09	2	2.00	0.039
Abatus cavernosus	1.089848e-09	1.089848e-09	1.089848e-09	2	2.00	0.039
Abatus nimrodi	9.830281e-10	9.830281e-10	9.830281e-10	2	2.00	0.039
Gersemia antarctica	4.368498e-10	2.553266e-10	3.38733e-06	87	2.08	0.132

## Extinction simulations and stability

We performed extinction simulations, one at a time, for every species in the Weddell Sea food web. In order to assess the impact on the stability of the food web we statistically compared a stability index before and after performing the extinction. For this, we applied Quasi-Sign Stability *QSS* that calculates the proportion of matrices that are locally stable. These matrices are created by sampling the values of the community matrix (the Jacobian) from a uniform distribution, preserving the sign structure: positive for predators and negative for prey. This stability index was originally proposed by Allesina and Pascual (2008). For the *QSS* calculation we used a uniform distribution between 0 and maximum values given by the parameters negative, positive and self-damping, corresponding to the sign of interactions and self-limitation effect. Since we had estimated the interaction strength for each interaction of the Weddell Sea food web, the limits of the distribution were *negative* \*  $-x$ , *positive* \*  $x$ , *self - damping* \*  $x$ , where  $x$  is the value of the strength for the interaction in question. The  $x$  for the self-limitation effect of the species is 0 unless the species presents cannibalism. We performed 1000 extinction simulations for every species. Our results showed that the proportion of Jacobians that were locally stable was zero, probably due to the absence of self-limitation in the species. Thus, we considered the distribution of maximum eigenvalues as the stability index, hereafter *QSS*. For testing if the *QSS* difference before and after the extinction is positive or negative we performed a contrast. This means that for each simulation we made the difference of the *QSS* after extinction with the median value of the 1000 simulations of *QSS* for the whole network, thus we obtained a distribution of *QSS* differences. A positive difference indicates that the food web's stability is greater without the targeted species, suggesting that the species in question contributes to the network's instability. Conversely, a negative difference implies that the network is less stable without the species, indicating a stabilizing effect. Due to

the variability in the estimation of the eigenvalues, we decided to consider that a substantial impact on stability was reached when the proportion of either negative or positive differences within this distribution must exceeded 0.55. Figure S2 shows this for four species.

We used the R package *multiweb* to calculate *QSS* and to test the *QSS* difference before and after performing the extinction (Saravia 2019). Two functions were specifically created for these analyses: ‘*calc\_QSS*’ and ‘*calc\_QSS\_extinction\_dif*’.




Figure S2: Distribution of relative stability differences (between the whole network and the network minus one species) when the species in question are removed from the Weddell Sea food web. Stability differences are shown as percentages. Central tendencies are shown: median in brown dash, mode in blue longdash.

Table S2: Summary of maximum eigenvalue (*QSS*) distribution of differences before and after performing extinction simulations in the Weddell Sea food web. Ordered by decreasing proportion of positive differences. Prop dif *QSS* + = Proportion of positive differences, Prop dif *QSS* - = Proportion of negative differences, median dif*QSS* relat = median of relative *QSS* differences.

Species	Prop dif <i>QSS</i> +	Prop dif <i>QSS</i> -	median dif <i>QSS</i> relat
Hydrurga leptonyx	0.651	0.349	0.0582380
Arctocephalus gazella	0.613	0.387	0.0322909
Mirounga leonina	0.581	0.419	0.0312906
Mesonychoteuthis hamiltoni	0.573	0.427	0.0265289
Orcinus orca	0.570	0.430	0.0232904
Macrourus holotrachys	0.568	0.432	0.0239889
Notothenia marmorata	0.563	0.437	0.0183958
Macrourus whitsoni	0.558	0.442	0.0223483
Ommatophoca rossii	0.558	0.442	0.0236585
Leptonychotes weddelli	0.551	0.449	0.0204262

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Dissostichus mawsoni	0.547	0.453	0.0195471
Notothenia coriiceps	0.544	0.456	0.0181917
Pagetopsis macropterus	0.542	0.458	0.0133901
Clio pyramidata	0.539	0.461	0.0132594
Edwardsia meridionalis	0.534	0.466	0.0111048
Galiteuthis glacialis	0.532	0.468	0.0117626
Megaptera novaeangliae	0.530	0.470	0.0100044
Nototanais antarcticus	0.530	0.470	0.0081931
Isosicyonis alba	0.529	0.471	0.0091071
Natatolana meridionalis	0.529	0.471	0.0083387
Echiurus antarcticus	0.528	0.472	0.0097771
Paraceradocus gibber	0.527	0.473	0.0088182
Martialia hyadesi	0.526	0.474	0.0086266
Nitzschia neglecta	0.526	0.474	0.0082240
Aptenodytes forsteri	0.525	0.475	0.0092236
Pleuragramma antarcticum	0.525	0.475	0.0127623
Trematomus pennellii	0.525	0.475	0.0092681
Golfingia nordenskojoeldi	0.523	0.477	0.0093687
Chionodraco myersi	0.522	0.478	0.0079624
Silicioflagellata	0.522	0.478	0.0067129
Thalassiosira gravida	0.522	0.478	0.0079688
Thalassiosira ritscheri	0.522	0.478	0.0089235
Trematomus loennbergii	0.521	0.479	0.0090177
Ctenocidaris perrieri	0.520	0.480	0.0045898
Eucopia australis	0.520	0.480	0.0063218
Bathyiaster loripes	0.519	0.481	0.0071585
Camylaspis maculata	0.519	0.481	0.0075011
Cylindrotheca closterium	0.519	0.481	0.0071210
Kondakovia longimana	0.519	0.481	0.0065312
Psychroteuthis glacialis	0.519	0.481	0.0047244
Golfingia margaritacea margaritacea	0.518	0.482	0.0061283
Notaeolidia gigas	0.518	0.482	0.0106079
Ekleptostylis debroyeri	0.517	0.483	0.0090180
Notasterias stylophora	0.517	0.483	0.0042340
Tedania vanhoeffeni	0.517	0.483	0.0087910
Trematomus hansonii	0.517	0.483	0.0058990
Caulastraea curvata	0.516	0.484	0.0096405
Crania leointei	0.516	0.484	0.0037504
Cyllopus lucasii	0.516	0.484	0.0047906
Dimophyes arctica	0.516	0.484	0.0068132
Magellania joubini	0.516	0.484	0.0054193
Perknaster densus	0.516	0.484	0.0027993
Phorbast glaberrima	0.516	0.484	0.0060650
Flustra antarctica	0.515	0.485	0.0039654
Fragilariopsis linearis	0.515	0.485	0.0033586
Pseudo-Nitzschia prolongatoides	0.515	0.485	0.0089807
Trematomus nicolai	0.515	0.485	0.0062671
Aethotaxis mitopteryx	0.514	0.486	0.0043803
Ekmocucumis turqueti	0.514	0.486	0.0080713
Acodontaster conspicuus	0.513	0.487	0.0040223
Urticinopsis antarctica	0.513	0.487	0.0046915
Bathypanoploea schellenbergi	0.512	0.488	0.0042547

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Cassidulinoides parkerianus	0.512	0.488	0.0059199
Desmonema glaciale	0.512	0.488	0.0033888
Golfingia anderssoni	0.512	0.488	0.0075599
Isodyctia steifera	0.512	0.488	0.0044246
Lageneschara lyrulata	0.512	0.488	0.0036662
Pagetopsis maculatus	0.512	0.488	0.0048215
Pogonophryne marmorata	0.512	0.488	0.0030079
Gorgonocephalus chiliensis	0.511	0.489	0.0045626
Kirkpatrickia variolosa	0.511	0.489	0.0027825
Rossella antarctica	0.511	0.489	0.0022915
Anthomastus bathyproctus	0.510	0.490	0.0047369
Chaetoceros criophilum	0.510	0.490	0.0016969
Chaetoceros socialis	0.510	0.490	0.0033011
Macroptychaster accrescens	0.510	0.490	0.0027970
Ophionotus victoriae	0.510	0.490	0.0022531
Pogonophryne scotti	0.510	0.490	0.0048291
Serolella bouveri	0.510	0.490	0.0047019
Dictyocha speculum	0.509	0.491	0.0034916
Mesothuria lactea	0.509	0.491	0.0020680
Ophiurolepis gelida	0.509	0.491	0.0038004
Pachyptila desolata	0.509	0.491	0.0028994
Pseudosagitta gazellae	0.509	0.491	0.0031234
Artedidraco loennbergi	0.508	0.492	0.0038814
Gerlachea australis	0.508	0.492	0.0039727
Phorbas areolatus	0.508	0.492	0.0032709
Polymastia invaginata	0.508	0.492	0.0037578
Porosira pseudodenticulata	0.508	0.492	0.0017527
Propeleda longicaudata	0.508	0.492	0.0024102
Trophon longstaffi	0.508	0.492	0.0039214
Bargmannia	0.507	0.493	0.0033179
Baseodiscus antarcticus	0.507	0.493	0.0029885
Dolloidraco longedorsalis	0.507	0.493	0.0038833
Gnathiphimedia mandibularis	0.507	0.493	0.0038035
Gymnoscopelus braueri	0.507	0.493	0.0049433
Harpovoluta charcoti	0.507	0.493	0.0015015
Lenticulina antarctica	0.507	0.493	0.0017082
Lyrocteis flavopallidus	0.507	0.493	0.0042962
Ophiacantha antarctica	0.507	0.493	0.0022393
Callianira antarctica	0.506	0.494	0.0027097
Isotealia antarctica	0.506	0.494	0.0027374
Moroteuthis ingens	0.506	0.494	0.0035174
Solaster dawsoni	0.506	0.494	0.0030059
Solmundella bitentaculata	0.506	0.494	0.0015497
Stellarima microtrias	0.506	0.494	0.0019913
Camptoplites tricornis	0.505	0.495	0.0009800
Cinachyra barbata	0.505	0.495	0.0016805
Clione antarctica	0.505	0.495	0.0023987
Eulagisca gigantea	0.505	0.495	0.0007266
Fulmarus glacialis	0.505	0.495	0.0018270
Natatolana oculata	0.505	0.495	0.0011171
Reteporella hippocrepis	0.505	0.495	0.0019210
Rhynchonereella bongraini	0.505	0.495	0.0022910

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Sterna vittata</i>	0.505	0.495	0.0023508
<i>Stylocordyla borealis</i>	0.505	0.495	0.0033806
<i>Trematomus bernacchii</i>	0.505	0.495	0.0021561
<i>Waldeckia obesa</i>	0.505	0.495	0.0024522
<i>Chaetoceros concavicornis</i>	0.504	0.496	0.0013448
<i>Falsimargarita gemma</i>	0.504	0.496	0.0012544
<i>Globocassidulina crassa</i>	0.504	0.496	0.0020306
<i>Liljeborgia georgiana</i>	0.504	0.496	0.0013039
<i>Monocaulus parvula</i>	0.504	0.496	0.0005649
<i>Nitzschia kerguelensis</i>	0.504	0.496	0.0020456
<i>Parborlasia corrugatus</i>	0.504	0.496	0.0013657
<i>Pareledone charcoti</i>	0.504	0.496	0.0013661
<i>Physeter macrocephalus</i>	0.504	0.496	0.0008654
<i>Pogonophryne phyllopogon</i>	0.504	0.496	0.0011003
<i>Thysanoessa macrura</i>	0.504	0.496	0.0012274
<i>Abyssocucumis liouvillei</i>	0.503	0.497	0.0012950
<i>Bathydoris clavigera</i>	0.503	0.497	0.0028458
<i>Labidiaster annulatus</i>	0.503	0.497	0.0003740
<i>Salpa thompsoni</i>	0.503	0.497	0.0009690
<i>Serolis polita</i>	0.503	0.497	0.0008018
<i>Astroclamys bruneus</i>	0.502	0.498	0.0008001
<i>Cryodraco antarcticus</i>	0.502	0.498	0.0016087
<i>Epimeria georgiana</i>	0.502	0.498	0.0006987
<i>Euchaetomera antarcticus</i>	0.502	0.498	0.0013019
<i>Pentanymphe antarcticum</i>	0.502	0.498	0.0005864
<i>Perknaster sladeni</i>	0.502	0.498	0.0008425
<i>Pogonophryne permitini</i>	0.502	0.498	0.0002546
<i>Probuccinum tenuistriatum</i>	0.502	0.498	0.0013972
<i>Rhachotropis antarctica</i>	0.502	0.498	0.0007659
<i>Acodontaster hodgsoni</i>	0.501	0.499	0.0011094
<i>Austrocidaris canaliculata</i>	0.501	0.499	0.0003520
<i>Axociella nidificata</i>	0.501	0.499	0.0002910
<i>Chaetoceros dictyota</i>	0.501	0.499	0.0000346
<i>Cuenotaster involutus</i>	0.501	0.499	0.0007711
<i>Fragilariopsis cylindrus</i>	0.501	0.499	0.0002557
<i>Gersemia antarctica</i>	0.501	0.499	0.0010437
<i>Liothyrella uva</i>	0.501	0.499	0.0006468
<i>Pyura discoveryi</i>	0.501	0.499	0.0007100
<i>Thalassiosira australis</i>	0.501	0.499	0.0012156
<i>Ainigmaptilon antarcticus</i>	0.500	0.500	-0.0001649
<i>Cibicides refulgens</i>	0.500	0.500	0.0001178
<i>Flustra angusta</i>	0.500	0.500	-0.0001896
<i>Gymnodraco acuticeps</i>	0.500	0.500	0.0000998
<i>Harmotoe hartmanae</i>	0.500	0.500	0.0003728
<i>Limopsis lillei</i>	0.500	0.500	0.0004295
<i>Pachycara brachycephalum</i>	0.500	0.500	-0.0000500
<i>Psilaster charcoti</i>	0.500	0.500	0.0001576
<i>Rhodalia miranda</i>	0.500	0.500	0.0002211
<i>Rossella tarenja</i>	0.500	0.500	0.0000790
<i>Tetilla leptoderma</i>	0.500	0.500	0.0001494
<i>Thalassiosira trifurcata</i>	0.500	0.500	-0.0000996
<i>Chiridota weddellensis</i>	0.499	0.501	-0.0010806



Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Isoschizoporella tricuspis</i>	0.499	0.501	-0.0002841
<i>Parvicorbucula socialis</i>	0.499	0.501	-0.0001631
<i>Phaeocystis antarctica</i>	0.499	0.501	-0.0001461
<i>Sycozoa sigillinoides</i>	0.499	0.501	-0.0011296
<i>Synoicum adareanum</i>	0.499	0.501	-0.0002467
<i>Trachythyone parva</i>	0.499	0.501	-0.0003053
<i>Tryphosella murrayi</i>	0.499	0.501	-0.0005343
<i>Armadillologorgia cyathella</i>	0.498	0.502	-0.0023066
<i>Austrosignum grande</i>	0.498	0.502	-0.0003971
<i>Cygnodraco mawsoni</i>	0.498	0.502	-0.0002223
<i>Fragilariopsis kerguelensis</i>	0.498	0.502	-0.0007914
<i>Maxmuelleria faex</i>	0.498	0.502	-0.0010493
<i>Muraenolepis microps</i>	0.498	0.502	-0.0004239
<i>Thalassiosira gracilis expecta</i>	0.498	0.502	-0.0002924
<i>Chionodraco hamatus</i>	0.497	0.503	-0.0012882
<i>Diphyes antarctica</i>	0.497	0.503	-0.0017090
<i>Epimeria similis</i>	0.497	0.503	-0.0016099
<i>Eunoe spica spicoides</i>	0.497	0.503	-0.0006674
<i>Fragilariopsis rhombica</i>	0.497	0.503	-0.0012413
<i>Oswaldella antarctica</i>	0.497	0.503	-0.0017838
<i>Pseudo-Nitzschia heimii</i>	0.497	0.503	-0.0013588
<i>Ypsilocucumis turricata</i>	0.497	0.503	-0.0008072
<i>Bathylagus antarcticus</i>	0.496	0.504	-0.0012683
<i>Bostrychopora dentata</i>	0.496	0.504	-0.0030830
<i>Dipulmaris antarctica</i>	0.496	0.504	-0.0022872
<i>Hamingia</i>	0.496	0.504	-0.0030751
<i>Lagenorhynchus cruciger</i>	0.496	0.504	-0.0019112
<i>Odontella weissflogii</i>	0.496	0.504	-0.0011033
<i>Ophioperla ludwigi</i>	0.496	0.504	-0.0007503
<i>Psolus antarcticus</i>	0.496	0.504	-0.0023681
<i>Pyura tunicata</i>	0.496	0.504	-0.0025805
<i>Scolymastra joubini</i>	0.496	0.504	-0.0018918
<i>Vaunthompsonia indermis</i>	0.496	0.504	-0.0019649
<i>Ammothea carolinensis</i>	0.495	0.505	-0.0017501
<i>Calyx arcuarius</i>	0.495	0.505	-0.0019267
<i>Echiniphimedia hodgsoni</i>	0.495	0.505	-0.0027247
<i>Eunoe hartmanae</i>	0.495	0.505	-0.0016984
<i>Glyptonotus antarcticus</i>	0.495	0.505	-0.0014988
<i>Gonatus antarcticus</i>	0.495	0.505	-0.0027379
<i>Gymnoscopelus nicholsi</i>	0.495	0.505	-0.0010180
<i>Newnesia antarctica</i>	0.495	0.505	-0.0025157
<i>Oradarea edentata</i>	0.495	0.505	-0.0044435
<i>Paramoera walkeri</i>	0.495	0.505	-0.0023683
<i>Pontiothauma ergata</i>	0.495	0.505	-0.0023953
<i>Salpa gerlachei</i>	0.495	0.505	-0.0017212
<i>Trematomus lepidorhinus</i>	0.495	0.505	-0.0016022
<i>Trematomus scotti</i>	0.495	0.505	-0.0012912
<i>Anthometra adriani</i>	0.494	0.506	-0.0024176
<i>Barrukia cristata</i>	0.494	0.506	-0.0023785
<i>Eusirus perdentatus</i>	0.494	0.506	-0.0046083
<i>Harmothoe spinosa</i>	0.494	0.506	-0.0022896
<i>Muraenolepis marmoratus</i>	0.494	0.506	-0.0028276

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Notolepis coatsi	0.494	0.506	-0.0019983
Nototanaeis dimorphus	0.494	0.506	-0.0017890
Porania antarctica glabra	0.494	0.506	-0.0015953
Vibilia stebbingi	0.494	0.506	-0.0014300
Azpeitia tabularis	0.493	0.507	-0.0029656
Bathyplores bongraini	0.493	0.507	-0.0007116
Fragilariopsis ritscheri	0.493	0.507	-0.0029602
Iphimediella cyclogena	0.493	0.507	-0.0026846
Isodyctia cavicornuta	0.493	0.507	-0.0020899
Latrunculia brevis	0.493	0.507	-0.0029820
Terebella ehlersi	0.493	0.507	-0.0034257
Trematomus eulepidotus	0.493	0.507	-0.0010600
Abyssorhomene plebs	0.492	0.508	-0.0024938
Actinocyclus spiritus	0.492	0.508	-0.0019679
Alomasoma belyaevi	0.492	0.508	-0.0042964
Echinopsolus acanthocola	0.492	0.508	-0.0057993
Harmothoe crosetensis	0.492	0.508	-0.0028233
Luidiaster gerlachei	0.492	0.508	-0.0033875
Ophioceres incipiens	0.492	0.508	-0.0034192
Phytodetritus	0.492	0.508	-0.0045845
Pogonophryne barsukovi	0.492	0.508	-0.0032684
Polymastia isidis	0.492	0.508	-0.0054013
Primnoella	0.492	0.508	-0.0025488
Scotoplanes globosa	0.492	0.508	-0.0021334
Sterechinus antarcticus	0.492	0.508	-0.0036710
Thalassiosira lentiginosa	0.492	0.508	-0.0029557
Trichotoxon reinboldii	0.492	0.508	-0.0022528
Eurythenes gryllus	0.491	0.509	-0.0068590
Gymnoscopelus opisthopterus	0.491	0.509	-0.0047407
Hyperia macrocephala	0.491	0.509	-0.0016421
Laetmonice producta	0.491	0.509	-0.0035854
Metridia gerlachei	0.491	0.509	-0.0041704
Natatolana obtusata	0.491	0.509	-0.0028313
Neogloboquadriana pachyderma	0.491	0.509	-0.0033988
Protomyctophum bolini	0.491	0.509	-0.0040030
Artedidraco orianae	0.490	0.510	-0.0056516
Bathyplores gourdoni	0.490	0.510	-0.0048060
Ceratoserolis meridionalis	0.490	0.510	-0.0052969
Champsoccephalus gunnari	0.490	0.510	-0.0024889
Eucampia antarctica	0.490	0.510	-0.0036513
Fragilariopsis sublinearis	0.490	0.510	-0.0060890
Lineus longifissus	0.490	0.510	-0.0018020
Manguinea rigida	0.490	0.510	-0.0034919
Navicula schefferae	0.490	0.510	-0.0032010
Nitzschia leointei	0.490	0.510	-0.0036853
Notasterias armata	0.490	0.510	-0.0025762
Proboscica truncata	0.490	0.510	-0.0042327
Systenopora contracta	0.490	0.510	-0.0018426
Balaenoptera physalus	0.489	0.511	-0.0036744
Compsothyris racovitzae	0.489	0.511	-0.0032968
Eudorella splendida	0.489	0.511	-0.0032353
Eukrohnia hamata	0.489	0.511	-0.0048904

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Haliclona tenella</i>	0.489	0.511	-0.0037653
<i>Melphidippa antarctica</i>	0.489	0.511	-0.0045582
<i>Thalassiosira antarctica</i>	0.489	0.511	-0.0032131
<i>Abatus curvidens</i>	0.488	0.512	-0.0054183
<i>Cephalodiscus</i>	0.488	0.512	-0.0038693
<i>Chorismus antarcticus</i>	0.488	0.512	-0.0030444
<i>Clavularia frankiliana</i>	0.488	0.512	-0.0051405
<i>Djerboa furcipes</i>	0.488	0.512	-0.0037924
<i>Elpidia glacialis</i>	0.488	0.512	-0.0045144
<i>Fragilariopsis obliquecostata</i>	0.488	0.512	-0.0052588
<i>Frontoserolis bouvieri</i>	0.488	0.512	-0.0032634
<i>Golfingia mawsoni</i>	0.488	0.512	-0.0054661
<i>Lysasterias perrieri</i>	0.488	0.512	-0.0049979
<i>Peraeospinosus pushkini</i>	0.488	0.512	-0.0066603
<i>Primnoisis antarctica</i>	0.488	0.512	-0.0063024
<i>Puncturella conica</i>	0.488	0.512	-0.0056781
<i>Tedania oxeata</i>	0.488	0.512	-0.0065368
<i>Abatus shackeltoni</i>	0.487	0.513	-0.0030984
<i>Abyssorchomene nodimanus</i>	0.487	0.513	-0.0031439
<i>Boroecia antipoda</i>	0.487	0.513	-0.0061579
<i>Chaetoceros bulbosum</i>	0.487	0.513	-0.0039333
<i>Chaetoceros flexuosum</i>	0.487	0.513	-0.0047528
<i>Coscinodiscus oculoides</i>	0.487	0.513	-0.0053402
<i>Fragilariopsis curta</i>	0.487	0.513	-0.0070815
<i>Fragilariopsis vanheurckii</i>	0.487	0.513	-0.0062002
<i>Lobodon carcinophaga</i>	0.487	0.513	-0.0063867
<i>Molpadia musculus</i>	0.487	0.513	-0.0047462
<i>Oediceroides calmani</i>	0.487	0.513	-0.0062316
<i>Primno macropa</i>	0.487	0.513	-0.0029989
<i>Pseudo-Nitzschia subcurvata</i>	0.487	0.513	-0.0041229
<i>Rhizosolenia antennata</i>	0.487	0.513	-0.0056520
<i>Atolla wyvillei</i>	0.486	0.514	-0.0065291
<i>Banquisia belgicae</i>	0.486	0.514	-0.0076616
<i>Eucranta mollis</i>	0.486	0.514	-0.0050463
<i>Fragilariopsis nana</i>	0.486	0.514	-0.0072714
<i>Kampylaster incurvatus</i>	0.486	0.514	-0.0044364
<i>Limopsis marionensis</i>	0.486	0.514	-0.0057213
<i>Odontaster meridionalis</i>	0.486	0.514	-0.0036272
<i>Pseudorchomene coatsi</i>	0.486	0.514	-0.0053202
<i>Pseudostichopus villosus</i>	0.486	0.514	-0.0047324
<i>Psolus charcoti</i>	0.486	0.514	-0.0057572
<i>Rhincalanus gigas</i>	0.486	0.514	-0.0036697
<i>Acodontaster capitatus</i>	0.485	0.515	-0.0083951
<i>Cadulus dalli antarcticum</i>	0.485	0.515	-0.0067344
<i>Chondriovelum adeliense</i>	0.485	0.515	-0.0048009
<i>Epimeria macrodonta</i>	0.485	0.515	-0.0063029
<i>Notocidaris mortenseni</i>	0.485	0.515	-0.0059463
<i>Oediceroides emarginatus</i>	0.485	0.515	-0.0041345
<i>Paraeuchaeta antarctica</i>	0.485	0.515	-0.0031913
<i>Pelagobia longicirrata</i>	0.485	0.515	-0.0033949
<i>Pseudosagitta maxima</i>	0.485	0.515	-0.0051500
<i>Pyura bouvetensis</i>	0.485	0.515	-0.0049726

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Sagitta marri</i>	0.485	0.515	-0.0039593
<i>Aega antarctica</i>	0.484	0.516	-0.0057122
<i>Amauropsis rossiana</i>	0.484	0.516	-0.0067281
<i>Artedidraco skottsbergi</i>	0.484	0.516	-0.0078217
<i>Cinachyra antarctica</i>	0.484	0.516	-0.0082003
<i>Cyclocardia astartoides</i>	0.484	0.516	-0.0032747
<i>Gyrodinium lachryama</i>	0.484	0.516	-0.0056621
<i>Laternula elliptica</i>	0.484	0.516	-0.0040563
<i>Lissarca notorcadensis</i>	0.484	0.516	-0.0058492
<i>Nematocarcinus lanceopes</i>	0.484	0.516	-0.0045953
<i>Porosira glacialis</i>	0.484	0.516	-0.0092357
<i>Racovitzia glacialis</i>	0.484	0.516	-0.0060069
<i>Rossella racovitzae</i>	0.484	0.516	-0.0085166
<i>Thalassiosira tumida</i>	0.484	0.516	-0.0042616
<i>Uristes gigas</i>	0.484	0.516	-0.0058431
<i>Alacia hettacra</i>	0.483	0.517	-0.0088251
<i>Cnemidocarpa verrucosa</i>	0.483	0.517	-0.0061612
<i>Ctenocidaris gigantea</i>	0.483	0.517	-0.0070339
<i>Ctenocidaris gilberti</i>	0.483	0.517	-0.0076822
<i>Euphausia frigida</i>	0.483	0.517	-0.0064351
<i>Macroneustes halli</i>	0.483	0.517	-0.0047482
<i>Bodo saltans</i>	0.482	0.518	-0.0066985
<i>Corella eumyota</i>	0.482	0.518	-0.0072362
<i>Halobaena caerulea</i>	0.482	0.518	-0.0056020
<i>Momoculodes scabriculosus</i>	0.482	0.518	-0.0059426
<i>Notioceramus anomalus</i>	0.482	0.518	-0.0066014
<i>Pseudostichopus mollis</i>	0.482	0.518	-0.0070969
<i>Silicularia rosea</i>	0.482	0.518	-0.0049115
<i>Tedania tantulata</i>	0.482	0.518	-0.0055678
<i>Abyssorchomene rossi</i>	0.481	0.519	-0.0087070
<i>Bathydorus spinosus</i>	0.481	0.519	-0.0031180
<i>Callochiton gaussi</i>	0.481	0.519	-0.0082165
<i>Colossendeis scotti</i>	0.481	0.519	-0.0086793
<i>Ekmocucumis turqueti turqueti</i>	0.481	0.519	-0.0094141
<i>Epimeriella walkeri</i>	0.481	0.519	-0.0053542
<i>Eunoe spica</i>	0.481	0.519	-0.0107645
<i>Eusirus antarcticus</i>	0.481	0.519	-0.0055932
<i>Hyperietta dilatata</i>	0.481	0.519	-0.0080893
<i>Ihlea racovitzai</i>	0.481	0.519	-0.0055195
<i>Iophon radiatus</i>	0.481	0.519	-0.0047174
<i>Manguinea fusiformis</i>	0.481	0.519	-0.0056759
<i>Maxillipimedia longipes</i>	0.481	0.519	-0.0080127
<i>Procellaria aequinoctialis</i>	0.481	0.519	-0.0099933
<i>Chaetoceros neglectum</i>	0.480	0.520	-0.0086514
<i>Cycethra verrucosa mawsoni</i>	0.480	0.520	-0.0070076
<i>Diastylis mawsoni</i>	0.480	0.520	-0.0077050
<i>Oceanites oceanicus</i>	0.480	0.520	-0.0096389
<i>Ophioperla koehlerii</i>	0.480	0.520	-0.0062868
<i>Pista spinifera</i>	0.480	0.520	-0.0119714
<i>Proboscia inermi</i>	0.480	0.520	-0.0050531
<i>Sterna paradisaea</i>	0.480	0.520	-0.0059022
<i>Alcyonium antarcticum</i>	0.479	0.521	-0.0070165

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Astrotoma agassizii</i>	0.479	0.521	-0.0069480
<i>Beroe cucumis</i>	0.479	0.521	-0.0103777
<i>Conchoecia antipoda</i>	0.479	0.521	-0.0061575
<i>Fasciculiporoides ramosa</i>	0.479	0.521	-0.0067969
<i>Parschisturella ceruviata</i>	0.479	0.521	-0.0083520
<i>Aegires albus</i>	0.478	0.522	-0.0131985
<i>Arcturidae</i>	0.478	0.522	-0.0093868
<i>Ascidia challengerii</i>	0.478	0.522	-0.0102953
<i>Dacodraco hunteri</i>	0.478	0.522	-0.0087207
<i>Navicula glaciei</i>	0.478	0.522	-0.0069482
<i>Proboscia alata</i>	0.478	0.522	-0.0088419
<i>Taeniogyrus contortus</i>	0.478	0.522	-0.0092234
<i>Actinocyclus utricularis</i>	0.477	0.523	-0.0094535
<i>Conchoecia hettacra</i>	0.477	0.523	-0.0111213
<i>Marginella ealesa</i>	0.477	0.523	-0.0060792
<i>Molgula pedunculata</i>	0.477	0.523	-0.0115538
<i>Mycale acerata</i>	0.477	0.523	-0.0058197
<i>Nymphon gracillimum</i>	0.477	0.523	-0.0100160
<i>Perknaster fuscus antarcticus</i>	0.477	0.523	-0.0071113
<i>Calanoides acutus</i>	0.476	0.524	-0.0092773
<i>Macroneustes giganteus</i>	0.476	0.524	-0.0073498
<i>Nematoflustra flagellata</i>	0.476	0.524	-0.0081824
<i>Pareledone antarctica</i>	0.476	0.524	-0.0103898
<i>Periphylla periphylla</i>	0.476	0.524	-0.0058954
<i>Tentorium papillatum</i>	0.476	0.524	-0.0142374
<i>Calanus propinquus</i>	0.475	0.525	-0.0087820
<i>Pteraster affinis aculeatus</i>	0.475	0.525	-0.0113114
<i>Yolida eightsi</i>	0.475	0.525	-0.0111348
<i>Antarctomysis maxima</i>	0.474	0.526	-0.0100091
<i>Aplidium vastum</i>	0.474	0.526	-0.0053685
<i>Ctenocidaris spinosa</i>	0.474	0.526	-0.0094631
<i>Diplasterias brucei</i>	0.474	0.526	-0.0093896
<i>Phascolion strombi</i>	0.474	0.526	-0.0079501
<i>Polyeunoa laevis</i>	0.474	0.526	-0.0112179
<i>Psolus dubiosus</i>	0.474	0.526	-0.0133871
<i>Tentorium semisuberites</i>	0.474	0.526	-0.0093909
<i>Chaetoceros pelagicus</i>	0.473	0.527	-0.0114724
<i>Liothyrella uva antarctica</i>	0.473	0.527	-0.0107839
<i>Marseniopsis conica</i>	0.473	0.527	-0.0072547
<i>Tritonia antarctica</i>	0.473	0.527	-0.0069894
<i>Achlyonice violaeuspida</i>	0.472	0.528	-0.0062392
<i>Alacia belgicae</i>	0.472	0.528	-0.0121889
<i>Alluroteuthis antarcticus</i>	0.472	0.528	-0.0098426
<i>Fissidentalium majorinum</i>	0.472	0.528	-0.0115593
<i>Haplocheira plumosa</i>	0.472	0.528	-0.0071960
<i>Heterophoxus videns</i>	0.472	0.528	-0.0092052
<i>Homaxinella balfourensis</i>	0.472	0.528	-0.0111236
<i>Nacella concinna</i>	0.472	0.528	-0.0125569
<i>Nuttallochiton mirandus</i>	0.472	0.528	-0.0106262
<i>Abatus nimrodi</i>	0.471	0.529	-0.0106339
<i>Epimeria robusta</i>	0.471	0.529	-0.0091283
<i>Phyllocomus crocea</i>	0.471	0.529	-0.0099082

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
<i>Pyura setosa</i>	0.471	0.529	-0.0099551
<i>Tubularia ralphii</i>	0.471	0.529	-0.0087011
<i>Alexandrella mixta</i>	0.470	0.530	-0.0100610
<i>Amphidinium hadai</i>	0.470	0.530	-0.0162466
<i>Aphrodroma brevirostris</i>	0.470	0.530	-0.0120683
<i>Daption capense</i>	0.470	0.530	-0.0117756
<i>Fragilariopsis separanda</i>	0.470	0.530	-0.0110773
<i>Golfingia ohlini</i>	0.470	0.530	-0.0103279
<i>Haliclona dancoi</i>	0.470	0.530	-0.0062884
<i>Lophaster gaini</i>	0.470	0.530	-0.0118007
<i>Ophiosparte gigas</i>	0.470	0.530	-0.0143844
<i>Tritoniella belli</i>	0.470	0.530	-0.0102254
<i>Ampelisca richardsoni</i>	0.469	0.531	-0.0105817
<i>Fragilariopsis pseudonana</i>	0.469	0.531	-0.0094783
<i>Laetmogone wyvillethompsoni</i>	0.469	0.531	-0.0111505
<i>Magellania fragilis</i>	0.469	0.531	-0.0108887
<i>Notocrangon antarcticus</i>	0.469	0.531	-0.0124162
<i>Anoxycalyx joubini</i>	0.468	0.532	-0.0112583
<i>Euphausia superba</i>	0.468	0.532	-0.0132986
<i>Isodyctia toxophila</i>	0.468	0.532	-0.0120358
<i>Melicerita obliqua</i>	0.468	0.532	-0.0109312
<i>Pseudo-Nitzschia liniola</i>	0.468	0.532	-0.0117700
<i>Austroflustra vulgaris</i>	0.467	0.533	-0.0143087
<i>Pagodroma nivea</i>	0.467	0.533	-0.0124542
<i>Porania antarctica</i>	0.467	0.533	-0.0119238
<i>Sterechinus neumayeri</i>	0.467	0.533	-0.0108242
<i>Themisto gaudichaudii</i>	0.467	0.533	-0.0099845
<i>Vibilia antarctica</i>	0.467	0.533	-0.0138880
<i>Austrodoris kerguelensis</i>	0.466	0.534	-0.0128756
<i>Munna globicauda</i>	0.466	0.534	-0.0134759
<i>Odontaster validus</i>	0.466	0.534	-0.0111110
<i>Psolidium incertum</i>	0.466	0.534	-0.0128606
<i>Marseniopsis mollis</i>	0.465	0.535	-0.0104161
<i>Clathria pauper</i>	0.463	0.537	-0.0110658
<i>Corethron criophilum</i>	0.463	0.537	-0.0157120
<i>Ekmocucumis steineni</i>	0.463	0.537	-0.0129377
<i>Promachocrinus kerguelensis</i>	0.463	0.537	-0.0140451
<i>Harpagifer antarcticus</i>	0.462	0.538	-0.0109307
<i>Parmaphorella mawsoni</i>	0.462	0.538	-0.0148042
<i>Pygoscelis adeliae</i>	0.462	0.538	-0.0125573
<i>Sediment</i>	0.462	0.538	-0.0108079
<i>Tursiops truncatus</i>	0.462	0.538	-0.0144362
<i>Abatus cavernosus</i>	0.461	0.539	-0.0145956
<i>Balaenoptera musculus</i>	0.461	0.539	-0.0157692
<i>Latrunculia apicalis</i>	0.461	0.539	-0.0126983
<i>Thalassiosira gracilis</i>	0.461	0.539	-0.0180251
<i>Electrona antarctica</i>	0.460	0.540	-0.0154413
<i>Epimeria rubriques</i>	0.460	0.540	-0.0159455
<i>Rossella nuda</i>	0.460	0.540	-0.0134992
<i>Thalassoica antarctica</i>	0.460	0.540	-0.0137090
<i>Clione limacina</i>	0.459	0.541	-0.0131543
<i>Prionodraco evansii</i>	0.459	0.541	-0.0147278

Species	Prop dif QSS +	Prop dif QSS -	median difQSS relat
Vanadis antarctica	0.459	0.541	-0.0164304
Gnathia calva	0.458	0.542	-0.0137810
Chaenodraco wilsoni	0.457	0.543	-0.0136870
Metaconchoecia isocheira	0.457	0.543	-0.0175275
Euphausia crystallorophias	0.456	0.544	-0.0147971
Ophiurolepis brevirima	0.456	0.544	-0.0193088
Thalassiosira frenguelliopsis	0.456	0.544	-0.0151378
Actinocyclus actinochilus	0.454	0.546	-0.0145288
Limacina helicina antarctica	0.454	0.546	-0.0162732
Neobuccinum eatoni	0.452	0.548	-0.0184613
Aporocidaris milleri	0.447	0.553	-0.0213657
Balaenoptera acutorostrata	0.423	0.577	-0.0264863

## Interaction strength distribution

The statistical distribution that best fitted the empirical interaction strength distribution was a ‘log-Normal’ due to the skew towards weaker interactions. Table 3 shows the results for the six candidate models used.

Table S3: Model comparison for the distribution of interaction strengths of the Weddell Sea food web. Order by best fit. References: df = degrees of freedom, AIC = Akaike Information Criterion, deltaAIC = difference with best fit. Log-Normal is the best model.

Model	df	AIC	deltaAIC
log-Normal	2	-359277.3	0.00
Gamma	2	-358374.4	902.90
Power-law	2	-348537.2	10740.04
Exponential	1	-327199.0	32078.28
Normal	2	-289859.5	69417.78
Uniform	2	-243904.0	115373.33

## References

- Allesina, Stefano, and Mercedes Pascual. 2008. “Network Structure, Predator–prey Modules, and Stability in Large Food Webs.” *Theoretical Ecology* 1 (1): 55–64. <https://doi.org/10.1007/s12080-007-0007-8>.
- Martinez, Neo D. 1991. “Artifacts or Attributes? Effects of Resolution on the Little Rock Lake Food Web.” *Ecological Monographs* 61 (4): 367–92. <https://doi.org/10.2307/2937047>.
- Pawar, Samraat, Anthony I Dell, and Van M. Savage. 2012. “Dimensionality of Consumer Search Space Drives Trophic Interaction Strengths.” *Nature* 486 (May): 485. <https://doi.org/10.1038/nature11131>.
- Saravia, L. A. 2019. “Multiweb: R Package for Multiple Interaction Ecological Networks.” Zenodo. <https://doi.org/10.5281/zenodo.3370396>.
- Thompson, Ross M., Martin Hemberg, Brian M. Starzomski, and Jonathan B. Shurin. 2007. “Trophic Levels and Trophic Tangles: The Prevalence of Omnivory in Real Food Webs.” *Ecology* 88 (3): 612–17. <https://doi.org/10.1890/05-1454>.