

Bombus terrestris subsp. glumbum

Apidae

05/09/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.

Colección Viva  UAM



Bombus terrestris subsp. glumbum

Apidae

01/09/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.

Colección Viva  UAM



Bombus terrestris subsp. glumbum

Apidae

13/11/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.

Colección Viva  UAM



Bombus terrestris subsp. glumbum

Apidae

13/12/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.

Colección Viva  UAM



Amata huebneri

Erebidae

05/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

01/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

13/11/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

13/12/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Arion hortensis

Arionidae

05/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

01/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

13/11/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

13/12/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

05/09/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

01/09/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

13/11/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

13/12/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Trorgssionis sp. 1

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions



Colección Viva  UAM

Trorgssionis sp. 2

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions



Colección Viva  UAM

Trorgssionis schetelonica

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions



Colección Viva  UAM

Trorgssionis schetelonica

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions



Colección Viva  UAM

Bombus terrestris subsp. glumbum

Apidae

05/09/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.



Colección Viva  UAM

Bombus terrestris subsp. glumbum

Apidae

01/09/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.



Colección Viva  UAM

Bombus terrestris subsp. glumbum

Apidae

13/11/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.



Colección Viva  UAM

Bombus terrestris subsp. glumbum

Apidae

13/12/1992

Collected in the coast of the North Sea (it was only known from the Mediterranean Sea before).

It produces a fluid that causes melancholy. This fluid is used as an antidote for the hysteria that results from eating Alihotsy leaves.



Colección Viva  UAM

Amata huebneri

Erebidae

05/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

01/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

13/11/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Amata huebneri

Erebidae

13/12/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Wasp-moth hybrid, giant and aggressive, painful sting

Colección Viva  UAM



Arion hortensis

Arionidae

05/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

01/09/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

13/11/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Arion hortensis

Arionidae

13/12/1992

Collected from the only known extant individual, near to the Hogwarts Castle. Damage marks can be seen in the bark of the branches, due to self-harm.

Ron Weasley began vomiting slugs after his attempt to curse Draco Malfoy failed due to his broken wand.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

05/09/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM




Acromantula gigantea

Macroaranidae

01/09/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

13/11/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Acromantula gigantea

Macroaranidae

13/12/1992

Forbidden Forest

small individuals of approx. 30 cm have been collected.

Colección Viva  UAM



Trorgssionis sp. 1

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions

Colección Viva  UAM



Trorgssionis sp. 2

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions

Colección Viva  UAM



Trorgssionis schetelonica

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions

Colección Viva  UAM



Trorgssionis schetelonica

Canellae

10/5/23

Between the bushes of Retama and Nerium

Blue colour of the skin indicates adaptation to the field conditions

Colección Viva  UAM

