Empirical Analysis of the Role of Energy in Economic Growth

Caleb Reese^a, Lucas Timmer^a, Matthew Kuperus Heun^{a,*}

^aEngineering Department, Calvin College, Grand Rapids, MI 49546, USA

Abstract

****** Add abstract ******

Keywords: economic growth, energy, cobb-douglas, CES, LINEX

Caleb, put your LaTeX code here.

1. Cobb-Douglas Without Energy

Table 1: Cobb-Douglas parameters for 1980-2011 (US, UK, JP) or 1991-2011 (others). (Parameter estimates beneath symbol. 95% confidence bounds to left and right.)

		λ			α			β	
US	0.0087	0.0102	0.0116	0.21	0.27	0.34	0.66	0.73	0.79
UK	-0.0104	0.0097	0.0303	-0.25	0.44	1.12	-0.13	0.56	1.24
JP	0.0014	0.0048	0.0081	0.44	0.52	0.61	0.39	0.48	0.56
CN	-0.0405	0.0188	0.0779	0.11	0.71	1.32	-0.32	0.29	0.89
ZA	-0.0007	0.0008	0.0022	0.46	0.60	0.73	0.26	0.40	0.54
SA	-0.0159	-0.0123	-0.0087	0.21	0.45	0.68	0.32	0.55	0.78
IR	0.0032	0.0039	0.0045	0.49	0.60	0.70	0.30	0.40	0.51
TZ	-0.0039	0.0015	0.0068	0.50	0.73	0.95	0.05	0.27	0.50
ZM	0.0218	0.0249	0.0280	1.25	1.41	1.57	-0.57	-0.41	-0.25

 $Email\ address:\ mkh2@calvin.edu,\ tel:\ +1\ (616)\ 526-6663,\ fax:\ +1\ (616)\ 526-6501\ (Matthew\ Kuperus\ Heun)$

^{*}Corresponding author




Figure 1: GDP (y), capital stock (k), labor (l), thermal energy (q), exergy (x), and useful work (u) for all economies. (China's indexed GDP and indexed capital stock rise to y=7.3 and k=9.2 in 2011.)

2. Cobb-Douglas With Energy

We can force α , β , and γ to be in [0, 1] by a reparameterization:

```
a \in [0, 1], b \in [0, 1], \alpha = \min(a, b), \beta = |b - a|, \gamma = 1 - \max(a, b)
```

2.1. Cobb-Douglas with Q

Note that the anlaysis of ZA is taking a long time here. Need to figure out why CDqTables <- lapply(countries, cobbDouglasEnergyTable, energyType="Q")

```
print(CDqTables[["US"]], caption.placement="top")
print(CDqTables[["ZA"]], caption.placement="top")
# According to http://cran.r-project.org/web/packages/xtable/vignettes/xtableGallef
# be able to use the "sanitize.text.function" parameter to allow markup in column
# line is not working at the present time. --MKH, 18 Jan 2012.
# print(tableCDe, sanitize.text.function = function(x){x})
#print(tableAll, caption.placement="top")
```

2.2. Cobb-Douglas With X

Note that the anlaysis of ZA is taking a long time here. Need to figure out why CDxTables <- lapply(countries, cobbDouglasEnergyTable, energyType="X")

```
print(CDxTables[["US"]], caption.placement="top")
print(CDxTables[["ZA"]], caption.placement="top")
```

2.3. Cobb-Douglas With U

CDuTables <- lapply(countries, cobbDouglasEnergyTable, energyType="U")

```
print(CDuTables[["US"]], caption.placement="top")
print(CDuTables[["ZA"]], caption.placement="top")
```

3. CES

```
cesData <- function(countryName, energyType){</pre>
  energyColumnName <- paste("i", energyType, sep="")</pre>
  # Load the data that we need.
  dataTable <- loadData(countryName)</pre>
  # Establish guess values for phi beta, zeta, lambda_L and lambda_E.
  phiGuess <- -20
  betaGuess <- 0.5 # a typical value for beta (exponent on labor)
  zetaGuess <- 0.0004 # a small value
  lambda_LGuess <- 0.007 #assuming no technical progress on the labor-capital port
  lambda_EGuess <- 0.008 #assuming no technical progress on the energy portion of
  # Runs a non-linear least squares fit to the data with constraints
  modelCES <- nls(iGDP ~ ((1-zeta) * (exp(lambda_L*iYear) * iCapStk^(1-beta) * iLa
                           + zeta*(exp(lambda_E*iYear) * iQ)^phi)^(1/phi),
                   algorithm = "port",
                   control = nls.control(maxiter = 500, tol = 1e-06, minFactor = 1
                                          printEval = FALSE, warnOnly = FALSE),
                   start = list(phi=phiGuess, beta=betaGuess, zeta=zetaGuess, lamb
                                 lambda_E=lambda_EGuess),
                   lower = list(phi=-Inf, beta=0, zeta=0, lambda_L=-Inf, lambda_E=
                   upper = list(phi=0, beta=1, zeta=1, lambda_L=Inf, lambda_E=Inf)
                   data=dataTable)
  aicCES <- AIC(modelCES, k=2) # Checks validity of the model. AIC stands for Akar
  print(aicCES)
  # Gives the nls summary table
  summaryCES <- summary(modelCES) # Gives the nls summary table</pre>
  print(summaryCES)
```

```
# Provides confidence intervals on phi, beta, zeta, lambda_L, and lambda_E. But
ciCES <- confint(modelCES, level = ciLevel)</pre>
print(ciCES)
# Get the estimate for alpha
beta <- as.numeric(coef(modelCES)["beta"])</pre>
alpha <- 1.0 - beta
alpha.est <- deltaMethod(modelCES, "1 - beta") # Estimates alpha and its standar
print(alpha.est)
# Now calculate a confidence interval on alpha
dofCES <- summaryCES$df[2]</pre>
print(dofCES) # Gives the degrees of freedom for the model.
tvalCES <- qt(ciHalfLevel, df = dofCES); tvalCES</pre>
# Get confidence intervals for each parameter in the model
alphaCICES <- with(alpha.est, Estimate + c(-1.0, 1.0) * tvalCES * SE) # CI on al
print(alphaCICES)
# Assemble the data into data frames for the table.
estCES <- data.frame(phi = coef(modelCES)["phi"], alpha = alpha,
                      beta = coef(modelCES)["beta"], zeta = coef(modelCES)["zeta"]
                      lambda_L = coef(modelCES)["lambda_L"], lambda_E = coef(modelCES)
row.names(estCES) <- paste("CES with ", energyType, sep="")</pre>
#print(estCES)
# The [1] subscripts pick off the lower confidence interval
lowerCES <- data.frame(phi = ciCES["phi","2.5%"], alpha = alphaCICES[1],</pre>
                        beta = ciCES["beta", "2.5%"], zeta = ciCES["zeta", "2.5%"
                        lambda_L = ciCES["lambda_L", "2.5%"], lambda_E = ciCES["]
row.names(lowerCES) <- "- 95% CI"
# The [2] subscripts pick off the lower confidence interval
upperCES <- data.frame(phi = ciCES["phi","97.5%"], alpha = alphaCICES[2],
                        beta = ciCES["beta", "97.5%"], zeta = ciCES["zeta", "97.5
                        lambda_L = ciCES["lambda_L", "97.5%"], lambda_E = ciCES["]
row.names(upperCES) <- "+ 95% CI"
# Now create the data for a table.
dataCES <- rbind(upperCES, estCES, lowerCES)</pre>
```

3.1. CES with Q

```
zeta
         2.09e-06 1.32e-05
                                0.16 0.8758
lambda_L 7.98e-03 6.68e-04
                               11.95 2.8e-12
lambda_E 8.57e-03
                    2.48e-03
                                3.45
                                       0.0018
Residual standard error: 0.0105 on 27 degrees of freedom
Algorithm "port", convergence message: relative convergence (4)
Waiting for profiling to be done...
            2.5%
                      97.5%
              NA -10.290831
phi
        0.514667
                   0.665371
beta
zeta
              NA
                         NA
lambda_L 0.006428
                   0.009152
lambda_E 0.000715
                   0.012468
        Estimate
                      SE
1 - beta 0.3911 0.03453
[1] 27
[1] 0.3202 0.4619
                                    zeta lambda_L lambda_E
             phi alpha
                          beta
+ 95% CI
          -10.29 0.4619 0.6654
                                      NA 0.009152 0.012468
CES with Q -39.64 0.3911 0.6089 2.085e-06 0.007979 0.008570
- 95% CI
              NA 0.3202 0.5147
                                     NA 0.006428 0.000715
#CESqTables <- lapply(countries, cesTable, energyType="Q")</pre>
```

```
print(tableCESq, caption.placement="top")
```

```
#print(CESqTables[["US"]], caption.placement="top")
#print(CESqTables[["ZA"]], caption.placement="top")
```

Table 2: US, 1980-2011.

	phi	alpha	beta	zeta	lambda_L	lambda_E
+ 95% CI	-10.3	0.46	0.67		0.00915	0.01247
CES with Q	-39.6	0.39	0.61	0.000002	0.00798	0.00857
- 95% CI		0.32	0.51		0.00643	0.00071